

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
19 July 2001 (19.07.2001)

PCT

(10) International Publication Number
WO 01/51627 A2

- (51) International Patent Classification⁷: C12N 15/00 (74) Agent: MARSH, David, R.; Howrey Simon Arnold & White, LLP, 1299 Pennsylvania Avenue, N.W., Box 34, Washington, DC 20004-2402 (US).
- (21) International Application Number: PCT/US01/00552
- (22) International Filing Date: 5 January 2001 (05.01.2001) (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 60/174,880 7 January 2000 (07.01.2000) US
- (71) Applicant: MONSANTO COMPANY [US/US]; 800 N. Lindbergh Boulevard, St. Louis, MO 63167 (US).
- (72) Inventors: HAUGE, Brian, M.; 17 Clifton Avenue, Beverly, MA 01915 (US). WANG, Ming, Li; 312 Lowell Street, Lexington, MA 02420 (US). PARSONS, Jeremy, D.; 37 Walpole Road, Cambridge CB1 3TH (GB). PAR-NELL, Laurence, D.; 9 Eustis Street #2L, Cambridge, MA 02140-2226 (US).
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:
— without international search report and to be republished upon receipt of that report

[Continued on next page]

(54) Title: NUCLEIC ACID MOLECULES AND OTHER MOLECULES ASSOCIATED WITH SOYBEAN CYST NEMATODE RESISTANCE

rhg1 LRR

consensus LRR	L F S N L P	N L E E L D L S N N	L T	S L P P G
	a x x a x	x L x x L x L x x N	L	I
LRR 177-200	T L G L L P	G L R K L S L H D N Q	I G	G S I P S
LRR 201-224	S L G F C P	N L R G V Q L F N N R	L T	G S I P L
LRR 225-248	L A N S T	L L Q S L D L S N N L	L T	G A I P Y S
LRR 249-272	L T H S F	K L Y W L N L S F N S	F S	G P L P A S
LRR 273-297	W G G N S K	S L T F L S L Q N N N	L S	G S L P N S
LRR 302-325	L G S L R	R L Q N L I L D H N F	F T	G D V P A S
LRR 326-349	I G T L S	E L N E L S L S H N K	F S	G A I P N E
LRR 350-373	T L S N L S	R L K T L D I S N N A	L N	G N L P A
LRR 374-397	S L G R L R	S L T L L N A E N N L	L D	N Q I P Q
LRR 398-421	S I A N I S	N L S V L I L S R N Q	F S	G H I P S
LRR 422-445	S F D S Q R	S L R Q L D L S L N N	F S	G E I P V
LLR 446-470	L L A K K F N S L N	L F N V S N S	L S	G S V P P

(57) Abstract: The present invention is in the field of soybean genetics. More specifically, the invention relates to nucleic acid molecules from regions of the soybean genome, which are associated with soybean cyst nematode resistance. The invention also relates to proteins encoded by such nucleic acid molecules as well as antibodies capable of recognizing these proteins. The invention also relates to nucleic acid markers from regions of the soybean genome, which are associated with soybean cyst nematode resistance. Moreover, the invention relates to uses of such molecules, including, transforming soybean cyst nematode resistant soybean with constructs containing nucleic acid molecules from regions of the soybean genome, which are associated with soybean cyst nematode resistance. Furthermore, the invention relates to the use of such molecules in a plant breeding program.



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

NUCLEIC ACID MOLECULES AND OTHER MOLECULES ASSOCIATED WITH SOYBEAN CYST NEMATODE RESISTANCE

FIELD OF THE INVENTION

The present invention is in the field of soybean genetics. More specifically, the invention relates to nucleic acid molecules from regions of the soybean genome, which are associated with soybean cyst nematode (SCN) resistance. The invention also relates to proteins encoded by such nucleic acid molecules as well as antibodies capable of recognizing these proteins. The invention also relates to nucleic acid markers from regions of the soybean genome, which are associated with SCN resistance. Moreover, the invention relates to uses of such molecules, including, transforming SCN sensitive soybean with constructs containing nucleic acid molecules from regions in the soybean genome, which are associated with SCN resistance. Furthermore, the invention relates to the use of such molecules in a plant breeding program.

BACKGROUND OF THE INVENTION

The soybean, *Glycine max* (L.) Merril (*Glycine max* or soybean), is one of the major economic crops grown worldwide as a primary source of vegetable oil and protein (Sinclair *et al.*, *Compendium of Soybean Diseases*, 3rd Ed. APS Press, St. Paul, MN, p. 106. (1989)). The growing demand for low cholesterol and high fiber diets has also increased soybean's importance as a health food.

Prior to 1940, soybean cultivars were either direct releases of introductions brought from Asia or pure line selections from genetically diverse plant introductions. The soybean plant was primarily used as a hay crop in the early part of the 19th century. Only a few introductions were large-seeded types useful for feed grain and oil production. From the mid 1930's through the 1960's, gains in soybean seed yields were achieved by changing the breeding method from evaluation and selection of introduced germplasm to crossing elite by elite lines. The continuous cycle of cross hybridizing the elite strains selected from the progenies of previous crosses resulted in the modern day cultivars.

Over 10,000 soybean strains have now been introduced into the United States since the early 1900's (Bernard *et al.*, *United States National Germplasm Collections*. In: L.D. Hil (ed.), World Soybean Research, pp. 286-289. Interstate Printers and Publ., Danville, IL (1976)). A limited number of those introductions form the genetic base of cultivars developed from the hybridization and selection programs (Johnson *et al.*, *The Soybean*, Norman Ed., Academic Press, N.Y., pp. 1-73 (1963)). For example, in a survey conducted by Specht and Williams, *Genetic Contributions*, Fehr eds. American Soil Association, Wisconsin, pp. 49-73 (1984), for the 136 cultivars released from 1939 to 1989, only 16 different introductions were the source of cytoplasm for 121 of that 136. Certain soybean strains are sensitive to one or more pathogens. One economically important pathogen is SCN.

SCN accounts for roughly 40% of the total disease in soybean and can result in significant yield losses (up to 90%). SCN is the most destructive pest of soybean to date and accounts for an estimated yield loss of up to \$809 million dollars annually. Currently, the most cost effective control measures are crop rotation and the use of host plant resistance. While breeders have successfully developed SCN resistant soybean lines, breeding is both difficult and time consuming due to the complex and polygenic nature of resistance. The resistance is often race specific and does not provide stability over time due to changing SCN populations in the field. In addition, many of the resistant soybean varieties carry a significant yield penalty when grown in the absence of SCN.

SCN, *Heterodera glycines Ichinohe*, was identified on soybeans in the United States in 1954 at Castle Hayne, N.C. Winstead, *et al.*, *Plant Dis. Rep.* 39:9-11 (1955). Since its discovery the SCN has been recognized as one of the most destructive pests in soybean. It has been reported in nearly all states in which soybeans are grown, and it causes major production problems in several states, being particularly destructive in the Midwestern states. See generally: Caldwell, *et al.*, *Agron. J.* 52:635-636 (1960); Rao-Arelli *et al.*, *Crop. Sci.* 28:650-652, (1988); Baltazar *et al.*, *Soybean Genet. Newsl.* 19:120-122 (1992); Concibido, *et al.*, *Crop. Sci.*, (1993). For example, sensitive soybean

cultivars had 5.7-35.8% lower seed yields than did resistant cultivars on SCN race-3 infested sites in Iowa. (Niblack *et al.*, *Plant Dis.* 76:943-948 (1992)).

Shortly after the discovery of SCN in the United States, sources of SCN resistance were identified (Ross *et al.*, *Plant Dis. Rep.* 41:923-924 (1957)). Some lines such as Peking and Plant Introduction (PI) PI88788, were quickly incorporated into breeding programs. Peking became widely used as a source of resistance due to its lack of agronomically undesirable traits, with Pickett as the first SCN resistant cultivar released (Brim *et al.*, *Crop Sci.* 6:305 (1966)). The recognition that certain SCN resistant populations could overcome resistant cultivars lead to an extensive screen for additional sources of SCN resistance. PI88788 emerged as a popular source of race 3 and 4 resistance even though it had a cyst index greater than 10% (but less than 20%) against race 4, and Peking and its derivatives emerged as a popular source for races 1 and 3. PI437654 was subsequently identified as having resistance to all known races and its SCN resistance was backcrossed into Forrest. Currently there are more than 130 PIs known to have SCN resistance.

SCN race 3 is considered to be the prominent race in the Midwestern soybean producing states. Considerable effort has been devoted to the genetics and breeding for resistance to race 3. While both Peking and PI88788 are resistant to SCN race 3, classical genetics studies suggest that they harbor different genes for race 3 resistance (Rao-Arelli *et al.*, *Crop Sci.* 28:650-652 (1988)). Crosses between PI88788(R) and Essex(S) segregate 9(R): 55(S) in the F₂ population and 1(R): 26(Seg): 37(S) families in the F₃ generation, suggesting that resistance to race 3 in PI88788 is conditioned by one recessive and two dominant genes, where as Peking and PI90763 resistance is conditioned by one dominant and two recessive genes. Based on reciprocal crosses, Peking, Forrest, and PI90763 have genes in common for resistance to SCN race 3 (Rao-Arelli *et al.*, *Crop Sci.*, 28:650-652 (1988)). A cross between Peking and PI88788 segregates 13(R):3(S) in the F₂ generation, indicating a major difference between the parents for race 3 resistance. Generation mean analysis based on four crosses between resistant and sensitive genotypes; A20 (R), Jack (R), Cordell (R) and A2234 (S), suggests that an additive genetic model is

sufficient to explain most of the genetic variation of race 3 SCN resistance in each cross, while the analysis of the pooled data indicates the presence of dominant effects as well (Mansur *et al.*, *Crop Sci.* 33:1249-1253 (1993)). This analysis further indicates that race 3 resistance is probably under the genetic control of three, but not more than four genes.

RFLP analysis of segregating populations between resistant and sensitive lines; PI209332 (R), PI90763 (R), PI88788 (R), Peking (R) and Evan (S), identified a major SCN resistance QTL (*rhg1*) which maps to linkage group G (Concibido *et al.*, *Theor Appl. Genet.* 93:234-241 (1996)). In this study, *rhg1* explains 51.4% of the phenotypic variation in PI209332, 52.7% of the variation in PI90763, 40.0% of the variation in PI88788 and 28.1% of the variation in Peking. This major resistance QTL was assumed be one and the same in all of the mapping populations employed. However, as pointed out by the authors, it is possible that the genomic interval contains distinct but tightly linked QTLs. In a related study using PI209332 as the source of resistance, Concibido *et al.*, *Crop Sci.* 36:1643-1650 (1996), show that a QTL on linkage group G (*rhg1*) is effective against the three SCN races tested, explaining 35% of the phenotypic variation to race 1, 50% of the variation to race 3, and 54% of the variation to race 6. In addition to the major QTL on linkage group G, 4 other QTLs mapping to linkage groups D, J, L and K were identified, with some of the resistance loci behaving in a race specific manner.

Concibido *et al.* (*Crop Sci.* 37:258-264 (1997)) found significant association of marker C006V to a major QTL on linkage group G (*rhg1*) and resistance to race 1, race 3 and race 6, in Peking and PI90763 (Evan X Peking, Evan X PI90763) and races 3 and 6 in PI88788 (Evan X PI88788), in agreement with the previous study based on the P209332 source of resistance (Concibido *et al.*, *Crop Sci.* 36:1643-1650 (1996)). The resistance locus near C006V was effective against all races tested in all of the resistance sources. While statistically significant against all races, this locus accounts for different proportions of the total phenotypic variation with the races tested. For example, in PI90763 the resistance locus near C006V explains more than three times the phenotypic variation against race 1 than against race 3. The variability can be attributed to

differences in the genetic backgrounds, variability among the SCN populations or may be a reflection of the limited size of the plant populations which were employed. This study further identified three additional independent SCN resistance QTLs; one near the RFLP marker A378H mapping to the opposite end of linkage group G from C006V (*rhg1*), one near the marker B032V-1 on linkage group J and a third linked to A280Hae-1 on linkage group N. Comparisons between the different SCN races indicated that some of the putative SCN QTLs behave in a race specific manner.

PI437654 was identified as having resistance to all known races. Based on analysis of 328 recombinant inbred lines (RIL) derived from a cross between PI437654 and BSR101, Webb reported six QTLs associated with SCN resistance on linkage groups A2, C1, G, M, L25 and L26 (U.S. Patent 5,491,081). An allele on linkage group G, presumed to be *rhg1*, is involved with certain SCN races tested (races 1, 2, 3, 5 and 14), and has the largest reported phenotypic effect on resistance to every race. In contrast, the QTLs on linkage groups A2, C1, M, L25 and L26 act in a race specific manner. The QTL on linkage group L25 was reportedly involved with four of the five races, while the QTLs on linkage groups, A2, C1 and L26 were each involved in resistance to two of the five races (U.S. Patent 5,491,081). Webb further reports data that the resistance to any of the five races is likely to result from the combined effects of the QTL involved in each race (U.S. Patent 5,491,081).

Qui *et al.* (*Theor Appl Genet* 98:356-364 (1999)) screened 200 F_{2,3} families derived from a cross between Peking and Essex and identified RFLP markers which are associated with SCN resistance QTLs on linkage groups B, E, I and H. The three QTLs on linkage groups B, E and H jointly account for 57.7% of the phenotypic variation to race 1, the QTLs on linkage groups H and B account for 21.4% of the variation to race 3, while the QTLs on linkage groups I and E are associated with resistance to race 5 accounting for 14.0% of the phenotypic variation. In contrast to previous mapping studies which use Peking as the source of resistance, no significant association was detected to the *rhg1* locus on linkage group G. The authors point out that the marker Bng122, which

has been shown to have significant linkage to *rhg1*, is not polymorphic in the population employed (Concibido *et al.*, *Crop Sci.* 36:1643-1650 (1996)).

It has been reported that the *rhg1* locus on linkage group G is necessary for the development of resistance to any of the SCN races. There have been efforts to develop molecular markers to identify breeding lines harboring the *rhg1* SCN resistant allele. One of the most commonly used markers for marker assisted selection (MAS) of *rhg1* is an SSR locus that co-segregates and maps roughly 0.4 cM from *rhg1*. This SRR marker, BARC-Satt_309 is able to distinguish most, if not all, of the SCN sensitive genotypes from those harboring *rhg1* from important sources of resistance such as Peking and PI437654. Two simple sequence repeat markers have been reported that can be used to select for SCN resistance at the *rhg1* locus (Concibido *et al.*, *Theor Appl Genet* 99: 811-818 (1999)). Satt_309 was also effective in distinguishing SCN resistant sources PI88788 and PI209332 in many, but not all, sensitive genotypes. In particular, Satt_309 can not be used for MAS in populations developed from “typical” southern US cultivars (*e.g.*, Lee, Bragg and Essex) crossed with resistance sources PI88788 or PI209332.

Matson *et al.* have reported a dominant SCN resistance locus, *Rhg4*, which is tightly linked to the ‘*i*’ locus on linkage group A2 (Matson *et al.*, *Crop Sci.* 5:447 (1965)). The QTL reported by Webb on linkage group A2 maps near the ‘*i*’ locus and is considered to be *Rhg4* (U.S. Patent 5,491,081). Webb concludes that only two loci on linkage groups A2 (*Rhg4*) and G (*rhg1*) explain the genetic variation to race 3.

SUMMARY OF THE INVENTION

The present invention includes and provides a method for the production of a soybean plant having an *rhg1* SCN resistant allele comprising: (A) crossing a first soybean plant having an *rhg1* SCN resistant allele with a second soybean plant having an *rhg1* SCN sensitive allele to produce a segregating population; (B) screening the segregating population for a member having an *rhg1* SCN resistant allele with a first nucleic acid molecule capable of specifically hybridizing to linkage group G, wherein the first

nucleic acid molecule specifically hybridizes to a second nucleic acid molecule that is linked to the *rhg1* SCN resistant allele; and, (C) selecting the member for further crossing and selection.

The present invention includes and provides a method of investigating an *rhg1* haplotype of a soybean plant comprising: (A) isolating nucleic acid molecules from the soybean plant; (B) determining the nucleic acid sequence of an *rhg1* allele or part thereof; and, (C) comparing the nucleic acid sequence of the *rhg1* allele or part thereof to a reference nucleic acid sequence.

The present invention includes and provides a method of introgressing SCN resistance or partial SCN resistance into a soybean plant comprising: performing marker assisted selection of the soybean plant with a nucleic acid marker, wherein the nucleic acid marker specifically hybridizes with a nucleic acid molecule having a first nucleic acid sequence that is physically linked to a second nucleic acid sequence that is located on linkage group G of soybean A3244, wherein the second nucleic acid sequence is within 500 kb of a third nucleic acid sequence which is capable of specifically hybridizing with the nucleic acid sequence of SEQ ID NO: 5, 6, complements thereof, or fragments thereof having at least 15 nucleotides; and, selecting the soybean plant based on the marker assisted selection.

The present invention includes and provides a method for the production of a soybean plant having an *Rhg4* SCN resistant allele comprising: (A) crossing a first soybean plant having an *Rhg4* SCN resistant allele with a second soybean plant having an *Rhg4* SCN sensitive allele to produce a segregating population; (B) screening the segregating population for a member having an *Rhg4* SCN resistant allele with a first nucleic acid molecule capable of specifically hybridizing to linkage group A2, wherein the first nucleic acid molecule specifically hybridizes to a second nucleic acid molecule linked to the *Rhg4* SCN resistant allele; and, (C) selecting the member for further crossing and selection.

The present invention includes and provides a method of investigating an *Rhg4* haplotype of a soybean plant comprising: (A) isolating nucleic acid molecules from the soybean plant; (B) determining the nucleic acid sequence of an *Rhg4* allele or part thereof; and (C) comparing the nucleic acid sequence of the *Rhg4* allele or part thereof to a reference nucleic acid sequence.

The present invention includes and provides a method of introgressing SCN resistance or partial SCN resistance into a soybean plant comprising: performing marker assisted selection of the soybean plant with a nucleic acid marker, wherein the nucleic acid marker specifically hybridizes with a nucleic acid molecule having a first nucleic acid sequence that is physically linked to a second nucleic acid sequence that is located on linkage group A2 of soybean A3244, wherein the second nucleic acid sequence is within 500 kb of a third nucleic acid sequence which specifically hybridizes with the nucleic acid sequence of SEQ ID NO: 7, complements thereof, or fragments thereof having at least 15 nucleotides; and, selecting the soybean plant based on the marker assisted selection.

The present invention includes and provides a substantially purified nucleic acid molecule comprising a nucleic acid sequence selected from the group consisting of SEQ ID NOs: 5, 6, 8-23, 28-43, complements thereof, and fragments of either.

The present invention includes and provides a substantially purified first nucleic acid molecule with nucleic acid sequence which specifically hybridizes to a second nucleic acid molecule having a nucleic acid sequence selected from the group consisting of a complement of SEQ ID NOs: 5, 6, 8-23, 28-43.

The present invention includes and provides a substantially purified nucleic acid molecule comprising a nucleic acid sequence selected from the group consisting of SEQ ID NOs: 7, 44-47, and 50-53, complements thereof, and fragments of either.

The present invention includes and provides a substantially purified first nucleic acid molecule with nucleic acid sequence which specifically hybridizes to a second nucleic acid molecule having a nucleic acid sequence selected from the group consisting of a complement of SEQ ID NOs: 50-53.

The present invention includes and provides a substantially purified protein or fragment thereof comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 1097, 1098, and 1100-1115 and fragments thereof.

The present invention includes and provides a substantially purified protein or fragment thereof comprising an amino acid sequence selected from the group consisting of SEQ ID NOs 1099, and 1116-1119 and fragments thereof.

The present invention includes and provides a transformed plant having a nucleic acid molecule which comprises: (A) an exogenous promoter region which functions in a plant cell to cause the production of a mRNA molecule; (B) a structural nucleic acid molecule encoding a protein or fragment thereof comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 1097, 1100, 1098, 1101, 1102-1115; and (C) a 3' non-translated sequence that functions in the plant cell to cause termination of transcription and addition of polyadenylated ribonucleotides to a 3' end of the mRNA molecule.

The present invention includes and provides a transformed plant having a nucleic acid molecule which comprises: (A) an exogenous promoter region which functions in a plant cell to cause the production of a mRNA molecule; (B) a structural nucleic acid molecule encoding a protein or fragment thereof comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 1099, 1116-1119; and (C) a 3' non-translated sequence that functions in the plant cell to cause termination of transcription and addition of polyadenylated ribonucleotides to a 3' end of the mRNA molecule.

The present invention includes and provides a transgenic seed having a nucleic acid molecule which comprises: (A) an exogenous promoter region which functions to cause the production of a mRNA molecule; (B) a structural nucleic acid molecule encoding a protein or fragment thereof comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 1097, 1100, 1098, 1101, 1102-1115; and (C) a 3' non-translated sequence that functions to cause termination of transcription and addition of polyadenylated ribonucleotides to a 3' end of the mRNA molecule.

The present invention includes and provides a transgenic seed having a nucleic acid molecule which comprises: (A) an exogenous promoter region which functions to

cause the production of a mRNA molecule; (B) a structural nucleic acid molecule encoding a protein or fragment thereof comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 1099, 1116-1119; and (C) a 3' non-translated sequence that functions to cause termination of transcription and addition of polyadenylated ribonucleotides to a 3' end of the mRNA molecule.

DESCRIPTION OF THE FIGURES

Figure 1 is an amino acid sequence alignment of the leucine rich repeat domain of *rhg1*.

Figure 2 is an amino acid sequence alignment of the leucine rich repeat domain of *Rhg4*.

DESCRIPTION OF THE SEQUENCE LISTINGS

The following sequence listings form part of the present specification and are included to further demonstrate certain aspects of the present invention. The invention may be better understood by reference to one or more of these sequences in combination with the detailed description presented herein.

SEQ ID NOs: 1-7 and 1097-1099 all refer to sequences from the line A3244.

SEQ ID NO: 1 is sequence ID 515O02_region_G2 from line A3244, and is adjacent to the contig containing *rhg1*.

SEQ ID NO: 2 is sequence ID 240O17_region_G3 from line A3244, and contains the *rhg1*, v.1 four exon gene at coding coordinates 45163-45314, 45450-45509, 46941-48763, 48975-49573. The amino acid translation for SEQ ID NO: 2 is SEQ ID NO: 1097.

SEQ ID NO: 3 is sequence ID 240O17_region_G3 from line A3244, and contains the *rhg1*, v.2 two exon gene at coding coordinates 46798-48763 and 48975-49573. The amino acid translation for SEQ ID NO: 3 is SEQ ID NO: 1098.

SEQ ID NO: 4 is sequence ID 318O13_region_A3 from line A3244, contains the *Rhg4* gene at coding coordinates 111805-113968 and 114684-115204, and has an amino acid translation of SEQ ID NO: 1099.

SEQ ID NO: 5 is sequence ID 240O17_region_G3_8_mRNA, and comprises the two *rhg1*, v.2 exons from the coding sequence portion of SEQ ID NO: 3.

SEQ ID NO: 6 is sequence ID 240O17_region_G3_8_cds, and comprises the four *rhg1*, v.1 exons from the coding sequence portion of SEQ ID NO: 2.

SEQ ID NO: 7 is sequence ID 318O13_region_A3_17_cds, and comprises the *Rhg4* coding sequence portion from SEQ ID NO: 4.

SEQ ID NOs: 8-43 and 1100-1115 all refer to *rhg1* sequences.

SEQ ID NO: 8 is sequence ID rhg1_A3244_amplicon from line A3244, contains four *rhg1*, v.1 exons at coding coordinates 113-264, 400-459, 1891-3713, and 3925-4523, and has an amino acid translation of SEQ ID NO: 1100 and 1097.

SEQ ID NO: 9 is sequence ID rhg1_A3244_amplicon, contains two *rhg1*, v.2 exons at coding coordinates 1748-3713 and 3925-4523 and has an amino acid translation of SEQ ID NO: 1101 and 1098.

SEQ ID NO: 10 is sequence ID rhg1_peking_amplicon from the line peking, contains four *rhg1*, v.1 exons at coding coordinates 113-264, 400-459, 1888-3710, and 3903-4501, and has an amino acid translation of SEQ ID NO: 1102.

SEQ ID NO: 11 is sequence ID rhg1_peking_amplicon, contains two *rhg1*, v.2 exons at coding coordinates 1745-3710 and 3903-4501, and has an amino acid translation of SEQ ID NO: 1103.

SEQ ID NO: 12 is sequence ID rhg1_toyosuzu_amplicon from the line toyosuzu, contains four *rhg1*, v.1 exons at coding coordinates 113-264, 400-459, 1890-3712, and 3924-4522, and has an amino acid translation of SEQ ID NO: 1104.

SEQ ID NO: 13 is sequence ID rhg1_toyosuzu_amplicon, contains two *rhg1*, v.2 exons at coding coordinates 1747-3712 and 3924-4522, and has an amino acid translation of SEQ ID NO: 1105.

SEQ ID NO: 14 is sequence ID *rhg1_will_amplicon* from the line *will*, contains four *rhg1, v.1* exons at coding coordinates 113-264, 400-459, 1891-3713, and 3925-4523, and has an amino acid translation of SEQ ID NO: 1106.

SEQ ID NO: 15 is sequence ID *rhg1_will_amplicon*, contains two *rhg1, v.2* exons at coding coordinates 1748-3713 and 3925-4523, and has an amino acid translation of SEQ ID NO: 1107.

SEQ ID NO: 16 is sequence ID *rhg1_a2704_amplicon* from the line A2704, contains four *rhg1, v.1* exons at coding coordinates 113-264, 400-459, 1891-3713, and 3925-4523, and has an amino acid translation of SEQ ID NO: 1108.

SEQ ID NO: 17 is sequence ID *rhg1_a2704_amplicon*, contains two *rhg1, v.2* exons at coding coordinates 1748-3713 and 3925-4523, and has an amino acid translation of SEQ ID NO: 1109.

SEQ ID NO: 18 is sequence ID *rhg1_noir_amplicon* from the line *noir*, contains four *rhg1, v.1* exons at coding coordinates 113-264, 400-459, 1876-3698, and 3910-4508, and has an amino acid translation of SEQ ID NO: 1110.

SEQ ID NO: 19 is sequence ID *rhg1_noir_amplicon*, contains two *rhg1, v.2* exons at coding coordinates 1733-3698 and 3910-4508, and has an amino acid translation of SEQ ID NO: 1111.

SEQ ID NO: 20 is sequence ID *rhg1_lee_amplicon* from the line *lee*, contains four *rhg1, v.1* exons at coding coordinates 113-264, 400-459, 1876-3698, and 3910-4508, and has an amino acid translation of SEQ ID NO: 1112.

SEQ ID NO: 21 is sequence ID *rhg1_lee_amplicon*, contains two *rhg1, v.2* exons at coding coordinates 1733-3698 and 3910-4508, and has an amino acid translation of SEQ ID NO: 1113.

SEQ ID NO: 22 is sequence ID *rhg1_pi200499_amplicon* from the line PI200499, contains four *rhg1, v.1* exons at coding coordinates 113-264, 400-459, 1876-3698, and 3910-4508, and has an amino acid translation of SEQ ID NO: 1114.

SEQ ID NO: 23 is sequence ID rhg1_pi200499_amplicon, contains two *rhg1*, v.2 exons at coding coordinates 1733-3698 and 3910-4508, and has an amino acid translation of SEQ ID NO: 1115.

SEQ ID NO: 24 is sequence ID 240017_region_G3_forward_1, is a primer that hybridizes to coordinates 45051-45077 on contig 240017_region_G3 before the start codon, and can be used with SEQ ID NO: 25.

SEQ ID NO: 25 is sequence ID 240017_region_G3_reverse_1, is a primer that hybridizes to coordinates 47942-47918 on contig 240017_region_G3, and can be used with SEQ ID NO: 24.

SEQ ID NO: 26 is sequence ID 240017_region_G3_forward_2, is a primer that hybridizes to coordinates 47808-47831 on contig 240017_region_G3, and can be used with SEQ ID NO: 27.

SEQ ID NO: 27 is sequence ID 240017_region_G3_reverse_2, is a primer that hybridizes to coordinates 49553-49531 of contig 240017_region_G3 prior to the stop codon, and can be used with SEQ ID NO: 26.

Primers given by SEQ ID NOs: 24-27 are used to create the amplicons of SEQ ID NOs: 8-23. The final 22 bases are added to the actual amplicons in order to simulate the rest of the gene to the stop codon, in order to allow complete translation.

SEQ ID NO: 28 is sequence ID rhg1_A3244_amplicon_cds, which is the coding sequence portion of SEQ ID NO: 8.

SEQ ID NO: 29 is sequence ID rhg1_peking_amplicon_cds, which is the coding sequence portion of SEQ ID NO: 10.

SEQ ID NO: 30 is sequence ID rhg1_toyosuzu_amplicon_cds, which is the coding sequence portion of SEQ ID NO: 12.

SEQ ID NO: 31 is sequence ID rhg1_will_amplicon_cds, which is the coding sequence portion of SEQ ID NO: 14.

SEQ ID NO: 32 is sequence ID rhg1_a2704_amplicon_cds, which is the coding sequence portion of SEQ ID NO: 16.

SEQ ID NO: 33 is sequence ID rhg1_noir_amplicon_cds, which is the coding sequence portion of SEQ ID NO: 18.

SEQ ID NO: 34 is sequence ID rhg1_lee_amplicon_cds, which is the coding sequence portion of SEQ ID NO: 20.

SEQ ID NO: 35 is sequence ID rhg1_pi200499_amplicon_cds, which is the coding sequence portion of SEQ ID NO: 22.

SEQ ID NO: 36 is sequence ID rhg1_A3244_amplicon_cds_2, which is the coding sequence portion of SEQ ID NO: 9.

SEQ ID NO: 37 is sequence ID rhg1_peking_amplicon_cds_2, which is the coding sequence portion of SEQ ID NO: 11.

SEQ ID NO: 38 is sequence ID rhg1_toyosuzu_amplicon_cds_2, which is the coding sequence portion of SEQ ID NO: 13.

SEQ ID NO: 39 is sequence ID rhg1_will_amplicon_cds_2, which is the coding sequence portion of SEQ ID NO: 15.

SEQ ID NO: 40 is sequence ID rhg1_a2704_amplicon_cds_2, which is the coding sequence portion of SEQ ID NO: 17.

SEQ ID NO: 41 is sequence ID rhg1_noir_amplicon_cds_2, which is the coding sequence portion of SEQ ID NO: 19.

SEQ ID NO: 42 is sequence ID rhg1_lee_amplicon_cds_2, which is the coding sequence portion of SEQ ID NO: 21.

SEQ ID NO: 43 is sequence ID rhg1_pi200499_amplicon_cds_2, which is the coding sequence portion of SEQ ID NO: 23.

SEQ ID NOs: 44-53 and 1116-1119 all refer to *Rhg4* sequences

SEQ ID NO: 44 is sequence ID rhg4_a3244_amplicon from the line A3244, contains *Rhg4* at coding coordinates 79-2242 and 2958-3478, is made using SEQ ID NOs: 48 and 49, and has an amino acid translation of SEQ ID NO: 1116 and 1099.

SEQ ID NO: 45 is sequence ID rhg4_Minsoy_amplicon from the line Minsoy, contains *Rhg4* at coding coordinates 79-2242 and 2958-3478, is made using SEQ ID NOs: 48 and 49, and has an amino acid translation of SEQ ID NO: 1117.

SEQ ID NO: 46 is sequence ID rhg4_Jack_amplicon from the line Jack, contains *Rhg4* at coding coordinates 79-2242 and 2958-3478, is made using SEQ ID NO: 48 and 49, and has an amino acid translation of SEQ ID NO: 1118.

SEQ ID NO: 47 is sequence ID rhg4_peking_amplicon from the line Peking, contains *Rhg4* at coding coordinates 79-2242 and 2958-3478, is made using SEQ ID NOs: 48 and 49, and has an amino acid translation of SEQ ID NO: 1119.

SEQ ID NO: 48 is sequence ID 318O13_region_A3_forward, hybridizes to coordinates 111727-111756 of contig 318O13_region_A3, and is a primer used with SEQ ID NO: 49 to create *Rhg4* amplicons.

SEQ ID NO: 49 is sequence ID 318O13_region_A3_reverse, hybridizes to coordinates 115206-115177 of contig 318O13_region_A3, and is a primer used with SEQ ID NO: 48 to create *Rhg4* amplicons.

SEQ ID NO: 50 is sequence ID rhg4_A3244_amplicon_cds, which is the coding sequence portion of SEQ ID NO: 44.

SEQ ID NO: 51 is sequence ID rhg4_Minsoy_amplicon_cds, which is the coding sequence portion of SEQ ID NO: 45.

SEQ ID NO: 52 is sequence ID rhg4_Jack_amplicon_cds, which is the coding sequence portion of SEQ ID NO: 46.

SEQ ID NO: 53 is sequence ID rhg4_peking_amplicon_cds, which is the coding sequence portion of SEQ ID NO: 47.

SEQ ID NO: 1120 is sequence ID consensusLRR, which is a consensus sequence for the LRR repeats shown in Figures 1 and 2.

SEQ ID NO: 1121 is sequence ID rhg1LRR, which is the amino acid sequence of the LRR domain shown in Figure 1.

SEQ ID NO: 1122 is sequence ID Rhg4LRR, which is the amino acid sequence of the LRR domain shown in Figure 2.

SEQ ID NO: 1123 is sequence ID 240017_region_G3_forward_1_b, which is an alternate primer that hybridizes to coordinates 45046-45072 on contig 240017_region_G3 before the start codon, and which can be used with SEQ ID NO: 25.

Table 1 below provides further information on the sequences described herein.

In table 1, for all rows, "Seq Num" refers to the corresponding SEQ ID NO in the sequence listing.

For rows with SEQ ID NOs: 1-53 and 1120-1123 "Seq ID" refers to the name of the SEQ ID NO given in the "Seq Num" column.

For rows with SEQ ID NOs: 2-4, 8-23, and 44-47 "Coding Sequence" refers to the coordinates of the coding portion of the SEQ ID NO given in the "Seq Num" column, and "AA" refers to the SEQ ID NO that is the amino acid translation of the SEQ ID NO given in the "Seq Num" column.

For rows with SEQ ID NOs: 24-27 and 1123, "Primer location on 240017_region_G3" refers to the coordinates of the 240017_region_G3 contig to which the SEQ ID NO given in the "Seq Num" column hybridizes.

For rows with SEQ ID NOs: 48 and 49, "Primer location on 318O13_region_A3" refers to the coordinates of the 318O13_region_A3 contig to which the SEQ ID NO given in the "Seq Num" column hybridizes.

For rows with SEQ ID NOs: 54-400, "Seq ID" refers to the names of amplicon sequences. Within the Seq ID is the "__" (double length underscore) symbol. The name before this symbol refers to the name of the contig in which the amplicon is found, and the numbers after this symbol refer to the nucleotide location of the SSR on the contig.

For rows with SEQ ID NOs: 401-1096, "Seq ID" refers to the names of primer sequences used in PCR to generate the amplicon sequences in table 1. For these rows, the "Seq ID" name contains the same name as the amplicon that is generated by the pair of primers of which the SEQ ID NO referred to in the first column is a member. The "Seq

ID" name also contains either "Forward" or "Reverse," which indicates the orientation of the primer. For these sequences, "location of primer on contig start" and "location of primer on contig end" refer, respectively, to the first and last base number of the contig on which the primer aligns.

TABLE 1

Seq Num	Seq ID		
1	515O02_region_G2		

Seq Num	Seq ID	Coding Sequence	AA No.
2	240O17_region_G3	45163-45314,45450-45509,46941-48763,48975-49573	1097
3	240O17_region_G3	46798-48763,48975-49573	1098
4	318O13_region_A3	111805-113968,114684-115204	1099

Seq Num	Seq ID		
5	240O17_region_G3_8_mRNA		
6	240O17_region_G3_8_cds		
7	318O13_region_A3_17_cds		

Seq Num	Seq ID	Coding Sequence	AA No.
8	rhg1_A3244_amplicon	113-264,400-459,1891-3713,3925-4523	1100
9	rhg1_A3244_amplicon	1748-3713,3925-4523	1101
10	rhg1_peking_amplicon	113-264,400-459,1888-3710,3903-4501	1102
11	rhg1_peking_amplicon	1745-3710,3903-4501	1103
12	rhg1_toyosuzu_amplicon	113-264,400-459,1890-3712,3924-4522	1104
13	rhg1_toyosuzu_amplicon	1747-3712,3924-4522	1105
14	rhg1_will_amplicon	113-264,400-459,1891-3713,3925-4523	1106
15	rhg1_will_amplicon	1748-3713,3925-4523	1107
16	rhg1_a2704_amplicon	113-264,400-459,1891-3713,3925-4523	1108
17	rhg1_a2704_amplicon	1748-3713,3925-4523	1109
18	rhg1_noir_amplicon	113-264,400-459,1876-3698,3910-4508	1110
19	rhg1_noir_amplicon	1733-3698,3910-4508	1111
20	rhg1_lee_amplicon	113-264,400-459,1876-3698,3910-4508	1112
21	rhg1_lee_amplicon	1733-3698,3910-4508	1113
22	rhg1_pi200499_amplicon	113-264,400-459,1876-3698,3910-4508	1114
23	rhg1_pi200499_amplicon	1733-3698,3910-4508	1115

Seq Num	Seq ID	Primer location on 240O17_region_G3	
24	240O17_region_G3_forward_1	45051-45077	
25	240O17_region_G3_reverse_1	47942-47918	
26	240O17_region_G3_forward_2	47808-47831	
27	240O17_region_G3_reverse_2	49553-49531	

Seq Num	Seq ID		
28	rhg1_A3244_amplicon_cds		
29	rhg1_peking_amplicon_cds		
30	rhg1_toyosuzu_amplicon_cds		
31	rhg1_will_amplicon_cds		

Seq Num	Seq ID		
32	rhg1_a2704_amplicon_cds		
33	rhg1_noir_amplicon_cds		
34	rhg1_lee_amplicon_cds		
35	rhg1_pi200499_amplicon_cds		
36	rhg1_A3244_amplicon_cds_2		
37	rhg1_peking_amplicon_cds_2		
38	rhg1_toyosuzu_amplicon_cds_2		
39	rhg1_will_amplicon_cds_2		
40	rhg1_a2704_amplicon_cds_2		
41	rhg1_noir_amplicon_cds_2		
42	rhg1_lee_amplicon_cds_2		
43	rhg1_pi200499_amplicon_cds_2		

Seq Num	Seq ID	Coding Sequence	AA No.
44	rhg4_a3244_amplicon	79-2242,2958-3478	1116
45	rhg4_Minsoy_amplicon	79-2242,2958-3478	1117
46	rhg4_Jack_amplicon	79-2242,2958-3478	1118
47	rhg4_peking_amplicon	79-2242,2958-3478	1119

Seq Num	Seq ID	Primer location on 318O13_region_A3	
48	318O13_region_A3_forward	111727-111756	
49	318O13_region_A3_reverse	115206-115177	

Seq Num	Seq ID		
50	rhg4_A3244_amplicon_cds		
51	rhg4_Minsoy_amplicon_cds		
52	rhg4_Jack_amplicon_cds		
53	rhg4_peking_amplicon_cds		

Seq Num	Seq ID		
54	240O17_region_G3_289711_11		
55	240O17_region_G3_236585_14		
56	240O17_region_G3_168772_13		
57	240O17_region_G3_332420_21		
58	240O17_region_G3_228126_18		
59	240O17_region_G3_139723_11		
60	240O17_region_G3_280585_14		
61	240O17_region_G3_70509_14		
62	240O17_region_G3_50537_17		
63	240O17_region_G3_231556_17		
64	240O17_region_G3_117057_11		
65	240O17_region_G3_23092_13		
66	240O17_region_G3_297741_14		
67	240O17_region_G3_206502_14		
68	240O17_region_G3_221223_13		
69	240O17_region_G3_169084_14		
70	240O17_region_G3_94891_14		
71	240O17_region_G3_281852_61		
72	240O17_region_G3_46583_12		
73	240O17_region_G3_306835_13		
74	240O17_region_G3_85471_12		
75	240O17_region_G3_257208_12		

Seq Num	Seq ID		
76	240O17_region_G3_150390_17		
77	240O17_region_G3_34697_75		
78	240O17_region_G3_150374_13		
79	240O17_region_G3_40513_22		
80	240O17_region_G3_268602_14		
81	240O17_region_G3_25357_13		
82	240O17_region_G3_137548_13		
83	240O17_region_G3_139131_13		
84	240O17_region_G3_203855_12		
85	240O17_region_G3_199049_15		
86	240O17_region_G3_320907_12		
87	240O17_region_G3_16407_17		
88	240O17_region_G3_206516_17		
89	240O17_region_G3_264495_13		
90	240O17_region_G3_156785_13		
91	240O17_region_G3_187129_12		
92	240O17_region_G3_214106_13		
93	240O17_region_G3_149013_12		
94	240O17_region_G3_326352_16		
95	240O17_region_G3_278962_12		
96	240O17_region_G3_256930_13		
97	240O17_region_G3_29646_14		
98	240O17_region_G3_29618_13		
99	240O17_region_G3_108561_14		
100	240O17_region_G3_143975_14		
101	240O17_region_G3_108431_20		
102	240O17_region_G3_281764_11		
103	240O17_region_G3_130058_15		
104	240O17_region_G3_310590_52		
105	240O17_region_G3_313405_14		
106	240O17_region_G3_302190_13		
107	240O17_region_G3_225343_17		
108	240O17_region_G3_208823_14		
109	240O17_region_G3_74285_11		
110	240O17_region_G3_109052_16		
111	240O17_region_G3_6395_12		
112	240O17_region_G3_244905_16		
113	240O17_region_G3_244956_13		
114	240O17_region_G3_117220_13		
115	240O17_region_G3_134707_14		
116	240O17_region_G3_35078_13		
117	240O17_region_G3_210506_16		
118	240O17_region_G3_116961_26		
119	240O17_region_G3_51073_13		
120	240O17_region_G3_55291_15		
121	240O17_region_G3_229651_18		
122	240O17_region_G3_303308_19		
123	240O17_region_G3_168373_20		
124	240O17_region_G3_253333_17		
125	240O17_region_G3_5791_13		
126	240O17_region_G3_206841_19		
127	240O17_region_G3_202827_12		
128	240O17_region_G3_322656_13		

Seq Num	Seq ID		
129	240O17_region_G3_111841_14		
130	240O17_region_G3_192719_13		
131	240O17_region_G3_195630_17		
132	240O17_region_G3_69999_13		
133	240O17_region_G3_11176_13		
134	240O17_region_G3_228643_13		
135	240O17_region_G3_88478_19		
136	240O17_region_G3_108950_13		
137	240O17_region_G3_121054_14		
138	240O17_region_G3_188337_14		
139	240O17_region_G3_255944_21		
140	240O17_region_G3_219518_14		
141	240O17_region_G3_235601_15		
142	240O17_region_G3_301529_13		
143	240O17_region_G3_94795_14		
144	240O17_region_G3_46703_23		
145	240O17_region_G3_59616_14		
146	240O17_region_G3_296933_15		
147	240O17_region_G3_192428_17		
148	240O17_region_G3_191490_14		
149	240O17_region_G3_201115_11		
150	240O17_region_G3_72882_15		
151	240O17_region_G3_69514_13		
152	240O17_region_G3_37699_47		
153	240O17_region_G3_11301_29		
154	240O17_region_G3_141875_12		
155	240O17_region_G3_98090_18		
156	240O17_region_G3_43298_35		
157	240O17_region_G3_262094_11		
158	240O17_region_G3_262079_15		
159	240O17_region_G3_59090_12		
160	240O17_region_G3_245723_13		
161	240O17_region_G3_194628_54		
162	240O17_region_G3_4566_16		
163	240O17_region_G3_96209_14		
164	240O17_region_G3_248715_17		
165	240O17_region_G3_71410_40		
166	240O17_region_G3_226519_13		
167	240O17_region_G3_11282_19		
168	240O17_region_G3_170504_12		
169	240O17_region_G3_40864_14		
170	240O17_region_G3_13529_14		
171	240O17_region_G3_22858_14		
172	240O17_region_G3_309211_13		
173	240O17_region_G3_55568_26		
174	240O17_region_G3_73238_16		
175	240O17_region_G3_52488_19		
176	318O13_region_A3_471518_14		
177	318O13_region_A3_231599_23		
178	318O13_region_A3_375912_13		
179	318O13_region_A3_180013_12		
180	318O13_region_A3_171606_14		
181	318O13_region_A3_416256_13		

Seq Num	Seq ID		
182	318O13_region_A3_231395_15		
183	318O13_region_A3_5502_47		
184	318O13_region_A3_93061_14		
185	318O13_region_A3_111684_19		
186	318O13_region_A3_69328_14		
187	318O13_region_A3_36529_17		
188	318O13_region_A3_139128_12		
189	318O13_region_A3_495674_13		
190	318O13_region_A3_187577_13		
191	318O13_region_A3_453036_14		
192	318O13_region_A3_374041_13		
193	318O13_region_A3_3412_11		
194	318O13_region_A3_276495_28		
195	318O13_region_A3_151839_17		
196	318O13_region_A3_292912_12		
197	318O13_region_A3_104560_12		
198	318O13_region_A3_65193_11		
199	318O13_region_A3_110573_70		
200	318O13_region_A3_65117_12		
201	318O13_region_A3_490837_16		
202	318O13_region_A3_107448_11		
203	318O13_region_A3_331_23		
204	318O13_region_A3_193470_13		
205	318O13_region_A3_183305_14		
206	318O13_region_A3_55050_14		
207	318O13_region_A3_224693_21		
208	318O13_region_A3_207216_12		
209	318O13_region_A3_4654_22		
210	318O13_region_A3_408959_13		
211	318O13_region_A3_132288_22		
212	318O13_region_A3_292822_20		
213	318O13_region_A3_311076_12		
214	318O13_region_A3_509623_13		
215	318O13_region_A3_190404_14		
216	318O13_region_A3_164916_15		
217	318O13_region_A3_21028_13		
218	318O13_region_A3_208012_17		
219	318O13_region_A3_484089_14		
220	318O13_region_A3_332780_17		
221	318O13_region_A3_480137_37		
222	318O13_region_A3_441056_14		
223	318O13_region_A3_77486_11		
224	318O13_region_A3_272468_11		
225	318O13_region_A3_425319_17		
226	318O13_region_A3_413879_31		
227	318O13_region_A3_80477_64		
228	318O13_region_A3_277272_50		
229	318O13_region_A3_509642_13		
230	318O13_region_A3_321771_14		
231	318O13_region_A3_26788_12		
232	318O13_region_A3_262706_16		
233	318O13_region_A3_243928_16		
234	318O13_region_A3_23246_14		

Seq Num	Seq ID		
235	318O13_region_A3_165406_12		
236	318O13_region_A3_486294_14		
237	318O13_region_A3_46754_12		
238	318O13_region_A3_381116_15		
239	318O13_region_A3_350369_11		
240	318O13_region_A3_138841_13		
241	318O13_region_A3_12158_14		
242	318O13_region_A3_315368_13		
243	318O13_region_A3_307549_13		
244	318O13_region_A3_159857_14		
245	318O13_region_A3_140551_15		
246	318O13_region_A3_279869_11		
247	318O13_region_A3_78292_35		
248	318O13_region_A3_185019_12		
249	318O13_region_A3_409164_13		
250	318O13_region_A3_75392_14		
251	318O13_region_A3_231320_12		
252	318O13_region_A3_381102_14		
253	318O13_region_A3_491826_15		
254	318O13_region_A3_56365_21		
255	318O13_region_A3_372628_15		
256	318O13_region_A3_302609_11		
257	318O13_region_A3_341804_11		
258	318O13_region_A3_217037_11		
259	318O13_region_A3_264929_68		
260	318O13_region_A3_55499_12		
261	318O13_region_A3_295634_14		
262	318O13_region_A3_269358_15		
263	318O13_region_A3_457009_24		
264	318O13_region_A3_176598_14		
265	318O13_region_A3_278266_12		
266	318O13_region_A3_391810_12		
267	318O13_region_A3_269485_15		
268	318O13_region_A3_359247_17		
269	318O13_region_A3_315094_13		
270	318O13_region_A3_307823_13		
271	318O13_region_A3_248588_15		
272	318O13_region_A3_252426_85		
273	318O13_region_A3_513314_16		
274	318O13_region_A3_68183_14		
275	318O13_region_A3_471191_13		
276	318O13_region_A3_163547_18		
277	318O13_region_A3_417867_15		
278	318O13_region_A3_332465_14		
279	318O13_region_A3_207697_14		
280	318O13_region_A3_277229_43		
281	318O13_region_A3_36366_11		
282	318O13_region_A3_91970_12		
283	318O13_region_A3_211533_11		
284	318O13_region_A3_336301_11		
285	318O13_region_A3_441603_14		
286	318O13_region_A3_468354_15		
287	318O13_region_A3_188983_18		

Seq Num	Seq ID		
288	318O13_region_A3_115502_17		
289	318O13_region_A3_163006_13		
290	318O13_region_A3_119283_14		
291	318O13_region_A3_491126_11		
292	318O13_region_A3_99512_21		
293	318O13_region_A3_280291_17		
294	318O13_region_A3_138443_19		
295	318O13_region_A3_115973_14		
296	318O13_region_A3_329977_14		
297	318O13_region_A3_205203_14		
298	318O13_region_A3_153114_12		
299	318O13_region_A3_34581_13		
300	318O13_region_A3_292577_19		
301	318O13_region_A3_445391_20		
302	318O13_region_A3_350540_17		
303	318O13_region_A3_453879_15		
304	318O13_region_A3_201246_13		
305	318O13_region_A3_326020_13		
306	318O13_region_A3_503801_14		
307	318O13_region_A3_302400_52		
308	318O13_region_A3_448857_15		
309	318O13_region_A3_48364_14		
310	318O13_region_A3_251804_48		
311	318O13_region_A3_382583_13		
312	318O13_region_A3_124737_14		
313	318O13_region_A3_124766_13		
314	318O13_region_A3_461351_16		
315	318O13_region_A3_64953_19		
316	318O13_region_A3_366586_13		
317	318O13_region_A3_46190_15		
318	318O13_region_A3_81016_11		
319	318O13_region_A3_134426_14		
320	318O13_region_A3_292724_14		
321	318O13_region_A3_187096_17		
322	318O13_region_A3_381693_13		
323	318O13_region_A3_361286_33		
324	318O13_region_A3_482668_14		
325	318O13_region_A3_128002_12		
326	318O13_region_A3_499270_14		
327	318O13_region_A3_231650_12		
328	318O13_region_A3_199851_13		
329	318O13_region_A3_324629_13		
330	318O13_region_A3_374190_19		
331	318O13_region_A3_460603_13		
332	318O13_region_A3_108681_14		
333	318O13_region_A3_459791_47		
334	318O13_region_A3_4257_20		
335	318O13_region_A3_238810_14		
336	318O13_region_A3_245817_14		
337	318O13_region_A3_245956_14		
338	318O13_region_A3_74148_14		
339	318O13_region_A3_74089_15		
340	318O13_region_A3_241686_12		

Seq Num	Seq ID		
341	318013_region_A3_47476_12		
342	318013_region_A3_164550_12		
343	318013_region_A3_101255_15		
344	515002_region_G2_16189_11		
345	515002_region_G2_71925_13		
346	515002_region_G2_4707_12		
347	515002_region_G2_118904_18		
348	515002_region_G2_13655_17		
349	515002_region_G2_53900_13		
350	515002_region_G2_8079_14		
351	515002_region_G2_9969_28		
352	515002_region_G2_72308_77		
353	515002_region_G2_99475_19		
354	515002_region_G2_118615_18		
355	515002_region_G2_119001_46		
356	515002_region_G2_118958_43		
357	515002_region_G2_17197_13		
358	515002_region_G2_105163_29		
359	515002_region_G2_111335_13		
360	515002_region_G2_106396_13		
361	515002_region_G2_59229_17		
362	515002_region_G2_73795_20		
363	515002_region_G2_85664_20		
364	515002_region_G2_36921_17		
365	515002_region_G2_124150_19		
366	515002_region_G2_5089_14		
367	515002_region_G2_58221_15		
368	515002_region_G2_96139_14		
369	515002_region_G2_70595_13		
370	515002_region_G2_4340_15		
371	515002_region_G2_90417_11		
372	515002_region_G2_49711_17		
373	515002_region_G2_63053_13		
374	515002_region_G2_63076_14		
375	515002_region_G2_44442_12		
376	515002_region_G2_44422_19		
377	515002_region_G2_44158_19		
378	515002_region_G2_44141_17		
379	515002_region_G2_90762_17		
380	515002_region_G2_106241_14		
381	515002_region_G2_109676_12		
382	515002_region_G2_86242_14		
383	515002_region_G2_83109_12		
384	515002_region_G2_10461_15		
385	515002_region_G2_67608_15		
386	515002_region_G2_63275_46		
387	515002_region_G2_62405_14		
388	515002_region_G2_33563_12		
389	515002_region_G2_33146_14		
390	515002_region_G2_102179_29		
391	515002_region_G2_2646_15		
392	515002_region_G2_76652_24		
393	515002_region_G2_66280_14		

Seq Num	Seq ID		
394	515O02_region_G2_54768_13		
395	515O02_region_G2_62580_14		
396	515O02_region_G2_34598_55		
397	515O02_region_G2_77680_13		
398	515O02_region_G2_77693_12		
399	515O02_region_G2_97392_14		
400	515O02_region_G2_97359_15		

Seq Num	Seq ID	location of primer on config start	location of primer on config end
401	240O17_region_G3_289711_11_Forward_Primer	289637	289661
402	240O17_region_G3_289711_11_Reverse_Primer	289756	289732
403	240O17_region_G3_236585_14_Forward_Primer	236511	236535
404	240O17_region_G3_236585_14_Reverse_Primer	236638	236614
405	240O17_region_G3_168772_13_Forward_Primer	168683	168707
406	240O17_region_G3_168772_13_Reverse_Primer	168811	168786
407	240O17_region_G3_332420_21_Forward_Primer	332375	332399
408	240O17_region_G3_332420_21_Reverse_Primer	332505	332481
409	240O17_region_G3_228126_18_Forward_Primer	228048	228072
410	240O17_region_G3_228126_18_Reverse_Primer	228182	228158
411	240O17_region_G3_139723_11_Forward_Primer	139666	139690
412	240O17_region_G3_139723_11_Reverse_Primer	139802	139778
413	240O17_region_G3_280585_14_Forward_Primer	280524	280550
414	240O17_region_G3_280585_14_Reverse_Primer	280661	280637
415	240O17_region_G3_70509_14_Forward_Primer	70478	70502
416	240O17_region_G3_70509_14_Reverse_Primer	70616	70592
417	240O17_region_G3_50537_17_Forward_Primer	50455	50479
418	240O17_region_G3_50537_17_Reverse_Primer	50593	50569
419	240O17_region_G3_231556_17_Forward_Primer	231468	231492
420	240O17_region_G3_231556_17_Reverse_Primer	231606	231582
421	240O17_region_G3_117057_11_Forward_Primer	117029	117053
422	240O17_region_G3_117057_11_Reverse_Primer	117169	117145
423	240O17_region_G3_23092_13_Forward_Primer	23010	23034
424	240O17_region_G3_23092_13_Reverse_Primer	23151	23127
425	240O17_region_G3_297741_14_Forward_Primer	297680	297704
426	240O17_region_G3_297741_14_Reverse_Primer	297823	297799
427	240O17_region_G3_206502_14_Forward_Primer	206456	206480
428	240O17_region_G3_206502_14_Reverse_Primer	206600	206581
429	240O17_region_G3_221223_13_Forward_Primer	221134	221158
430	240O17_region_G3_221223_13_Reverse_Primer	221278	221254
431	240O17_region_G3_169084_14_Forward_Primer	169051	169075
432	240O17_region_G3_169084_14_Reverse_Primer	169196	169173
433	240O17_region_G3_94891_14_Forward_Primer	94784	94808
434	240O17_region_G3_94891_14_Reverse_Primer	94929	94905
435	240O17_region_G3_7439_12_Forward_Primer	7397	7421
436	240O17_region_G3_7439_12_Reverse_Primer	7542	7518
437	240O17_region_G3_281852_61_Forward_Primer	281797	281821
438	240O17_region_G3_281852_61_Reverse_Primer	281943	281919
439	240O17_region_G3_46583_12_Forward_Primer	46554	46578
440	240O17_region_G3_46583_12_Reverse_Primer	46700	46676
441	240O17_region_G3_306835_13_Forward_Primer	306727	306751
442	240O17_region_G3_306835_13_Reverse_Primer	306874	306849

Seq Num	Seq ID	location of primer on contig start	location of primer on contig end
443	240O17_region_G3_85471_12_Forward_Primer	85359	85383
444	240O17_region_G3_85471_12_Reverse_Primer	85507	85483
445	240O17_region_G3_257208_12_Forward_Primer	257129	257153
446	240O17_region_G3_257208_12_Reverse_Primer	257278	257254
447	240O17_region_G3_150390_17_Forward_Primer	150327	150351
448	240O17_region_G3_150390_17_Reverse_Primer	150476	150452
449	240O17_region_G3_34697_75_Forward_Primer	34662	34685
450	240O17_region_G3_34697_75_Reverse_Primer	34811	34787
451	240O17_region_G3_150374_13_Forward_Primer	150327	150351
452	240O17_region_G3_150374_13_Reverse_Primer	150476	150452
453	240O17_region_G3_40513_22_Forward_Primer	40422	40446
454	240O17_region_G3_40513_22_Reverse_Primer	40572	40548
455	240O17_region_G3_268602_14_Forward_Primer	268555	268579
456	240O17_region_G3_268602_14_Reverse_Primer	268705	268681
457	240O17_region_G3_25357_13_Forward_Primer	25271	25295
458	240O17_region_G3_25357_13_Reverse_Primer	25422	25402
459	240O17_region_G3_137548_13_Forward_Primer	139088	139111
459	240O17_region_G3_137548_13_Forward_Primer	137505	137528
460	240O17_region_G3_137548_13_Reverse_Primer	139239	139215
460	240O17_region_G3_137548_13_Reverse_Primer	137656	137632
461	240O17_region_G3_139131_13_Forward_Primer	139088	139111
462	240O17_region_G3_139131_13_Reverse_Primer	139239	139215
463	240O17_region_G3_203855_12_Forward_Primer	203749	203773
464	240O17_region_G3_203855_12_Reverse_Primer	203901	203877
465	240O17_region_G3_199049_15_Forward_Primer	199008	199033
466	240O17_region_G3_199049_15_Reverse_Primer	199160	199136
467	240O17_region_G3_320907_12_Forward_Primer	320885	320906
468	240O17_region_G3_320907_12_Reverse_Primer	321038	321015
469	240O17_region_G3_16407_17_Forward_Primer	16330	16354
470	240O17_region_G3_16407_17_Reverse_Primer	16483	16459
471	240O17_region_G3_206516_17_Forward_Primer	206482	206506
472	240O17_region_G3_206516_17_Reverse_Primer	206635	206616
473	240O17_region_G3_264495_13_Forward_Primer	264423	264447
474	240O17_region_G3_264495_13_Reverse_Primer	264577	264553
475	240O17_region_G3_156785_13_Forward_Primer	156713	156737
476	240O17_region_G3_156785_13_Reverse_Primer	156868	156844
477	240O17_region_G3_187129_12_Forward_Primer	187068	187092
478	240O17_region_G3_187129_12_Reverse_Primer	187223	187199
479	240O17_region_G3_214106_13_Forward_Primer	214042	214067
480	240O17_region_G3_214106_13_Reverse_Primer	214197	214173
481	240O17_region_G3_149013_12_Forward_Primer	148898	148922
482	240O17_region_G3_149013_12_Reverse_Primer	149053	149027
483	240O17_region_G3_326352_16_Forward_Primer	326311	326335
484	240O17_region_G3_326352_16_Reverse_Primer	326467	326443
485	240O17_region_G3_278962_12_Forward_Primer	278933	278957
486	240O17_region_G3_278962_12_Reverse_Primer	279089	279065
487	240O17_region_G3_256930_13_Forward_Primer	256850	256874
488	240O17_region_G3_256930_13_Reverse_Primer	257006	256982
489	240O17_region_G3_29646_14_Forward_Primer	29589	29613
490	240O17_region_G3_29646_14_Reverse_Primer	29746	29721
491	240O17_region_G3_29618_13_Forward_Primer	29589	29613

Seq Num	Seq ID	location of primer on contig start	location of primer on contig end
492	240O17_region_G3_29618_13_Reverse_Primer	29746	29721
493	240O17_region_G3_108561_14_Forward_Primer	108518	108542
494	240O17_region_G3_108561_14_Reverse_Primer	108675	108651
495	240O17_region_G3_143975_14_Forward_Primer	143939	143964
496	240O17_region_G3_143975_14_Reverse_Primer	144096	144072
497	240O17_region_G3_108431_20_Forward_Primer	108362	108386
498	240O17_region_G3_108431_20_Reverse_Primer	108520	108497
499	240O17_region_G3_281764_11_Forward_Primer	281645	281669
500	240O17_region_G3_281764_11_Reverse_Primer	281803	281779
501	240O17_region_G3_130058_15_Forward_Primer	129994	130018
502	240O17_region_G3_130058_15_Reverse_Primer	130153	130129
503	240O17_region_G3_310590_52_Forward_Primer	310533	310557
504	240O17_region_G3_310590_52_Reverse_Primer	310692	310668
505	240O17_region_G3_313405_14_Forward_Primer	313345	313369
506	240O17_region_G3_313405_14_Reverse_Primer	313505	313481
507	240O17_region_G3_302190_13_Forward_Primer	302093	302119
508	240O17_region_G3_302190_13_Reverse_Primer	302253	302229
509	240O17_region_G3_225343_17_Forward_Primer	225315	225338
510	240O17_region_G3_225343_17_Reverse_Primer	225475	225451
511	240O17_region_G3_208823_14_Forward_Primer	208760	208784
512	240O17_region_G3_208823_14_Reverse_Primer	208921	208897
513	240O17_region_G3_74285_11_Forward_Primer	74220	74244
514	240O17_region_G3_74285_11_Reverse_Primer	74382	74358
515	240O17_region_G3_109052_16_Forward_Primer	108999	109023
516	240O17_region_G3_109052_16_Reverse_Primer	109161	109137
517	240O17_region_G3_6395_12_Forward_Primer	6285	6309
518	240O17_region_G3_6395_12_Reverse_Primer	6447	6423
519	240O17_region_G3_244905_16_Forward_Primer	244865	244890
520	240O17_region_G3_244905_16_Reverse_Primer	245028	245004
521	240O17_region_G3_244956_13_Forward_Primer	244865	244890
522	240O17_region_G3_244956_13_Reverse_Primer	245028	245004
523	240O17_region_G3_117220_13_Forward_Primer	117175	117199
524	240O17_region_G3_117220_13_Reverse_Primer	117339	117315
525	240O17_region_G3_134707_14_Forward_Primer	134584	134608
526	240O17_region_G3_134707_14_Reverse_Primer	134749	134725
527	240O17_region_G3_35078_13_Forward_Primer	34990	35013
528	240O17_region_G3_35078_13_Reverse_Primer	35157	35133
529	240O17_region_G3_210506_16_Forward_Primer	210477	210501
530	240O17_region_G3_210506_16_Reverse_Primer	210644	210620
531	240O17_region_G3_116961_26_Forward_Primer	116885	116909
532	240O17_region_G3_116961_26_Reverse_Primer	117053	117029
533	240O17_region_G3_51073_13_Forward_Primer	50979	51003
534	240O17_region_G3_51073_13_Reverse_Primer	51147	51123
535	240O17_region_G3_55291_15_Forward_Primer	55164	55188
536	240O17_region_G3_55291_15_Reverse_Primer	55333	55309
537	240O17_region_G3_229651_18_Forward_Primer	229615	229639
538	240O17_region_G3_229651_18_Reverse_Primer	229784	229760
539	240O17_region_G3_303308_19_Forward_Primer	303284	303307
540	240O17_region_G3_303308_19_Reverse_Primer	303454	303429
541	240O17_region_G3_168373_20_Forward_Primer	168262	168286
542	240O17_region_G3_168373_20_Reverse_Primer	168432	168408

Seq Num	Seq ID	location of primer on contig start	location of primer on contig end
543	240O17_region_G3_253333_17_Forward_Primer	253257	253281
544	240O17_region_G3_253333_17_Reverse_Primer	253428	253404
545	240O17_region_G3_5791_13_Forward_Primer	5766	5790
546	240O17_region_G3_5791_13_Reverse_Primer	5937	5912
547	240O17_region_G3_206841_19_Forward_Primer	206821	206840
548	240O17_region_G3_206841_19_Reverse_Primer	206993	206969
549	240O17_region_G3_202827_12_Forward_Primer	202782	202806
550	240O17_region_G3_202827_12_Reverse_Primer	202956	202932
551	240O17_region_G3_322656_13_Forward_Primer	322572	322598
552	240O17_region_G3_322656_13_Reverse_Primer	322748	322724
553	240O17_region_G3_111841_14_Forward_Primer	111709	111733
554	240O17_region_G3_111841_14_Reverse_Primer	111886	111861
555	240O17_region_G3_192719_13_Forward_Primer	192589	192613
556	240O17_region_G3_192719_13_Reverse_Primer	192767	192743
557	240O17_region_G3_195630_17_Forward_Primer	195490	195514
558	240O17_region_G3_195630_17_Reverse_Primer	195672	195648
559	240O17_region_G3_69999_13_Forward_Primer	69858	69881
560	240O17_region_G3_69999_13_Reverse_Primer	70040	70016
561	240O17_region_G3_11176_13_Forward_Primer	11060	11084
562	240O17_region_G3_11176_13_Reverse_Primer	11243	11219
563	240O17_region_G3_228643_13_Forward_Primer	228529	228553
564	240O17_region_G3_228643_13_Reverse_Primer	228713	228689
565	240O17_region_G3_88478_19_Forward_Primer	88378	88402
566	240O17_region_G3_88478_19_Reverse_Primer	88562	88538
567	240O17_region_G3_108950_13_Forward_Primer	108838	108858
568	240O17_region_G3_108950_13_Reverse_Primer	109023	108998
569	240O17_region_G3_121054_14_Forward_Primer	120911	120935
570	240O17_region_G3_121054_14_Reverse_Primer	121096	121072
571	240O17_region_G3_188337_14_Forward_Primer	188204	188228
572	240O17_region_G3_188337_14_Reverse_Primer	191544	191520
572	240O17_region_G3_188337_14_Reverse_Primer	188391	188367
573	240O17_region_G3_255944_21_Forward_Primer	255879	255903
574	240O17_region_G3_255944_21_Reverse_Primer	256068	256044
575	240O17_region_G3_219518_14_Forward_Primer	219420	219444
576	240O17_region_G3_219518_14_Reverse_Primer	219609	219585
577	240O17_region_G3_235601_15_Forward_Primer	235483	235507
578	240O17_region_G3_235601_15_Reverse_Primer	235673	235649
579	240O17_region_G3_301529_13_Forward_Primer	301498	301522
580	240O17_region_G3_301529_13_Reverse_Primer	301689	301665
581	240O17_region_G3_94795_14_Forward_Primer	94735	94756
582	240O17_region_G3_94795_14_Reverse_Primer	94929	94905
583	240O17_region_G3_46703_23_Forward_Primer	46676	46700
584	240O17_region_G3_46703_23_Reverse_Primer	46870	46846
585	240O17_region_G3_59616_14_Forward_Primer	59539	59563
586	240O17_region_G3_59616_14_Reverse_Primer	59738	59714
587	240O17_region_G3_296933_15_Forward_Primer	296908	296932
588	240O17_region_G3_296933_15_Reverse_Primer	297113	297089
589	240O17_region_G3_192428_17_Forward_Primer	192402	192426
590	240O17_region_G3_192428_17_Reverse_Primer	192613	192589
591	240O17_region_G3_191490_14_Forward_Primer	191332	191356
592	240O17_region_G3_191490_14_Reverse_Primer	191544	191520

Seq Num	Seq ID	location of primer on contig start	location of primer on contig end
593	240O17_region_G3_201115_11_Forward_Primer	200994	201018
594	240O17_region_G3_201115_11_Reverse_Primer	201214	201189
595	240O17_region_G3_72882_15_Forward_Primer	72848	72874
596	240O17_region_G3_72882_15_Reverse_Primer	73068	73042
597	240O17_region_G3_69514_13_Forward_Primer	69411	69437
598	240O17_region_G3_69514_13_Reverse_Primer	69632	69608
599	240O17_region_G3_37699_47_Forward_Primer	37601	37625
600	240O17_region_G3_37699_47_Reverse_Primer	37827	37802
601	240O17_region_G3_11301_29_Forward_Primer	11274	11300
602	240O17_region_G3_11301_29_Reverse_Primer	11501	11477
603	240O17_region_G3_141875_12_Forward_Primer	141729	141750
604	240O17_region_G3_141875_12_Reverse_Primer	141964	141939
605	240O17_region_G3_98090_18_Forward_Primer	98037	98062
606	240O17_region_G3_98090_18_Reverse_Primer	98274	98250
607	240O17_region_G3_43298_35_Forward_Primer	43144	43168
608	240O17_region_G3_43298_35_Reverse_Primer	43387	43363
609	240O17_region_G3_262094_11_Forward_Primer	261989	262014
610	240O17_region_G3_262094_11_Reverse_Primer	262236	262211
611	240O17_region_G3_262079_15_Forward_Primer	261989	262014
612	240O17_region_G3_262079_15_Reverse_Primer	262236	262211
613	240O17_region_G3_59090_12_Forward_Primer	58986	59012
614	240O17_region_G3_59090_12_Reverse_Primer	59248	59224
615	240O17_region_G3_245723_13_Forward_Primer	245502	245526
616	240O17_region_G3_245723_13_Reverse_Primer	245766	245742
617	240O17_region_G3_194628_54_Forward_Primer	194581	194607
618	240O17_region_G3_194628_54_Reverse_Primer	194846	194822
619	240O17_region_G3_4566_16_Forward_Primer	4455	4479
620	240O17_region_G3_4566_16_Reverse_Primer	4722	4696
621	240O17_region_G3_96209_14_Forward_Primer	96119	96143
622	240O17_region_G3_96209_14_Reverse_Primer	96392	96368
623	240O17_region_G3_248715_17_Forward_Primer	248633	248657
624	240O17_region_G3_248715_17_Reverse_Primer	248906	248882
625	240O17_region_G3_71410_40_Forward_Primer	71357	71379
626	240O17_region_G3_71410_40_Reverse_Primer	71636	71611
627	240O17_region_G3_226519_13_Forward_Primer	226315	226339
628	240O17_region_G3_226519_13_Reverse_Primer	226598	226574
629	240O17_region_G3_11282_19_Forward_Primer	11217	11242
630	240O17_region_G3_11282_19_Reverse_Primer	11501	11477
631	240O17_region_G3_170504_12_Forward_Primer	170409	170433
632	240O17_region_G3_170504_12_Reverse_Primer	170694	170671
633	240O17_region_G3_40864_14_Forward_Primer	40652	40678
634	240O17_region_G3_40864_14_Reverse_Primer	40938	40912
635	240O17_region_G3_13529_14_Forward_Primer	13332	13356
636	240O17_region_G3_13529_14_Reverse_Primer	13622	13598
637	240O17_region_G3_22858_14_Forward_Primer	22675	22699
638	240O17_region_G3_22858_14_Reverse_Primer	22966	22942
639	240O17_region_G3_309211_13_Forward_Primer	309092	309118
640	240O17_region_G3_309211_13_Reverse_Primer	309383	309358
641	240O17_region_G3_55568_26_Forward_Primer	55375	55399
642	240O17_region_G3_55568_26_Reverse_Primer	55667	55642
643	240O17_region_G3_73238_16_Forward_Primer	73043	73069

Seq Num	Seq ID	location of primer on contig start	location of primer on contig end
644	240O17_region_G3_73238_16_Reverse_Primer	73342	73318
645	240O17_region_G3_52488_19_Forward_Primer	52413	52437
646	240O17_region_G3_52488_19_Reverse_Primer	52712	52688
647	318O13_region_A3_471518_14_Forward_Primer_Seq	471464	471488
648	318O13_region_A3_471518_14_Reverse_Primer_Seq	471567	471541
649	318O13_region_A3_231599_23_Forward_Primer_Seq	231568	231592
650	318O13_region_A3_231599_23_Reverse_Primer_Seq	231672	231651
651	318O13_region_A3_375912_13_Forward_Primer_Seq	375845	375865
652	318O13_region_A3_375912_13_Reverse_Primer_Seq	375954	375932
653	318O13_region_A3_180013_12_Forward_Primer_Seq	179951	179974
654	318O13_region_A3_180013_12_Reverse_Primer_Seq	180060	180038
655	318O13_region_A3_171606_14_Forward_Primer_Seq	171545	171569
656	318O13_region_A3_171606_14_Reverse_Primer_Seq	171657	171633
657	318O13_region_A3_416256_13_Forward_Primer_Seq	416180	416203
658	318O13_region_A3_416256_13_Reverse_Primer_Seq	416293	416269
659	318O13_region_A3_231395_15_Forward_Primer_Seq	231339	231363
660	318O13_region_A3_231395_15_Reverse_Primer_Seq	231461	231438
661	318O13_region_A3_5502_47Forward_Primer_Seq	5461	5485
662	318O13_region_A3_5502_47_Reverse_Primer_Seq	5585	5561
663	318O13_region_A3_93061_14_Forward_Primer_Seq	92988	93012
664	318O13_region_A3_93061_14_Reverse_Primer_Seq	93112	93090
665	318O13_region_A3_111684_19_Forward_Primer_Seq	111646	111670
666	318O13_region_A3_111684_19_Reverse_Primer_Seq	111772	111748
667	318O13_region_A3_69328_14_Forward_Primer_Seq	69246	69269
668	318O13_region_A3_69328_14_Reverse_Primer_Seq	69373	69349
669	318O13_region_A3_36529_17_Forward_Primer_Seq	36488	36512
670	318O13_region_A3_36529_17_Reverse_Primer_Seq	36617	36593
671	318O13_region_A3_139128_12_Forward_Primer_Seq	139043	139067
672	318O13_region_A3_139128_12_Reverse_Primer_Seq	139174	139150
673	318O13_region_A3_495674_13_Forward_Primer_Seq	495592	495616
674	318O13_region_A3_495674_13_Reverse_Primer_Seq	495723	495699
675	318O13_region_A3_187577_13_Forward_Primer_Seq	187482	187506
676	318O13_region_A3_187577_13_Reverse_Primer_Seq	187613	187590
677	318O13_region_A3_453036_14_Forward_Primer_Seq	452999	453023
678	318O13_region_A3_453036_14_Reverse_Primer_Seq	453132	453108
679	318O13_region_A3_374041_13_Forward_Primer_Seq	373964	373988
680	318O13_region_A3_374041_13_Reverse_Primer_Seq	374097	374073
681	318O13_region_A3_3412_11_Forward_Primer_Seq	3319	3341
682	318O13_region_A3_3412_11_Reverse_Primer_Seq	3454	3430
683	318O13_region_A3_276495_28_Forward_Primer_Seq	276462	276485
684	318O13_region_A3_276495_28_Reverse_Primer_Seq	276598	276574
685	318O13_region_A3_151839_17_Forward_Primer_Seq	151744	151768
686	318O13_region_A3_151839_17_Reverse_Primer_Seq	151882	151858
687	318O13_region_A3_292912_12_Forward_Primer_Seq	292875	292899
688	318O13_region_A3_292912_12_Reverse_Primer_Seq	293014	292990
689	318O13_region_A3_104560_12_Forward_Primer_Seq	104464	104488
690	318O13_region_A3_104560_12_Reverse_Primer_Seq	104604	104580
691	318O13_region_A3_65193_11_Forward_Primer_Seq	65155	65179
692	318O13_region_A3_65193_11_Reverse_Primer_Seq	65295	65271
693	318O13_region_A3_110573_70_Forward_Primer_Seq	110533	110559
694	318O13_region_A3_110573_70_Reverse_Primer_Seq	110674	110648

Seq Num	Seq ID	location of primer on config start	location of primer on config end
695	318O13_region_A3_65117_12_Forward_Primer_Seq	65034	65058
696	318O13_region_A3_65117_12_Reverse_Primer_Seq	65177	65153
697	318O13_region_A3_490837_16_Forward_Primer_Seq	490762	490786
698	318O13_region_A3_490837_16_Reverse_Primer_Seq	490905	490881
699	318O13_region_A3_107448_11_Forward_Primer_Seq	107385	107411
700	318O13_region_A3_107448_11_Reverse_Primer_Seq	107529	107505
701	318O13_region_A3_331_23_Forward_Primer_Seq	276	301
702	318O13_region_A3_331_23_Reverse_Primer_Seq	421	397
703	318O13_region_A3_193470_13_Forward_Primer_Seq	193444	193468
704	318O13_region_A3_193470_13_Reverse_Primer_Seq	193589	193565
705	318O13_region_A3_183305_14_Forward_Primer_Seq	183239	183263
706	318O13_region_A3_183305_14_Reverse_Primer_Seq	183384	183360
707	318O13_region_A3_55050_14_Forward_Primer_Seq	54998	55022
708	318O13_region_A3_55050_14_Reverse_Primer_Seq	55144	55120
709	318O13_region_A3_224693_21_Forward_Primer_Seq	224656	224682
710	318O13_region_A3_224693_21_Reverse_Primer_Seq	224803	224779
711	318O13_region_A3_207216_12_Forward_Primer_Seq	207152	207176
712	318O13_region_A3_207216_12_Reverse_Primer_Seq	207299	207276
713	318O13_region_A3_4654_22_Forward_Primer_Seq	4612	4636
714	318O13_region_A3_4654_22_Reverse_Primer_Seq	4760	4736
715	318O13_region_A3_408959_13_Forward_Primer_Seq	408918	408942
716	318O13_region_A3_408959_13_Reverse_Primer_Seq	409066	409042
717	318O13_region_A3_132288_22_Forward_Primer_Seq	132192	132216
718	318O13_region_A3_132288_22_Reverse_Primer_Seq	132340	132316
719	318O13_region_A3_292822_20_Forward_Primer_Seq	292747	292771
720	318O13_region_A3_292822_20_Reverse_Primer_Seq	292895	292871
721	318O13_region_A3_311076_12_Forward_Primer_Seq	311027	311051
722	318O13_region_A3_311076_12_Reverse_Primer_Seq	311175	311152
723	318O13_region_A3_509623_13_Forward_Primer_Seq	509584	509608
724	318O13_region_A3_509623_13_Reverse_Primer_Seq	509732	509708
725	318O13_region_A3_190404_14_Forward_Primer_Seq	190358	190382
726	318O13_region_A3_190404_14_Reverse_Primer_Seq	190506	190482
727	318O13_region_A3_164916_15_Forward_Primer_Seq	164808	164832
728	318O13_region_A3_164916_15_Reverse_Primer_Seq	164957	164933
729	318O13_region_A3_21028_13_Forward_Primer_Seq	21001	21026
730	318O13_region_A3_21028_13_Reverse_Primer_Seq	21150	21126
731	318O13_region_A3_208012_17_Forward_Primer_Seq	207955	207979
732	318O13_region_A3_208012_17_Reverse_Primer_Seq	208104	208085
733	318O13_region_A3_484089_14_Forward_Primer_Seq	484036	484060
734	318O13_region_A3_484089_14_Reverse_Primer_Seq	484185	484161
735	318O13_region_A3_332780_17_Forward_Primer_Seq	332723	332747
736	318O13_region_A3_332780_17_Reverse_Primer_Seq	332872	332853
737	318O13_region_A3_480137_37_Forward_Primer_Seq	480059	480084
738	318O13_region_A3_480137_37_Reverse_Primer_Seq	480208	480182
739	318O13_region_A3_441056_14_Forward_Primer_Seq	441011	441035
740	318O13_region_A3_441056_14_Reverse_Primer_Seq	441161	441138
741	318O13_region_A3_77486_11_Forward_Primer_Seq	77447	77471
742	318O13_region_A3_77486_11_Reverse_Primer_Seq	77597	77573
743	318O13_region_A3_272468_11_Forward_Primer_Seq	272423	272447
744	318O13_region_A3_272468_11_Reverse_Primer_Seq	272573	272549
745	318O13_region_A3_425319_17_Forward_Primer_Seq	425233	425257

Seq Num	Seq ID	location of primer on config start	location of primer on config end
746	318O13_region_A3_425319_17_Reverse_Primer_Seq	425383	425359
747	318O13_region_A3_413879_31_Forward_Primer_Seq	413835	413859
748	318O13_region_A3_413879_31_Reverse_Primer_Seq	413985	413961
749	318O13_region_A3_80477_64_Forward_Primer_Seq	80440	80464
750	318O13_region_A3_80477_64_Reverse_Primer_Seq	80591	80567
751	318O13_region_A3_277272_50_Forward_Primer_Seq	277213	277237
752	318O13_region_A3_277272_50_Reverse_Primer_Seq	277364	277340
753	318O13_region_A3_509642_13_Forward_Primer_Seq	509604	509628
754	318O13_region_A3_509642_13_Reverse_Primer_Seq	509755	509731
755	318O13_region_A3_321771_14_Forward_Primer_Seq	321663	321687
756	318O13_region_A3_321771_14_Reverse_Primer_Seq	321815	321791
757	318O13_region_A3_26788_12_Forward_Primer_Seq	26734	26758
758	318O13_region_A3_26788_12_Reverse_Primer_Seq	26886	26862
759	318O13_region_A3_262706_16_Forward_Primer_Seq	262649	262673
760	318O13_region_A3_262706_16_Reverse_Primer_Seq	262802	262778
761	318O13_region_A3_243928_16_Forward_Primer_Seq	243891	243915
762	318O13_region_A3_243928_16_Reverse_Primer_Seq	244044	244020
763	318O13_region_A3_23246_148_Forward_Primer_Seq	23215	23239
764	318O13_region_A3_23246_148_Reverse_Primer_Seq	23368	23344
765	318O13_region_A3_165406_12_Forward_Primer_Seq	165367	165391
766	318O13_region_A3_165406_12_Reverse_Primer_Seq	165521	165497
767	318O13_region_A3_486294_14_Forward_Primer_Seq	486208	486232
768	318O13_region_A3_486294_14_Reverse_Primer_Seq	486362	486338
769	318O13_region_A3_46754_12_Forward_Primer_Seq	46661	46685
770	318O13_region_A3_46754_12_Reverse_Primer_Seq	46816	46792
771	318O13_region_A3_381116_15_Forward_Primer_Seq	381080	381104
772	318O13_region_A3_381116_15_Reverse_Primer_Seq	381235	381211
773	318O13_region_A3_350369_11_Forward_Primer_Seq	350295	350319
774	318O13_region_A3_350369_11_Reverse_Primer_Seq	350450	350426
775	318O13_region_A3_138841_13_Forward_Primer_Seq	138795	138819
776	318O13_region_A3_138841_13_Reverse_Primer_Seq	138950	138926
777	318O13_region_A3_12158_142_Forward_Primer_Seq	12117	12141
778	318O13_region_A3_12158_142_Reverse_Primer_Seq	12272	12248
779	318O13_region_A3_315368_13_Forward_Primer_Seq	315310	315334
780	318O13_region_A3_315368_13_Reverse_Primer_Seq	315465	315441
781	318O13_region_A3_307549_13_Forward_Primer_Seq	307464	307488
782	318O13_region_A3_307549_13_Reverse_Primer_Seq	307619	307595
783	318O13_region_A3_159857_14_Forward_Primer_Seq	159772	159796
784	318O13_region_A3_159857_14_Reverse_Primer_Seq	159928	159904
785	318O13_region_A3_140551_15_Forward_Primer_Seq	140454	140478
786	318O13_region_A3_140551_15_Reverse_Primer_Seq	140610	140586
787	318O13_region_A3_279869_11_Forward_Primer_Seq	279797	279821
788	318O13_region_A3_279869_11_Reverse_Primer_Seq	279953	279929
789	318O13_region_A3_78292_35_Forward_Primer_Seq	78265	78291
790	318O13_region_A3_78292_35_Reverse_Primer_Seq	78422	78397
791	318O13_region_A3_185019_12_Forward_Primer_Seq	184953	184977
792	318O13_region_A3_185019_12_Reverse_Primer_Seq	185111	185087
793	318O13_region_A3_409164_13_Forward_Primer_Seq	409082	409106
794	318O13_region_A3_409164_13_Reverse_Primer_Seq	409240	409219
795	318O13_region_A3_75392_14_Forward_Primer_Seq	75287	75311
796	318O13_region_A3_75392_14_Reverse_Primer_Seq	75445	75421

Seq Num	Seq ID	location of primer on contig start	location of primer on contig end
797	318O13_region_A3_231320_12_Forward_Primer_Seq	231269	231293
798	318O13_region_A3_231320_12_Reverse_Primer_Seq	231429	231405
799	318O13_region_A3_381102_14_Forward_Primer_Seq	381041	381064
800	318O13_region_A3_381102_14_Reverse_Primer_Seq	381201	381176
801	318O13_region_A3_491826_15_Forward_Primer_Seq	491753	491777
802	318O13_region_A3_491826_15_Reverse_Primer_Seq	491914	491891
803	318O13_region_A3_56365_21_Forward_Primer_Seq	56336	56360
804	318O13_region_A3_56365_21_Reverse_Primer_Seq	56497	56473
805	318O13_region_A3_372628_15_Forward_Primer_Seq	372554	372578
806	318O13_region_A3_372628_15_Reverse_Primer_Seq	372715	372691
807	318O13_region_A3_217037_11_Forward_Primer_Seq	216919	216943
808	318O13_region_A3_217037_11_Reverse_Primer_Seq	217081	217057
809	318O13_region_A3_302609_11_Forward_Primer_Seq	302575	302599
810	318O13_region_A3_302609_11_Reverse_Primer_Seq	302737	302713
811	318O13_region_A3_341804_11_Forward_Primer_Seq	341686	341710
812	318O13_region_A3_341804_11_Reverse_Primer_Seq	341848	341824
807	318O13_region_A3_217037_11_Forward_Primer_Seq	216919	216943
808	318O13_region_A3_217037_11_Reverse_Primer_Seq	217081	217057
813	318O13_region_A3_264929_68_Forward_Primer_Seq	264862	264886
814	318O13_region_A3_264929_68_Reverse_Primer_Seq	265024	265000
815	318O13_region_A3_55499_12_Forward_Primer_Seq	55400	55424
816	318O13_region_A3_55499_12_Reverse_Primer_Seq	55563	55539
817	318O13_region_A3_295634_14_Forward_Primer_Seq	295538	295562
818	318O13_region_A3_295634_14_Reverse_Primer_Seq	295702	295677
819	318O13_region_A3_269358_15_Forward_Primer_Seq	269242	269266
820	318O13_region_A3_269358_15_Reverse_Primer_Seq	269406	269382
821	318O13_region_A3_457009_24_Forward_Primer_Seq	456924	456948
822	318O13_region_A3_457009_24_Reverse_Primer_Seq	457088	457064
823	318O13_region_A3_176598_14_Forward_Primer_Seq	176554	176578
824	318O13_region_A3_176598_14_Reverse_Primer_Seq	176718	176694
825	318O13_region_A3_278266_12_Forward_Primer_Seq	278210	278234
826	318O13_region_A3_278266_12_Reverse_Primer_Seq	278376	278350
827	318O13_region_A3_391810_12_Forward_Primer_Seq	391683	391707
828	318O13_region_A3_391810_12_Reverse_Primer_Seq	391851	391826
829	318O13_region_A3_269485_15_Forward_Primer_Seq	269383	269407
830	318O13_region_A3_269485_15_Reverse_Primer_Seq	269551	269527
831	318O13_region_A3_359247_17_Forward_Primer_Seq	359218	359243
832	318O13_region_A3_359247_17_Reverse_Primer_Seq	359386	359362
833	318O13_region_A3_315094_13_Forward_Primer_Seq	314976	315002
834	318O13_region_A3_315094_13_Reverse_Primer_Seq	315145	315120
835	318O13_region_A3_307823_13_Forward_Primer_Seq	307784	307809
836	318O13_region_A3_307823_13_Reverse_Primer_Seq	307953	307927
837	318O13_region_A3_248588_15_Forward_Primer_Seq	248540	248564
838	318O13_region_A3_248588_15_Reverse_Primer_Seq	248709	248684
839	318O13_region_A3_252426_85_Forward_Primer_Seq	252398	252423
840	318O13_region_A3_252426_85_Reverse_Primer_Seq	252568	252543
841	318O13_region_A3_513314_16_Forward_Primer_Seq	513209	513233
842	318O13_region_A3_513314_16_Reverse_Primer_Seq	513379	513355
843	318O13_region_A3_68183_14_Forward_Primer_Seq	68108	68132
844	318O13_region_A3_68183_14_Reverse_Primer_Seq	68279	68255
845	318O13_region_A3_471191_13_Forward_Primer_Seq	471059	471083

Seq Num	Seq ID	location of primer on contig start	location of primer on contig end
846	318O13_region_A3_471191_13_Reverse_Primer_Seq	471231	471206
847	318O13_region_A3_163547_18_Forward_Primer_Seq	163459	163483
848	318O13_region_A3_163547_18_Reverse_Primer_Seq	163632	163608
849	318O13_region_A3_417867_15_Forward_Primer_Seq	417839	417863
850	318O13_region_A3_417867_15_Reverse_Primer_Seq	418014	417990
851	318O13_region_A3_332465_14_Forward_Primer_Seq	332346	332370
852	318O13_region_A3_332465_14_Reverse_Primer_Seq	332523	332499
853	318O13_region_A3_207697_14_Forward_Primer_Seq	207578	207602
854	318O13_region_A3_207697_14_Reverse_Primer_Seq	207755	207731
855	318O13_region_A3_277229_43_Forward_Primer_Seq	277186	277210
856	318O13_region_A3_277229_43_Reverse_Primer_Seq	277364	277340
857	318O13_region_A3_36366_11_Forward_Primer_Seq	36323	36345
858	318O13_region_A3_36366_11_Reverse_Primer_Seq	36501	36477
859	318O13_region_A3_91970_12_Forward_Primer_Seq	91938	91962
860	318O13_region_A3_91970_12_Reverse_Primer_Seq	92116	92091
861	318O13_region_A3_211533_11_Forward_Primer_Seq	211406	211430
862	318O13_region_A3_211533_11_Reverse_Primer_Seq	211585	211561
863	318O13_region_A3_336301_11_Forward_Primer_Seq	336174	336198
864	318O13_region_A3_336301_11_Reverse_Primer_Seq	336353	336329
865	318O13_region_A3_441603_14_Forward_Primer_Seq	441539	441563
866	318O13_region_A3_441603_14_Reverse_Primer_Seq	441718	441694
867	318O13_region_A3_468354_15_Forward_Primer_Seq	468263	468287
868	318O13_region_A3_468354_15_Reverse_Primer_Seq	468442	468418
869	318O13_region_A3_188983_18_Forward_Primer_Seq	188855	188879
870	318O13_region_A3_188983_18_Reverse_Primer_Seq	189035	189009
871	318O13_region_A3_115502_17_Forward_Primer_Seq	115469	115493
872	318O13_region_A3_115502_17_Reverse_Primer_Seq	115649	115625
873	318O13_region_A3_163006_13_Forward_Primer_Seq	162972	162996
874	318O13_region_A3_163006_13_Reverse_Primer_Seq	163153	163129
875	318O13_region_A3_119283_14_Forward_Primer_Seq	119199	119224
876	318O13_region_A3_119283_14_Reverse_Primer_Seq	119381	119357
877	318O13_region_A3_491126_11_Forward_Primer_Seq	491062	491086
878	318O13_region_A3_491126_11_Reverse_Primer_Seq	491244	491220
879	318O13_region_A3_99512_21_Forward_Primer_Seq	99398	99422
880	318O13_region_A3_99512_21_Reverse_Primer_Seq	99581	99557
881	318O13_region_A3_280291_17_Forward_Primer_Seq	280201	280226
882	318O13_region_A3_280291_17_Reverse_Primer_Seq	280385	280361
883	318O13_region_A3_138443_19_Forward_Primer_Seq	138304	138329
884	318O13_region_A3_138443_19_Reverse_Primer_Seq	138488	138465
885	318O13_region_A3_115973_14_Forward_Primer_Seq	115832	115856
886	318O13_region_A3_115973_14_Reverse_Primer_Seq	116016	115992
887	318O13_region_A3_329977_14_Forward_Primer_Seq	329864	329889
888	318O13_region_A3_329977_14_Reverse_Primer_Seq	330050	330026
889	318O13_region_A3_205203_14_Forward_Primer_Seq	205090	205115
890	318O13_region_A3_205203_14_Reverse_Primer_Seq	205276	205252
891	318O13_region_A3_153114_12_Forward_Primer_Seq	152969	152993
892	318O13_region_A3_153114_12_Reverse_Primer_Seq	153156	153132
893	318O13_region_A3_34581_13_Forward_Primer_Seq	34523	34547
894	318O13_region_A3_34581_13_Reverse_Primer_Seq	34712	34688
895	318O13_region_A3_292577_19_Forward_Primer_Seq	292549	292573
896	318O13_region_A3_292577_19_Reverse_Primer_Seq	292739	292715

Seq Num	Seq ID	location of primer on contig start	location of primer on contig end
897	318O13_region_A3_445391_20_Forward_Primer_Seq	445356	445382
898	318O13_region_A3_445391_20_Reverse_Primer_Seq	445547	445523
899	318O13_region_A3_350540_17_Forward_Primer_Seq	350421	350445
900	318O13_region_A3_350540_17_Reverse_Primer_Seq	350612	350588
901	318O13_region_A3_453879_15_Forward_Primer_Seq	453725	453750
902	318O13_region_A3_453879_15_Reverse_Primer_Seq	453918	453894
903	318O13_region_A3_201246_13_Forward_Primer_Seq	201128	201153
904	318O13_region_A3_201246_13_Reverse_Primer_Seq	201321	201297
905	318O13_region_A3_326020_13_Forward_Primer_Seq	325902	325927
906	318O13_region_A3_326020_13_Reverse_Primer_Seq	326095	326071
907	318O13_region_A3_503801_14_Forward_Primer_Seq	503656	503680
908	318O13_region_A3_503801_14_Reverse_Primer_Seq	503849	503823
909	318O13_region_A3_302400_52_Forward_Primer_Seq	302283	302307
910	318O13_region_A3_302400_52_Reverse_Primer_Seq	302481	302456
911	318O13_region_A3_448857_15_Forward_Primer_Seq	448748	448772
912	318O13_region_A3_448857_15_Reverse_Primer_Seq	448947	448924
913	318O13_region_A3_48364_14_Forward_Primer_Seq	48232	48256
914	318O13_region_A3_48364_14_Reverse_Primer_Seq	48435	48412
915	318O13_region_A3_251804_48_Forward_Primer_Seq	251738	251762
916	318O13_region_A3_251804_48_Reverse_Primer_Seq	251942	251918
917	318O13_region_A3_382583_13_Forward_Primer_Seq	382549	382574
918	318O13_region_A3_382583_13_Reverse_Primer_Seq	382753	382728
919	318O13_region_A3_124737_14_Forward_Primer_Seq	124641	124665
920	318O13_region_A3_124737_14_Reverse_Primer_Seq	124846	124822
921	318O13_region_A3_124766_13_Forward_Primer_Seq	124641	124665
922	318O13_region_A3_124766_13_Reverse_Primer_Seq	124846	124822
923	318O13_region_A3_461351_16_Forward_Primer_Seq	461218	461242
924	318O13_region_A3_461351_16_Reverse_Primer_Seq	461426	461402
925	318O13_region_A3_64953_19_Forward_Primer_Seq	64798	64823
926	318O13_region_A3_64953_19_Reverse_Primer_Seq	65011	64987
927	318O13_region_A3_366586_13_Forward_Primer_Seq	366508	366532
928	318O13_region_A3_366586_13_Reverse_Primer_Seq	366722	366698
929	318O13_region_A3_46190_15_Forward_Primer_Seq	46012	46037
930	318O13_region_A3_46190_15_Reverse_Primer_Seq	46228	46205
931	318O13_region_A3_81016_11_Forward_Primer_Seq	80927	80952
932	318O13_region_A3_81016_11_Reverse_Primer_Seq	81146	81122
933	318O13_region_A3_134426_14_Forward_Primer_Seq	134253	134277
934	318O13_region_A3_134426_14_Reverse_Primer_Seq	134474	134449
935	318O13_region_A3_292724_14_Forward_Primer_Seq	292549	292573
936	318O13_region_A3_292724_14_Reverse_Primer_Seq	292771	292747
937	318O13_region_A3_187096_17_Forward_Primer_Seq	187058	187082
938	318O13_region_A3_187096_17_Reverse_Primer_Seq	187282	187257
939	318O13_region_A3_381693_13_Forward_Primer_Seq	381658	381683
940	318O13_region_A3_381693_13_Reverse_Primer_Seq	381885	381863
941	318O13_region_A3_361286_33_Forward_Primer_Seq	361173	361197
942	318O13_region_A3_361286_33_Reverse_Primer_Seq	361401	361376
943	318O13_region_A3_482668_14_Forward_Primer_Seq	482592	482616
944	318O13_region_A3_482668_14_Reverse_Primer_Seq	482821	482796
945	318O13_region_A3_128002_12_Forward_Primer_Seq	127882	127906
946	318O13_region_A3_128002_12_Reverse_Primer_Seq	128112	128087
947	318O13_region_A3_499270_14_Forward_Primer_Seq	499184	499208

Seq Num	Seq ID	location of primer on contig start	location of primer on contig end
948	318O13_region_A3_499270_14_Reverse_Primer_Seq	499422	499398
949	318O13_region_A3_231650_12_Forward_Primer_Seq	231568	231592
950	318O13_region_A3_231650_12_Reverse_Primer_Seq	231809	231788
951	318O13_region_A3_199851_13_Forward_Primer_Seq	199762	199786
952	318O13_region_A3_199851_13_Reverse_Primer_Seq	200012	199988
953	318O13_region_A3_324629_13_Forward_Primer_Seq	324540	324564
954	318O13_region_A3_324629_13_Reverse_Primer_Seq	324790	324766
955	318O13_region_A3_374190_19_Forward_Primer_Seq	374129	374152
956	318O13_region_A3_374190_19_Reverse_Primer_Seq	374394	374370
957	318O13_region_A3_460603_13_Forward_Primer_Seq	460450	460474
958	318O13_region_A3_460603_13_Reverse_Primer_Seq	460715	460691
959	318O13_region_A3_108681_14_Forward_Primer_Seq	108524	108548
960	318O13_region_A3_108681_14_Reverse_Primer_Seq	108791	108768
961	318O13_region_A3_459791_47_Forward_Primer_Seq	459639	459663
962	318O13_region_A3_459791_47_Reverse_Primer_Seq	459907	459883
963	318O13_region_A3_4257_20_Forward_Primer_Seq	4172	4196
964	318O13_region_A3_4257_20_Reverse_Primer_Seq	4450	4425
965	318O13_region_A3_238810_14_Forward_Primer_Seq	238563	238589
966	318O13_region_A3_238810_14_Reverse_Primer_Seq	238850	238826
967	318O13_region_A3_245817_14_Forward_Primer_Seq	245713	245738
968	318O13_region_A3_245817_14_Reverse_Primer_Seq	246001	245977
969	318O13_region_A3_245956_14_Forward_Primer_Seq	245713	245738
970	318O13_region_A3_245956_14_Reverse_Primer_Seq	246001	245977
971	318O13_region_A3_74148_14_Forward_Primer_Seq	74050	74075
972	318O13_region_A3_74148_14_Reverse_Primer_Seq	74338	74314
973	318O13_region_A3_74089_15_Forward_Primer_Seq	74050	74075
974	318O13_region_A3_74089_15_Reverse_Primer_Seq	74338	74314
975	318O13_region_A3_241686_12_Forward_Primer_Seq	241470	241494
976	318O13_region_A3_241686_12_Reverse_Primer_Seq	241765	241741
977	318O13_region_A3_47476_12_Forward_Primer_Seq	47280	47304
978	318O13_region_A3_47476_127_Reverse_Primer_Seq	47577	47554
979	318O13_region_A3_164550_12_Forward_Primer_Seq	164323	164347
980	318O13_region_A3_164550_12_Reverse_Primer_Seq	164621	164598
981	318O13_region_A3_101255_15_Forward_Primer_Seq	101119	101144
982	318O13_region_A3_101255_15_Reverse_Primer_Seq	101418	101392
983	515O02_region_G2_16189_11_Forward_Primer	16144	16168
984	515O02_region_G2_16189_11_Reverse_Primer	16244	16220
985	515O02_region_G2_71925_13_Forward_Primer	71880	71905
986	515O02_region_G2_71925_13_Reverse_Primer	71987	71963
987	515O02_region_G2_4707_12_Forward_Primer	4660	4684
988	515O02_region_G2_4707_12Reverse_Primer	4769	4743
989	515O02_region_G2_118904_18_Forward_Primer	118847	118871
990	515O02_region_G2_118904_18_Reverse_Primer	118957	118932
991	515O02_region_G2_13655_17_Forward_Primer	13567	13592
992	515O02_region_G2_13655_17_Reverse_Primer	13698	13673
993	515O02_region_G2_53900_13_Forward_Primer	53843	53867
994	515O02_region_G2_53900_13_Reverse_Primer	53985	53961
995	515O02_region_G2_8079_14_Forward_Primer	8023	8047
996	515O02_region_G2_8079_14_Reverse_Primer	8167	8143
997	515O02_region_G2_9969_28_Forward_Primer	9917	9941
998	515O02_region_G2_9969_28_Reverse_Primer	10062	10038

Seq Num	Seq ID	location of primer on contig start	location of primer on contig end
999	515O02_region_G2_72308_77_Forward_Primer	72272	72298
1000	515O02_region_G2_72308_77_Reverse_Primer	10062	10038
1001	515O02_region_G2_99475_19_Forward_Primer	99408	99433
1002	515O02_region_G2_99475_19_Reverse_Primer	99554	99530
1003	515O02_region_G2_118615_18_Forward_Primer	118512	118535
1004	515O02_region_G2_118615_18_Reverse_Primer	118658	118634
1005	515O02_region_G2_119001_46_Forward_Primer	118931	118956
1006	515O02_region_G2_119001_46_Reverse_Primer	119079	119055
1007	515O02_region_G2_118958_43_Forward_Primer	118931	118956
1008	515O02_region_G2_118958_43_Reverse_Primer	119079	119055
1009	515O02_region_G2_17197_13_Forward_Primer	17128	17152
1010	515O02_region_G2_17197_13_Reverse_Primer	17276	17252
1011	515O02_region_G2_105163_29_Forward_Primer	105068	105092
1012	515O02_region_G2_105163_29_Reverse_Primer	105217	105192
1013	515O02_region_G2_111335_13_Forward_Primer	111308	111332
1014	515O02_region_G2_111335_13_Reverse_Primer	111458	111434
1015	515O02_region_G2_106396_13_Forward_Primer	106318	106342
1016	515O02_region_G2_106396_13_Reverse_Primer	106469	106445
1017	515O02_region_G2_59229_17_Forward_Primer	59203	59227
1018	515O02_region_G2_59229_17_Reverse_Primer	59354	59330
1019	515O02_region_G2_73795_20_Forward_Primer	73769	73793
1020	515O02_region_G2_73795_20_Reverse_Primer	73921	73896
1021	515O02_region_G2_85664_20_Forward_Primer	85586	85611
1022	515O02_region_G2_85664_20_Reverse_Primer	85738	85714
1023	515O02_region_G2_36921_17_Forward_Primer	36830	36854
1024	515O02_region_G2_36921_17_Reverse_Primer	36983	36959
1025	515O02_region_G2_124150_19_Forward_Primer	124073	124096
1026	515O02_region_G2_124150_19_Reverse_Primer	124227	124203
1027	515O02_region_G2_5089_14_Forward_Primer	4999	5024
1028	515O02_region_G2_5089_14_Reverse_Primer	5156	5132
1029	515O02_region_G2_58221_15_Forward_Primer	58197	58220
1030	515O02_region_G2_58221_15_Reverse_Primer	58354	58330
1031	515O02_region_G2_96139_14_Forward_Primer	96022	96046
1032	515O02_region_G2_96139_14_Reverse_Primer	96182	96158
1033	515O02_region_G2_70595_13_Forward_Primer	70472	70496
1034	515O02_region_G2_70595_13_Reverse_Primer	70634	70608
1035	515O02_region_G2_4340_15_Forward_Primer	4312	4337
1036	515O02_region_G2_4340_15_Reverse_Primer	4477	4454
1037	515O02_region_G2_90417_11_Forward_Primer	90335	90359
1038	515O02_region_G2_90417_11_Reverse_Primer	90503	90479
1039	515O02_region_G2_49711_17_Forward_Primer	49652	49676
1040	515O02_region_G2_49711_17_Reverse_Primer	49820	49796
1041	515O02_region_G2_63053_13_Forward_Primer	63005	63029
1042	515O02_region_G2_63053_13_Reverse_Primer	63173	63148
1043	515O02_region_G2_63076_14_Forward_Primer	63005	63029
1044	515O02_region_G2_63076_14_Reverse_Primer	63173	63148
1045	515O02_region_G2_44442_12_Forward_Primer	44335	44359
1046	515O02_region_G2_44442_12_Reverse_Primer	44505	44481
1047	515O02_region_G2_44422_19_Forward_Primer	44335	44359
1048	515O02_region_G2_44422_19_Reverse_Primer	44505	44481
1049	515O02_region_G2_44158_19_Forward_Primer	44075	44100

Seq Num	Seq ID	location of primer on contig start	location of primer on contig end
1050	515O02_region_G2_44158_19_Reverse_Primer	44252	44227
1051	515O02_region_G2_44141_17_Forward_Primer	44075	44100
1052	515O02_region_G2_44141_17_Reverse_Primer	44252	44227
1053	515O02_region_G2_90762_17_Forward_Primer	90637	90663
1054	515O02_region_G2_90762_17_Reverse_Primer	90814	90790
1055	515O02_region_G2_106241_14_Forward_Primer	106160	106184
1056	515O02_region_G2_106241_14_Reverse_Primer	106341	106317
1057	515O02_region_G2_109676_12_Forward_Primer	109609	109634
1058	515O02_region_G2_109676_12_Reverse_Primer	109793	109768
1059	515O02_region_G2_86242_14_Forward_Primer	86134	86158
1060	515O02_region_G2_86242_14_Reverse_Primer	86318	86293
1061	515O02_region_G2_83109_12_Forward_Primer	83017	83041
1062	515O02_region_G2_83109_12_Reverse_Primer	83202	83178
1063	515O02_region_G2_10461_15_Forward_Primer	10418	10442
1064	515O02_region_G2_10461_15_Reverse_Primer	10609	10585
1065	515O02_region_G2_67608_15_Forward_Primer	67552	67577
1066	515O02_region_G2_67608_15_Reverse_Primer	67745	67721
1067	515O02_region_G2_63275_46_Forward_Primer	63148	63173
1068	515O02_region_G2_63275_46_Reverse_Primer	63347	63323
1069	515O02_region_G2_62405_14_Forward_Primer	62374	62399
1070	515O02_region_G2_62405_14_Reverse_Primer	62576	62552
1071	515O02_region_G2_33563_12_Forward_Primer	33460	33484
1072	515O02_region_G2_33563_12_Reverse_Primer	33670	33646
1073	515O02_region_G2_33146_14_Forward_Primer	32949	32973
1074	515O02_region_G2_33146_14_Reverse_Primer	33191	33167
1075	515O02_region_G2_102179_29_Forward_Primer	102102	102126
1076	515O02_region_G2_102179_29_Reverse_Primer	102352	102327
1077	515O02_region_G2_2646_15_Forward_Primer	2553	2577
1078	515O02_region_G2_2646_15_Reverse_Primer	2809	2784
1079	515O02_region_G2_76652_24_Forward_Primer	76567	76591
1080	515O02_region_G2_76652_24_Reverse_Primer	76835	76812
1081	515O02_region_G2_66280_14_Forward_Primer	66052	66077
1082	515O02_region_G2_66280_14_Reverse_Primer	66334	66309
1083	515O02_region_G2_54768_13_Forward_Primer	54640	54666
1084	515O02_region_G2_54768_13_Reverse_Primer	54923	54899
1085	515O02_region_G2_62580_14_Forward_Primer	62552	62576
1086	515O02_region_G2_62580_14_Reverse_Primer	62840	62816
1087	515O02_region_G2_34598_55_Forward_Primer	34473	34497
1088	515O02_region_G2_34598_55_Reverse_Primer	34765	34739
1089	515O02_region_G2_77680_13_Forward_Primer	77444	77470
1090	515O02_region_G2_77680_13_Reverse_Primer	77741	77716
1091	515O02_region_G2_77693_12_Forward_Primer	77444	77470
1092	515O02_region_G2_77693_12_Reverse_Primer	77741	77716
1093	515O02_region_G2_97392_14_Forward_Primer	97255	97280
1094	515O02_region_G2_97392_14_Reverse_Primer	97554	97530
1095	515O02_region_G2_97359_15_Forward_Primer	97255	97280
1096	515O02_region_G2_97359_15_Reverse_Primer	97554	97530

Seq Num	Seq ID		
1120	consensusLRR		
1121	rhg1LRR		

Seq Num	Seq ID		
1122	Rhg4LRR		

Seq Num	Seq ID	Primer location on 240O17_region_G3	
1123	240O17_region_G3_forward_1_b	45046-45072	

DETAILED DESCRIPTION OF THE INVENTION

A) *rhg1*

The present invention provides a method for the production of a soybean plant having an *rhg1* SCN resistant allele comprising: (A) crossing a first soybean plant having an *rhg1* SCN resistant allele with a second soybean plant having an *rhg1* SCN sensitive allele to produce a segregating population; (B) screening the segregating population for a member having an *rhg1* SCN resistant allele with a first nucleic acid molecule capable of specifically hybridizing to linkage group G, wherein the first nucleic acid molecule specifically hybridizes to a second nucleic acid molecule that is linked to the *rhg1* SCN resistant allele; and, (C) selecting the member for further crossing and selection.

rhg1 is located on linkage group G (Concibido *et al.*, *Crop Sci.* 36:1643-1650 (1996)). SCN resistant alleles of *rhg1* provide partial resistance to SCN races 1, 2, 3, 5, 6, and 14 (Concibido *et al.* (*Crop Sci.* 37:258-264 (1997))). Also, Webb (U.S. Patent 5,491,081) reports that a QTL on linkage group G (*rhg1*) provides partial resistance to SCN races 1, 2, 3, 5, and 14. *rhg1* and *Rhg4* provide complete or nearly complete resistance to SCN race 3 (U.S. Patent 5,491,081). While initially thought to be a recessive gene, *rhg1* classification as a recessive gene has been questioned.

Using bioinformatic approaches, the *rhg1* coding region is predicted to contain either four exons (*rhg1*, *v.1*)(coding coordinates 45163-45314, 45450-45509, 46941-48763, and 48975-49573 of SEQ ID NO: 2) or two exons (*rhg1*, *v.2*) (coding coordinates 46798-48763 and 48975-49573 of SEQ ID NO: 3). *rhg1*, *v.1* encodes an 877 amino acid polypeptide. *rhg1*, *v.2* encodes an 854 amino acid length polypeptide. *rhg1* codes for a Xa21-like receptor kinase (SEQ ID NOs: 1097, 1098, and 1100-1115) (Song, *et al.*, *Science* 270, 1804-1806 (1995)). *rhg1* has an extracellular leucine rich repeat (LRR) domain (*rhg1*, *v.1*, SEQ ID NO: 1097, residues 164-457; *rhg1*, *v.2*, SEQ ID NO: 1098,

residues 141-434), a transmembrane domain (*rhg1*, *v.1*, SEQ ID NO: 1097, residues 508-530; *rhg1*, *v.2*, SEQ ID NO: 1098, residues 33-51, and 485-507) and serine/threonine protein kinase (STK) domain (*rhg1*, *v.1*, SEQ ID NO: 1097, residues 578-869; *rhg1*, *v.2*, SEQ ID NO: 1098, residues 555-846). In a preferred embodiment, the LRR domain has multiple LRR repeats. In a more preferred embodiment, the LRR domain has 12 LRR repeats.

To identify proteins similar to the proteins encoded by *rhg1* candidates, database searches are performed using the predicted peptide sequences. The *rhg1* candidate shows similarity to CAA18124, which is the *Arabidopsis* putative receptor kinase (58.4% similarity and 35.8% identity, (CLUSTALW (default parameters), Thompson *et al.*, Nucleic Acids Res. 22:4673-4680 (1994)), GCG package, Genetics Computer Group, Madison, Wisconsin), and the apple leucine-rich receptor-like protein kinase (g3641252) (53.2% similarity and 31.5% identity, (CLUSTALW (default parameters))), which has both LLR and STK domains, showing conservation in both the LLR and STK domains. The predicted LRR extracellular domain shows similarity to the tomato resistance genes *Cf-2.1* (*Lycopersicon pimpinellifolium*) (66.9% similarity and 45.4% identity (CLUSTALW (default parameters))) and *Cf-2.2* (*Lycopersicon pimpinellifolium*) (66.9% similarity and 45.4% identity (CLUSTALW (default parameters))).

Figure 1 is an alignment of the LRR domain of the *rhg1* gene. A consensus sequence for the LRR is shown as the top row of the alignment. Each row of amino acids represents an LRR domain. The boxed region indicates the putative β -turn/ β -sheet structural motif postulated to be involved in ligand binding (Jones *et al.*, *Adv. Bot. Res. Incorpor. Adv. Plant Path.* 24:89-167 (1997)). The hydrophobic leucine residues are thought to project into the core of the protein while the flanking amino acids are thought to be solvent exposed where they may interact with the ligand (Kobe *et al.*, *Nature* 374:183-186 (1995)). Non-conservative changes in this region are thought to affect folding. An "x" represents an arbitrary amino acid while an "a" represents a hydrophobic residue (leucine, isoleucine, methionine, valine, or phenylalanine). Amino acid substitutions

between resistant and sensitive phenotypes are bordered by a double line. The amino acid substitution within the 302-325 region is a histidine/asparagine substitution, and the amino acid substitution within the 422-445 region is a phenylalanine/serine substitution.

As used herein, a naturally occurring *rhg1* allele is any allele that encodes for a protein having an extracellular LRR, a transmembrane domain, and STK domain where the naturally occurring allele is present on linkage group G and where certain *rhg1* alleles, but not all *rhg1* alleles, are capable of providing or contributing to resistance or partial resistance to a race of SCN. It is understood that such an allele can, using for example methods disclosed herein, be manipulated so that the nucleic acid molecule encoding the protein is no longer present on linkage group G. It is also understood that such an allele can, using for example methods disclosed herein, be manipulated so that the nucleic acid molecule sequence is altered.

As used herein, an *rhg1* SCN resistant allele is any *rhg1* allele where that allele alone or in combination with other SCN resistant alleles present in the plant, such as an *Rhg4* SCN resistant allele, provides resistance to a race of SCN, and that resistance is due, at least in part, to the genetic contribution of the *rhg1* allele.

SCN resistance or partial resistance is determined by a comparison of the plant in question with a known SCN sensitive host, Lee 74, according to the method set forth in Schmitt, *J. Nematol.* 20:392-395 (1988). As used herein, resistance to a particular race of SCN is defined as having less than 10% of cyst development relative to the SCN sensitive host Lee 74. Moreover, as used herein, partial resistance to a particular race of SCN is defined as having more than 10% but less than 75% of cyst development relative to the SCN sensitive host Lee 74.

Any soybean plant having an *rhg1* SCN resistant allele can be used in conjunction with the present invention. Soybeans with known *rhg1* SCN resistant alleles can be used. Such soybeans include but are not limited to PI548402 (Peking), PI200499, A2869, Jack, A2069, PI209332 (No:4), PI404166 (Krasnoarmejkaja), PI404198 (Sun huan do), PI437654 (Er-hej-jan), PI438489 (Chiquita), PI507354 (Tokei 421), PI548655 (Forrest),

PI548988 (Pickett), PI84751, PI437654, PI40792, Pyramid, Nathan, AG2201, A3469, AG3901, A3904, AG4301, AG4401, AG4501, AG4601, PION9492, PI88788, Dyer, Custer, Manokin, and Doles. In a preferred aspect, the soybean plant having an *rhg1* SCN resistant allele is an *rhg1* haplotype 2 allele. Examples of soybeans with an *rhg1* haplotype 2 allele are PI548402 (Peking), PI404166 (Krasnoarmejkaja), PI404198 (Sun huan do), PI437654 (Er-hej-jan), PI438489 (Chiquita), PI507354 (Tokei 421), PI548655 (Forrest), PI548988 (Pickett), PI84751, PI437654, and PI40792. In addition, using the methods or agents of the present invention, soybeans and wild relative of soybean such as *Glycine soja* can be screened for the presence of *rhg1* SCN resistant alleles.

Any soybean plant having an *rhg1* SCN sensitive allele can be used in conjunction with the present invention. Such soybeans include A3244, A2833, AG3001, Williams, Will, A2704, Noir, DK23-51, Lee 74, Essex, Minsoy, A1923, and Hutcheson. In a preferred aspect, the soybean plant having an *rhg1* SCN sensitive allele is an *rhg1* A3244 allele. In addition, using the methods or agents of the present invention, soybeans and wild relatives of soybean such as *Glycine soja* can be screened for the presence of *rhg1* SCN sensitive alleles.

Table 2, below, is a table showing single nucleotide polymorphisms (SNPs) and insertions/deletions (INDEL) sites for eight haplotype sequences of *rhg1*.

TABLE 2

Identification				Base number of contig 240O17_region_G3 of reference line A3244														
Hap	PI#	Line	Ph	45173	45309	45400	45416	45439	45611	45916	45958	46049	46113	46227	46703	47057	47140	47208
1	-	A3244	S	G	G	A	T	A	A	A	A	C	A	d1	0	T	C	C
2	PI548402	Peking	R	G	A	C	C	T	A	G	A	T	G	0	d2	C	C	C
3	PI423871	Toyosuzu	-	G	A	A	T	A	A	G	A	T	G	0	0	T	C	C
4	PI518672	Will	S	G	G	A	T	A	A	A	A	C	A	d1	0	T	A	T
5	-	A2704	S	G	G	A	T	A	A	A	A	C	A	d1	0	T	A	T
6	PI290136	Noir	S	A	A	A	C	T	G	A	T	T	A	0	d14	T	C	C
7	PI548658	Lee 74	S	A	A	A	C	T	G	A	T	T	A	0	d14	T	C	C
8	PI200499	-	R	G	A	A	C	A	A	A	A	T	A	0	d14	T	C	C
N/A	PI548667	Essex	S	A	A	A	C	T	G	A	T	T	A	0	d14	T	C	C
N/A	PI548389	Minsoy	S	G	G	A	T	A	A	A	A	C	A	d1	0	T	A	T
N/A	PI360843	Oshima.	-	-	-	-	-	-	-	-	-	-	-	-	0	T	A	T
N/A	-	A2869	R	-	-	-	-	-	-	-	-	-	-	0	d14	T	C	C
N/A	PI540556	Jack	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A	-	A2069	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
N/A	PI209332	No.4	R	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2, continued

Identification			Base number of contig 240O17_region_G3 of reference line A3244															
Hap	PI#	Line	Ph	47571	47617	47796	47856	47937	48012	48060	48073	48135	48279	48413	48681	48881	49012	49316
1	-	A3244	S	G	C	A	T	T	T	C	C	A	C	G	A	0	A	T
2	PI548402	Peking	R	G	C	C	C	C	T	C	C	G	C	G	G	d19	G	T
3	PI423871	Toyosuzu	-	G	C	C	C	C	T	C	C	G	C	G	A	0	A	T
4	PI518672	Will	S	G	C	A	T	T	T	C	C	A	C	G	A	0	A	T
5	-	A2704	S	G	C	A	T	T	C	T	T	G	T	C	-	0	G	C
6	PI290136	Noir	S	A	A	C	C	C	C	T	T	G	T	C	G	0	G	C
7	PI548658	Lee 74	S	G	A	C	C	C	C	T	T	G	T	C	G	0	G	C
8	PI200499	-	R	G	A	C	C	C	C	T	T	G	T	C	G	0	G	C
N/A	PI548667	Essex	S	G	A	C	C	C	C	T	T	G	T	C	A/G	0	G	C
N/A	PI548389	Minsoy	S	G	C	A	T	T	C/T	C/T	C/T	A	C	G	A	0	A	T
N/A	PI360843	Oshimas.	-	G	C	A	T/C	T/C	T	C	C	A/G	C	G	A	0	A	T
N/A	-	A2869	R	G	A	C	C	C	C	T	T	G	T	C	G	0	G	C
N/A	PI540556	Jack	R	-	-	C	C	C	C	T	T	G	T	C	G	0	G	C
N/A	-	A2069	R	-	-	C	T/C	T/C	C	T	T	A	T	C	G	0	G	C
N/A	PI209332	No.4	R	-	-	C	C	C	C	T	T	A/G	T	C	G	0	G	C

In Table 2, discrete haplotypes are designated 1 through 8. N/A refers to a haplotype that is not characterized. The Plant Introduction classification number is indicated in the "PI#" column. A dash indicates that no PI number is known or assigned for the line under investigation. The line from which the sequences are derived is indicated in the "line" column, with a dash indicating an unknown or unnamed line. The "Ph." (phenotype) column of table 2 indicates whether a given line has been reported as resistant (R) to at least one race of SCN or sensitive (S).

The nucleotide bases located at each of 30 positions in each of the haplotype sequences is shown in the columns labeled "Base number of contig 240O17_region_G3 of reference line A3244." The base number at the top of each column corresponds to the base number in contig 240O17_region_G3 of reference line A3224 (SEQ ID NOs: 2 and 3). The letters G, A, C, and T correspond to the bases guanine, adenine, cytosine, and thymine. Two bases separated by a slash (A/G, C/T, or T/C) indicate uncertainty at the specified position of the haplotype sequence. A "d" followed by a number indicates a deletion of a the length specified. That is, d1 is a one base deletion, d2 is a two base deletion, d14 is a fourteen base deletion, and d19 is a nineteen base deletion. A zero (0) indicates no deletion. A dash indicates that the identity of the base is undetermined.

Examination of table 2 reveals that the amino acid substitutions in the *rhg1* coding region are common to the resistant lines PI467312 (Cha-mo-shi-dou), PI88788 and the southern susceptible lines Essex, Hutchenson, Noir and A1923. As used herein, a "southern" cultivar is any cultivar from maturity groups VI, VII, VIII, IX, or X, and a "northern" cultivar is any cultivar from maturity groups 000, 00, 0, I, II, III, IV, or V. This data is consistent with the mapping experiments of Qui *et al.* (*Theor Appl Genet* 98:356-364 (1999)). Based on analysis of 200 F_{2,3} families derived from a cross between Peking and Essex, the authors failed to detect any significant association with SCN resistance to races 1, 2, and 3, and the *rhg1* locus on linkage group G. The authors point out that one of the markers, Bng122, which has been shown to have significant linkage to *rhg1* (Concibido *et al.*, *Crop Sci.* 36:1643-1650 (1996)), is not polymorphic in the

population employed. It is also possible that the susceptible southern lines contain *rhg1* and the susceptible phenotype reflects the polygenic nature of SCN resistance. In a study to uncover QTLs for sudden death syndrome (SDS) in soybean, two SCN resistant alleles originating from the susceptible parent Essex have been described (Hnetkovsky *et al.*, *Crop Sci.* 36:393-400).

Tables 3a, 3b, and 3c, below, show lines that share an *rhg1* haplotype.

TABLE 3a

Haplotype 2 Lines		
PI#	Line	Ph.
PI548402	Peking	R
PI404166	Krasnoarmejkaja	R
PI404198	(Sun huan do)	R
PI437654	Er-hej-jan	R
PI438489	(Chiquita)	R
PI507354	Tokei 421	R
PI548655	Forrest	R
PI548988	Pickett	R
PI84751	-	R
PI437654	-	R
PI40792	-	-

TABLE 3b

Haplotype 4 Lines		
PI#	Line	Ph.
-	Will	S
PI467312	Cha-mo-shi-dou	R
PI88788	-	R

TABLE 3c

Haplotype 6 Lines		
PI#	Line	Ph.
-	Noir	S
-	A1923	S
-	Hutcheson	S

In Tables 3a, 3b, and 3c, Plant Introduction classification number is indicated in the "PI#" column. A dash indicates that no PI number is known or assigned for the line in question. The line from which the sequences are derived is indicated in the "line"

column, with a dash indicating an unknown or unnamed line. The “Ph.” column indicates whether a given line has been reported as resistant (R) to at least one race of SCN or sensitive (S), with a dash indicating that the phenotype is unknown.

In a preferred aspect, the source of either an *rhg1* SCN sensitive allele or an *rhg1* SCN resistant allele, or more preferably both, is an elite plant. An “elite line” is any line that has resulted from breeding and selection for superior agronomic performance. Examples of elite lines are lines that are commercially available to farmers or soybean breeders such as HARTZ™ variety H4994, HARTZ™ variety H5218, HARTZ™ variety H5350, HARTZ™ variety H5545, HARTZ™ variety H5050, HARTZ™ variety H5454, HARTZ™ variety H5233, HARTZ™ variety H5488, HARTZ™ variety HLA572, HARTZ™ variety H6200, HARTZ™ variety H6104, HARTZ™ variety H6255, HARTZ™ variety H6586, HARTZ™ variety H6191, HARTZ™ variety H7440, HARTZ™ variety H4452 Roundup Ready™, HARTZ™ variety H4994 Roundup Ready™, HARTZ™ variety H4988 Roundup Ready™, HARTZ™ variety H5000 Roundup Ready™, HARTZ™ variety H5147 Roundup Ready™, HARTZ™ variety H5247 Roundup Ready™, HARTZ™ variety H5350 Roundup Ready™, HARTZ™ variety H5545 Roundup Ready™, HARTZ™ variety H5855 Roundup Ready™, HARTZ™ variety H5088 Roundup Ready™, HARTZ™ variety H5164 Roundup Ready™, HARTZ™ variety H5361 Roundup Ready™, HARTZ™ variety H5566 Roundup Ready™, HARTZ™ variety H5181 Roundup Ready™, HARTZ™ variety H5889 Roundup Ready™, HARTZ™ variety H5999 Roundup Ready™, HARTZ™ variety H6013 Roundup Ready™, HARTZ™ variety H6255 Roundup Ready™, HARTZ™ variety H6454 Roundup Ready™, HARTZ™ variety H6686 Roundup Ready™, HARTZ™ variety H7152 Roundup Ready™, HARTZ™ variety H7550 Roundup Ready™, HARTZ™ variety H8001 Roundup Ready™ (HARTZ SEED, Stuttgart, Arkansas, U.S.A.); A0868, AG0901, A1553, A1900, AG1901, A1923, A2069, AG2101, AG2201, A2247, AG2301, A2304, A2396, AG2401, AG2501, A2506, A2553, AG2701, AG2702, A2704, A2833, A2869, AG2901, AG2902, AG3001, AG3002,

A3204, A3237, A3244, AG3301, AG3302, A3404, A3469, AG3502, A3559, AG3601, AG3701, AG3704, AG3750, A3834, AG3901, A3904, A4045 AG4301, A4341, AG4401, AG4501, AG4601, AG4602, A4604, AG4702, AG4901, A4922, AG5401, A5547, AG5602, A5704, AG5801, AG5901, A5944, A5959, AG6101, QR4459 and QP4544 (Asgrow Seeds, Des Moines, Iowa, U.S.A.); DeKalb variety CX445 (DeKalb, Illinois).
An elite plant is any plant from an elite line.

B) *Rhg4*

The present invention provides a method for the production of a soybean plant having an *Rhg4* SCN resistant allele comprising: (A) crossing a first soybean plant having an *Rhg4* SCN resistant allele with a second soybean plant having an *Rhg4* SCN sensitive allele to produce a segregating population; (B) screening the segregating population for a member having an *Rhg4* SCN resistant allele with a first nucleic acid molecule capable of specifically hybridizing to linkage group A2, wherein the first nucleic acid molecule specifically hybridizes to a second nucleic acid molecule linked to the *Rhg4* SCN resistant allele; and, (C) selecting the member for further crossing and selection.

Rhg4 is located on linkage group A2 (Matson *et al.*, *Crop Sci.* 5:447 (1965)). SCN resistant alleles of *Rhg4* provide partial resistance to SCN races 1 and 3 (U.S. Patent 5,491,081). Together, *rhg1* and *Rhg4* provide complete or nearly complete resistance to SCN race 3. The dominant gene, *Rhg4*, was found to be closely linked to the seed coat color locus (*i*) (Matson *et al.*, *Crop Sci.* 5:447 (1965)). The *i* locus in Peking was also reported to be linked with a recessive gene for resistance to SCN (Sugiyama *et al.*, *Jpn. J. Breed.* 16:83-86 (1966)). It is possible that *Rhg4* and the recessive gene linked to the *i* locus are one and the same, which would call into question the classification of *Rhg4* as a dominant gene.

Using bioinformatic approaches the *Rhg4* coding region is predicted to contain 2 exons (coding coordinates 111805-113968 and 114684-115204 of SEQ ID NO: 4). *Rhg4* encodes an 894 amino acid polypeptide. *Rhg4* codes for a Xa21-like receptor kinase (SEQ ID NOs: 1099 and 1116-1119) (Song *et al.*, *Science* 270, 1804-1806, (1995)).

Rhg4 has an extracellular LRR domain (*Rhg4*, SEQ ID NO: 1099, residues 34-44), a transmembrane domain (*Rhg4* SEQ ID NO: 1099, residues 449-471), and STK domain (*Rhg4*, SEQ ID NO: 1099, residues 531-830). In a preferred embodiment, the LRR domain has multiple LRR repeats. In a more preferred embodiment, the LRR domain has 12 LRR repeats.

To identify proteins similar to the *Rhg4* candidate, database searches are performed using the predicted peptide sequences. The *Rhg4* candidate shows similarity to TMK (Y07748)(73.0% similarity and 54.8% identity (CLUSTALW (default parameters))) and TMK1 PRECURSOR (70.6% similarity and 55.1% identity (CLUSTALW (default parameters))), which are rice and *Arabidopsis* receptor kinases, respectively. The predicted LRR extracellular domain reveals similarity to TMK (Y07748)(70.1% similarity and 46.6% identity (CLUSTALW (default parameters))), TMK1 PRECURSOR (g1707642) (65.8% similarity and 48.8% identity (CLUSTALW (default parameters))), and F21J9.1 (g2213607) (65.5% similarity and 45.6% identity (CLUSTALW (default parameters))).

Figure 2 is an alignment of the LRR domain of the *Rhg4* gene. A consensus sequence is shown as the top row. Each row of amino acids represents an LRR domain. The boxed region indicates the putative β -turn/ β -sheet structural motif postulated to be involved in ligand binding (Jones *et al.*, *Adv. Bot. Res. Incorpor. Adv. Plant Path.* 24;89-167 (1997)). The hydrophobic leucine residues are thought to project into the core of the protein while the flanking amino acids are thought to be solvent exposed where they may interact with the ligand (Kobe *et al.*, *Nature* 374; 183-186 (1995)). An "x" represents an arbitrary amino acid while an "a" represents a hydrophobic residue (leucine, isoleucine, methionine, valine, or phenylalanine). Amino acid substitutions between resistant and sensitive phenotypes are bordered by a double line. The amino acid substitution within the 35-57 region is a histidine/glutamine substitution, and the amino acid substitution within the 81-104 region is a leucine/phenylalanine substitution.

As used herein, a naturally-occurring *Rhg4* allele is any allele that encodes for a protein having an extracellular LRR domain, a transmembrane domain, and STK domain where the naturally occurring allele is present on linkage group A2 and where certain *Rhg4* alleles, but not all *Rhg4* alleles, are capable of providing or contributing to resistance or partial resistance to a race of SCN. It is understood that such an allele can, using, for example methods disclosed herein, be manipulated so that the nucleic acid molecule encoding the protein is no longer present on linkage group A2. It is also understood that such an allele can, using, for example methods disclosed herein, be manipulated so that the nucleic acid molecule sequence is altered.

As used herein, an *Rhg4* SCN resistant allele is any *Rhg4* allele where that allele alone or in combination with other SCN resistant alleles present in the plant, such as an *rhg1* SCN resistant allele, provides resistance to a race of SCN, and that resistance is due, at least in part, to the genetic contribution of the *Rhg4* allele.

Any soybean plant having an *Rhg4* SCN resistant allele can be used in conjunction with the present invention. Soybeans with known *Rhg4* SCN resistant alleles can be used. Such soybeans include, but are not limited to, PI548402 (Peking), PI437654 (Er-hej-jan), PI438489 (Chiquita), PI507354 (Tokei 421), PI548655 (Forrest), PI548988 (Pickett), PI88788, PI404198 (Sun Huan Do), PI404166 (Krasnoarmejkaja), Hartwig, Manokin, Doles, Dyer, and Custer. In a preferred aspect, the soybean plant having an *Rhg4* SCN resistant allele is an *Rhg4* haplotype 3 allele in a plant having either an *rhg1* haplotype 2 or *rhg1* haplotype 4 allele. Examples of soybeans with an *Rhg4* haplotype 3 allele are PI548402 (Peking), PI88788, PI404198 (Sun huan do), PI438489 (Chiquita), PI437654 (Er-hej-jan), PI404166 (Krasnoarmejkaja), PI548655 (Forrest), PI548988 (Pickett), and PI507354 (Tokei 421). In addition, using the methods or agents of the present invention, soybeans and wild relatives of soybeans such as *Glycine soja* can be screened for the presence of *Rhg4* SCN resistant alleles.

Table 4 below is a table showing single nucleotide polymorphisms (SNPs) for three haplotype sequences of *Rhg4*.

TABLE 4

Identification					Base number of contig 318O13_region_A3					Markers		
Hap	PI number	Line	Ph	Coat	111933	112065	112101	112461	114066	scn279	scnb267	scn273
1	-	A2069	R	yellow	T	A	T	A	T	2	2	2
1	-	A2869	R	yellow	T	A	T	A	T	2	2	2
1	-	A3244	S	yellow	T	A	T	A	T	2	2	2
1	PI87631	Kindaizu	R	yellow	T	A	T	A	T	2	2	2
1	PI548389	Minsoy	S	yellow	T	A	T	A	T	2	2	2
1	PI518664	Hutcheson	S	yellow	T	A	T	A	T	2	2	2
1	PI548658	Lee 74	S	yellow	T	A	T	A	T	-	2	2
2	PI540556	Jack	R	yellow	G	A	T	A	T	2	2	1
2	PI360843	Oshimashirome	R	yellow	G	A	T	A	T	-	-	-
2	PI423871	Toyosuzu	R	yellow	G	A	T	A	T	-	-	-
3	PI548402	Peking	R	black	G	C	C	T	G	1	1	1
3	PI88788	-	R	black	G	C	C	T	G	1	1	1
3	PI404198 B	(Sun huan do)	R	black	G	C	C	T	G	1	1	1
3	PI438489 B	(Chiquita)	R	black	G	C	C	T	G	1	1	1
3	PI437654	Er-hej-jan	R	black	G	C	C	T	G	2	1	1
3	PI404166	Krasnoarmejkaja	R	black	G	C	C	T	G	1	1	-
3	PI290136	Noir	S	black	G	C	C	T	G	1	1	1
3	PI548655	Forrest	R	yellow	G	C	C	T	G	1	1	1
3	PI548988	Pickett	R	yellow	G	C	C	T	G	1	1	1
3	PI507354	Tokei 421	R	yellow	G	C	C	T	G	1	1	1
N/A	PI467312	Cha-mo-shi-dou	R	GnBr	G	C	C	T	-	1	1	1
N/A	PI209332	No.4	R	black	T	A	T	-	-	2	2	2
N/A	PI518672	Will	S	yellow	T	A	T	-	T	2	2	2
N/A	PI548667	Essex	S	yellow	T	A	T	-	T	2	2	2

In Table 4, discrete haplotypes are designated 1 through 3. N/A refers to a haplotype that is not characterized. In Table 4, the Plant Introduction classification number is indicated in the “PI#” column. A dash indicates that no PI number is known or assigned for the line under investigation. The line from which the sequences are derived is indicated in the “line” column, with a dash indicating an unknown or unnamed line. The “Ph.” column of Table 4 indicates whether a given line has been reported to be resistant (R) to at least one race of SCN, or sensitive (S). The “coat” column shows the phenotypic coat color of a seed as either yellow, black, green/brown (GnBr), or unknown/unassigned (dash). At the *I* locus, black seeded varieties harbor the *i* allele for black or imperfect black seed coat. In a preferred embodiment, the seed has a yellow coat.

The nucleotide base located at each of 5 positions in each of the haplotype sequences is shown in the columns labeled “Base number of contig 318O13_region_A3.”

The base number at the top of each column correspond to the base number in the contig 318O13_region_A3 of reference line A3244 (SEQ ID NO: 4). The letters G, A, C, and T correspond to the bases guanine, adenine, cytosine, and thymine. A dash indicates that the identity of the base is unknown.

Three different simple sequence repeat (SSR) or microsatellite markers that occur within the sequences, scn279 (SEQ ID NO: 292), scn267 (SEQ ID NO: 282), and scn273 (SEQ ID NO: 294), are listed under "markers." The allele of each marker occurring in a haplotype is indicated by a 1 or a 2, with a dash indicating that the information is not determined.

Any soybean plant having an *Rhg4* SCN sensitive allele can be used in conjunction with the present invention. Such soybeans include A3244, Will, Noir, Lee 74, Essex, Minsoy, A2704, A2833, AG3001, Williams, DK23-51, and Hutcheson. In a preferred aspect, the soybean plant having an *Rhg4* SCN sensitive allele is an *Rhg4* A3244 allele. In addition, using the methods or agents of the present invention, soybeans and wild relative of soybean such as *Glycine soja* can be screened for the presence of *Rhg4* SCN sensitive alleles.

In a preferred aspect, the source of either an *Rhg4* SCN sensitive allele or an *Rhg4* SCN resistant allele, or more preferably both, is an elite plant.

In table 5, below, *rhg1* and *Rhg4* haplotypes for various cultivars are compared.

TABLE 5

Identification				Haplotype	
PI#	Line	Coat	Ph.	<i>rhg4</i>	<i>rhg1</i>
-	A3244	yellow	S	1	1
PI548402	Peking	black	R	3	2
PI404198 B	(Sun huan do)	black	R	3	2
PI438489 B	(Chiquita)	black	R	3	2
PI437654	Er-hej-jan	black	R	3	2
PI404166	Krasnoarmejkaja	black	R	3	2
PI548655	Forrest	yellow	R	3	2
PI548988	Pickett	yellow	R	3	2
PI507354	Tokei 421	yellow	R	3	2
PI88788	-	black	R	3	4

Identification				Haplotype	
PI#	Line	Coat	Ph.	<i>rhg4</i>	<i>rhg1</i>
PI467312	Cha-mo-shi-dou	GnBr	R	N/A	4
-	Noir	black	S	3	6
-	Jack	yellow	R	2	N/A
PI360843	Oshimashirome	yellow	R	2	N/A
PI423871	Toyosuzu	yellow	R	2	3
PI209332	No.4	black	R	N/A	N/A
PI87631	Kindaizu	yellow	R	1	-
-	Minsoy	yellow	S	1	N/A
-	Will	yellow	S	N/A	4
-	Hutcheson	yellow	S	1	6
-	Lee 74	yellow	S	N/A	7
-	Essex	yellow	S	N/A	N/A
-	A2069	yellow	R	1	N/A
-	A2869	yellow	R	1	N/A

In Table 5, haplotypes, as used in Tables 2 through 4, are listed for each line. N/A refers to a haplotype that is not characterized. The Plant Introduction classification number is indicated in the “PI#” column. A dash indicates that no PI number is known or assigned for the line under investigation. The line from which the sequences are derived is indicated in the “line” column, with a dash indicating an unknown or unnamed line. The “Ph.” column of table 5 indicates whether a given line has been reported to be resistant (R) to at least one race of SCN, or sensitive (S). The “coat” column shows the phenotypic coat color of a seed as either yellow, black, green/brown (GnBr), or unknown/unassigned (dash). At the *I* locus, black seeded varieties harbor the *i* allele for black or imperfect black seed coat. In a preferred embodiment, the seed has a yellow coat.

Screening for *rhg1* and *Rhg4* alleles

Any appropriate method can be used to screen for a plant having an *rhg1* SCN resistant allele. Any appropriate method can be used to screen for a plant having an *Rhg4* SCN resistant allele. In a preferred aspect of the present invention, a nucleic acid marker of the present invention can be used (see section entitled “Screening for *rhg1* and *Rhg4* alleles” and subsection (ii) of the section entitled “Agents”).

Additional markers, such as SSRs, AFLP markers, RFLP markers, RAPD markers, phenotypic markers, SNPs, isozyme markers, microarray transcription profiles that are genetically linked to or correlated with alleles of a QTL of the present invention can be utilized (Walton, *Seed World* 22-29 (July, 1993); Burow *et al.*, *Molecular Dissection of Complex Traits*, 13-29, Eds. Paterson, CRC Press, New York (1988)). Methods to isolate such markers are known in the art. For example, locus-specific SSRs can be obtained by screening a genomic library for SSRs, sequencing of "positive" clones, designing primers which flank the repeats, and amplifying genomic DNA with these primers. The size of the resulting amplification products can vary by integral numbers of the basic repeat unit. To detect a polymorphism, PCR products can be radiolabeled, separated on denaturing polyacrylamide gels, and detected by autoradiography. Fragments with size differences >4 bp can also be resolved on agarose gels, thus avoiding radioactivity.

Other SSR markers may be utilized. Amplification of simple tandem repeats, mainly of the $[CA]_n$ type were reported by Litt *et al.*, *Amer. J. Human Genet.* 44:397-401 (1989); Smeets *et al.*, *Human Genet.* 83:245-251 (1989); Tautz, *Nucleic Acids Res.* 17:6463-6472 (1989); Weber *et al.*, *Am. J. Hum. Genet.* 44:388-396 (1989). Weber, *Genomics* 7:524-530 (1990), reported that the level of polymorphism detected by PCR-amplified $[CA]_n$ type SSRs depends on the number of the "perfect" (*i.e.*, uninterrupted), tandemly repeated motifs. Below a certain threshold (*i.e.*, 12 CA-repeats), the SSRs were reported to be primarily monomorphic. Above this threshold, however, the probability of polymorphism increases with SSR length. Consequently, long, perfect arrays of SSRs are preferred for the generation of markers, *i.e.*, for the design and synthesis of flanking primers.

Suitable primers can be deduced from DNA databases (*e.g.*, Akkaya *et al.*, *Genetics*. 132:1131-1139 (1992)). Alternatively, size-selected genomic libraries (200 to 500 bp) can be constructed by, for example, using the following steps: (1) isolation of genomic DNA; (2) digestion with one or more 4 base-specific restriction enzymes; (3) size-selection of restriction fragments by agarose gel electrophoresis, excision and purification of the desire size fraction; (4) ligation of the DNA into a suitable vector and

transformation into a suitable *E. coli* strain; (5) screening for the presence of SSRs by colony or plaque hybridization with a labeled probe; (6) isolation of positive clones and sequencing of the inserts; and (7) design of suitable primers flanking the SSR.

Establishing libraries with small, size-selected inserts can be advantageous for SSR isolation for two reasons: (1) long SSRs are often unstable in *E. coli*, and (2) positive clones can be sequenced without subcloning. A number of approaches have been reported for the enrichment of SSRs in genomic libraries. Such enrichment procedures are particularly useful if libraries are screened with comparatively rare tri- and tetranucleotide repeat motifs. One such approach has been described by Ostrander *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 89:3419-3423 (1992), who reported the generation of a small-insert phagemid library in an *E. coli* strain deficient in UTPase (d8t) and uracil-N-glycosylase (ung) genes. In the absence of UTPase and uracil-N-glycosylase, dUTP can compete with dTTP for the incorporation into DNA. Single-stranded phagemid DNA isolated from such a library can be primed with $[CA]_n$ and $[TG]_n$ primers for second strand synthesis, and the products used to transform a wild-type *E. coli* strain. Since under these conditions there will be selection against single-stranded, uracil-containing DNA molecules, the resulting library will consist of primer-extended, double-stranded products and an about 50-fold enrichment in CA-repeats.

Other reported enrichment strategies rely on hybridization selection of simple sequence repeats prior to cloning (Karagoyozov *et al.*, *Nucleic Acids Res.* 21:3911-3912 (1993); Armour *et al.*, *Hum. Mol. Gen.* 3:599-605 (1994); Kijas *et al.*, *Genome* 38:349-355 (1994); Kandpal *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 91:88-92 (1994); Edwards *et al.*, *Am. J. Hum. Genet.* 49:746-756 (1991)). Hybridization selection, can for example, involve the following steps: (1) genomic DNA is fragmented, either by sonication, or by digestion with a restriction enzyme; (2) genomic DNA fragments are ligated to adapters that allow a "whole genome PCR" at this or a later stage of the procedure; (3) genomic DNA fragments are amplified, denatured and hybridized with single-stranded SSR sequences bound to a nylon membrane; (4) after washing off unbound DNA, hybridizing fragments enriched for SSRs are eluted from the membrane by boiling or alkali treatment, reamplified using adapter-complementary primers, and digested with a restriction enzyme

to remove the adapters; and (5) DNA fragments are ligated into a suitable vector and transformed into a suitable *E. coli* strain. SSRs can be found in up to 50-70% of the clones obtained from these procedures (Armour *et al.*, *Hum. Mol. Gen.* 3:599-605 (1994); Edwards *et al.*, *Am. J. Hum. Genet.* 49:746-756 (1991)).

An alternative hybridization selection strategy was reported by Kijas *et al.*, *Genome* 38:599-605 (1994), which replaced the nylon membrane with biotinylated, SSR-complementary oligonucleotides attached to streptavidin-coated magnetic particles. SSR-containing DNA fragments are selectively bound to the magnetic beads, reamplified, restriction-digested and cloned.

It is further understood that other additional markers on linkage group G or A2 may be utilized (Morgante *et al.*, *Genome* 37:763-769 (1994)). As used herein, reference to the linkage group of G or A2 refers to the linkage group that corresponds to linkage groups U5 and U3, respectively from the genetic map of *Glycine max* (Mansur *et al.*, *Crop Sci.* 36: 1327-1336 (1996), and linkage groups G and A2, respectively, of *Glycine max* x. *Glycine soja* (Shoemaker *et al.*, *Genetics* 144: 329-336 (1996)) that is present in *Glycine soja* (Soybase, an Agricultural Research Service, United States Department of Agriculture (<http://129.186.26.940/> and USDA - Agricultural Research Service: <http://www.ars.usda.gov/>)).

PCR-amplified SSRs can be used, because they are locus-specific, codominant, occur in large numbers and allow the unambiguous identification of alleles. Standard PCR-amplified SSR protocols use radioisotopes and denaturing polyacrylamide gels to detect amplified SSRs. In many situations, however, allele sizes are sufficiently different to be resolved on high percentage agarose gels in combination with ethidium bromide staining (Bell *et al.*, *Genomics* 19:137-144 (1994); Becker *et al.*, *Genome* 38:991-998 (1995); Huttel, Ph.D. Thesis, University of Frankfurt, Germany (1996)). High resolution without applying radioactivity is also provided by nondenaturing polyacrylamide gels in combination with either ethidium bromide (Scrimshaw, *Biotechniques* 13:2189 (1992)) or silver staining (Klinkicht *et al.*, *Molecular Ecology* 1: 133-134 (1992); Neilan *et al.*, *Biotechniques* 17:708-712 (1994)). An alternative of PCR-amplified SSRs typing involves the use of fluorescent primers in combination with a semi-automated DNA

sequencer (Schwengel *et al.*, *Genomics* 22:46-54 (1994)). Fluorescent PCR products can be detected by real-time laser scanning during gel electrophoresis. An advantage of this technology is that different amplification reactions as well as a size marker (each labeled with a different fluorophore) can be combined into one lane during electrophoresis. Multiplex analysis of up to 24 different SSR loci per lane has been reported (Schwengel *et al.*, *Genomics* 22:46-54 (1994)).

The detection of polymorphic sites in a sample of DNA may be facilitated through the use of nucleic acid amplification methods. Such methods specifically increase the concentration of polynucleotides that span the polymorphic site, or include that site and sequences located either distal or proximal to it. Such amplified molecules can be readily detected by gel electrophoresis or other means.

The most preferred method of achieving such amplification employs the polymerase chain reaction ("PCR") (Mullis *et al.*, *Cold Spring Harbor Symp. Quant. Biol.* 51:263-273 (1986); Erlich *et al.*, European Patent Appln. 50,424; European Patent Appln. 84,796, European Patent Application 258,017, European Patent Appln. 237,362; Mullis, European Patent Appln. 201,184; Mullis *et al.*, U.S. Patent No. 4,683,202; Erlich, U.S. Patent No. 4,582,788; and Saiki *et al.*, U.S. Patent No. 4,683,194), using primer pairs that are capable of hybridizing to the proximal sequences that define a polymorphism in its double-stranded form.

In lieu of PCR, alternative methods, such as the "Ligase Chain Reaction" ("LCR") may be used (Barany, *Proc. Natl. Acad. Sci. (U.S.A.)* 88:189-193 (1991)). LCR uses two pairs of oligonucleotide probes to exponentially amplify a specific target. The sequences of each pair of oligonucleotides is selected to permit the pair to hybridize to abutting sequences of the same strand of the target. Such hybridization forms a substrate for a template-dependent ligase. As with PCR, the resulting products thus serve as a template in subsequent cycles and an exponential amplification of the desired sequence is obtained.

LCR can be performed with oligonucleotides having the proximal and distal sequences of the same strand of a polymorphic site. In one embodiment, either oligonucleotide will be designed to include the actual polymorphic site of the

polymorphism. In such an embodiment, the reaction conditions are selected such that the oligonucleotides can be ligated together only if the target molecule either contains or lacks the specific nucleotide that is complementary to the polymorphic site present on the oligonucleotide. Alternatively, the oligonucleotides may be selected such that they do not include the polymorphic site (see, Segev, PCT Application WO 90/01069).

The “Oligonucleotide Ligation Assay” (“OLA”) may alternatively be employed (Landegren *et al.*, *Science* 241:1077-1080 (1988)). The OLA protocol uses two oligonucleotides that are designed to be capable of hybridizing to abutting sequences of a single strand of a target. OLA, like LCR, is particularly suited for the detection of point mutations. Unlike LCR, however, OLA results in “linear” rather than exponential amplification of the target sequence.

Nickerson *et al.* have described a nucleic acid detection assay that combines attributes of PCR and OLA (Nickerson *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 87:8923-8927 (1990)). In this method, PCR is used to achieve the exponential amplification of target DNA, which is then detected using OLA. In addition to requiring multiple, and separate, processing steps, one problem associated with such combinations is that they inherit all of the problems associated with PCR and OLA.

Schemes based on ligation of two (or more) oligonucleotides in the presence of a nucleic acid having the sequence of the resulting “di-oligonucleotide,” thereby amplifying the di-oligonucleotide, are also known (Wu *et al.*, *Genomics* 4:560-569 (1989)), and may be readily adapted to the purposes of the present invention.

Other known nucleic acid amplification procedures, such as allele-specific oligomers, branched DNA technology, transcription-based amplification systems, or isothermal amplification methods may also be used to amplify and analyze such polymorphisms (Malek *et al.*, U.S. Patent 5,130,238; Davey *et al.*, European Patent Application 329,822; Schuster *et al.*, U.S. Patent 5,169,766; Miller *et al.*, PCT Patent Application WO 89/06700; Kwoh, *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 86:1173-1177 (1989); Gingeras *et al.*, PCT Patent Application WO 88/10315; Walker *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 89:392-396 (1992)).

Polymorphisms can also be identified by Single Strand Conformation Polymorphism (SSCP) analysis. SSCP is a method capable of identifying most sequence variations in a single strand of DNA, typically between 150 and 250 nucleotides in length (Elles, *Methods in Molecular Medicine: Molecular Diagnosis of Genetic Diseases*, Humana Press (1996); Orita *et al.*, *Genomics* 5: 874-879 (1989)). Under denaturing conditions a single strand of DNA will adopt a conformation that is uniquely dependent on its sequence conformation. This conformation usually will be different, even if only a single base is changed. Most conformations have been reported to alter the physical configuration or size sufficiently to be detectable by electrophoresis. A number of protocols have been described for SSCP including, but not limited to, Lee *et al.*, *Anal. Biochem.* 205: 289-293 (1992); Suzuki *et al.*, *Anal. Biochem.* 192: 82-84 (1991); Lo *et al.*, *Nucleic Acids Research* 20: 1005-1009 (1992); Sarkar *et al.*, *Genomics* 13:441-443 (1992). It is understood that one or more of the nucleic acids of the present invention can be utilized as markers or probes to detect polymorphisms by SSCP analysis.

Polymorphisms may also be found using random amplified polymorphic DNA (RAPD) (Williams *et al.*, *Nucl. Acids Res.* 18: 6531-6535 (1990)) and cleaveable amplified polymorphic sequences (CAPS) (Lyamichev *et al.*, *Science* 260: 778-783 (1993)). It is understood that one or more of the nucleic acid molecules of the present invention can be utilized as markers or probes to detect polymorphisms by RAPD or CAPS analysis.

The identification of a polymorphism can be determined in a variety of ways. By correlating the presence or absence of it in a plant with the presence or absence of a phenotype, it is possible to predict the phenotype of that plant. If a polymorphism creates or destroys a restriction endonuclease cleavage site, or if it results in the loss or insertion of DNA (*e.g.*, a variable nucleotide tandem repeat (VNTR) polymorphism), it will alter the size or profile of the DNA fragments that are generated by digestion with that restriction endonuclease. As such, individuals that possess a variant sequence can be distinguished from those having the original sequence by restriction fragment analysis. Polymorphisms that can be identified in this manner are termed "restriction fragment length polymorphisms" ("RFLPs"). RFLPs have been widely used in human and plant

genetic analyses (Glassberg, UK Patent Application 2135774; Skolnick *et al.*, *Cytogen. Cell Genet.* 32:58-67 (1982); Botstein *et al.*, *Ann. J. Hum. Genet.* 32:314-331 (1980); Fischer *et al.* (PCT Application WO90/13668); Uhlen, PCT Application WO90/11369)).

A central attribute of "single nucleotide polymorphisms," or "SNPs" is that the site of the polymorphism is at a single nucleotide. SNPs have certain reported advantages over RFLPs and VNTRs. First, SNPs are more stable than other classes of polymorphisms. Their spontaneous mutation rate is approximately 10^{-9} (Kornberg, DNA Replication, W.H. Freeman & Co., San Francisco, 1980), approximately 1,000 times less frequent than VNTRs (U.S. Patent 5,679,524). Second, SNPs occur at greater frequency, and with greater uniformity than RFLPs and VNTRs. As SNPs result from sequence variation, new polymorphisms can be identified by sequencing random genomic or cDNA molecules. SNPs can also result from deletions, point mutations and insertions. Any single base alteration, whatever the cause, can be an SNP. The greater frequency of SNPs means that they can be more readily identified than the other classes of polymorphisms.

SNPs and insertion/deletions can be detected by methods, by any of a variety of methods including those disclosed in U.S. Patents 5,210,015; 5,876,930 and 6,030,787 in which an oligonucleotide probe having reporter and quencher molecules is hybridized to a target polynucleotide. The probe is degraded by 5' \rightarrow 3' exonuclease activity of a nucleic acid polymerase. A useful assay is available from AB Biosystems (850 Lincoln Centre Drive, Foster City, CA) as the Taqman® assay.

Specific nucleotide variations such as SNPs and insertion/deletions can also be detected by labeled base extension methods as disclosed in U.S. Patents 6,004,744; 6,013,431; 5,595,890; 5,762,876; and 5,945,283. These methods are based on primer extension and incorporation of detectable nucleoside triphosphates. The primer is designed to anneal to the sequence immediately adjacent to the variable nucleotide which can be detected after incorporation of as few as one labeled nucleoside triphosphate. US Patent 5,468,613 discloses allele specific oligonucleotide hybridizations where single or multiple nucleotide variations in nucleic acid sequence can be detected in nucleic acids by a process in which the sequence containing the nucleotide variation is

amplified, spotted on a membrane and treated with a labeled sequence-specific oligonucleotide probe.

Such methods also include the direct or indirect sequencing of the site, the use of restriction enzymes where the respective alleles of the site create or destroy a restriction site, the use of allele-specific hybridization probes, the use of antibodies that are specific for the proteins encoded by the different alleles of the polymorphism or by other biochemical interpretation. SNPs can be sequenced by a number of methods. Two basic methods may be used for DNA sequencing, the chain termination method of Sanger *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 74: 5463-5467 (1977), and the chemical degradation method of Maxam *et al.*, *Proc. Nat. Acad. Sci. (U.S.A.)* 74: 560-564 (1977). Automation and advances in technology such as the replacement of radioisotopes with fluorescence-based sequencing have reduced the effort required to sequence DNA (Craxton, *Methods*, 2: 20-26 (1991); Ju *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 92: 4347-4351 (1995); Tabor *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 92: 6339-6343 (1995)). Automated sequencers are available from, for example, Pharmacia Biotech, Inc., Piscataway, New Jersey (Pharmacia ALF), LI-COR, Inc., Lincoln, Nebraska (LI-COR 4,000) and Millipore, Bedford, Massachusetts (Millipore BaseStation).

In addition, advances in capillary gel electrophoresis have also reduced the effort required to sequence DNA and such advances provide a rapid high resolution approach for sequencing DNA samples (Swerdlow *et al.*, *Nucleic Acids Res.* 18:1415-1419 (1990); Smith, *Nature* 349:812-813 (1991); Luckey *et al.*, *Methods Enzymol.* 218:154-172 (1993); Lu *et al.*, *J. Chromatog. A.* 680:497-501 (1994); Carson *et al.*, *Anal. Chem.* 65:3219-3226 (1993); Huang *et al.*, *Anal. Chem.* 64:2149-2154 (1992); Kheterpal *et al.*, *Electrophoresis* 17:1852-1859 (1996); Quesada *et al.*, *Electrophoresis* 17:1841-1851 (1996); Baba, *Yakugaku Zasshi* 117:265-281 (1997), Marino, *Appl. Theor. Electrophor.* 5:1-5 (1995)).

The genetic linkage of marker molecules can be established by a gene mapping model such as, without limitation, the flanking marker model reported by Lander *et al.*, *Genetics*, 121:185-199 (1989), and the interval mapping, based on maximum likelihood methods described by Lander *et al.*, *Genetics*, 121:185-199 (1989), and implemented in

the software package MAPMAKER/QTL (Lincoln *et al.*, *Mapping Genes Controlling Quantitative Traits Using MAPMAKER/QTL*, Whitehead Institute for Biomedical Research, Massachusetts, (1990). Additional software includes Qgene, Version 2.23 (1996), Department of Plant Breeding and Biometry, 266 Emerson Hall, Cornell University, Ithaca, NY). Use of Qgene software is a particularly preferred approach.

A maximum likelihood estimate (MLE) for the presence of a marker is calculated, together with an MLE assuming no QTL effect, to avoid false positives. A \log_{10} of an odds ratio (LOD) is then calculated as: $\text{LOD} = \log_{10} (\text{MLE for the presence of a QTL} / \text{MLE given no linked QTL})$.

The LOD score essentially indicates how much more likely the data are to have arisen assuming the presence of a QTL than in its absence. The LOD threshold value for avoiding a false positive with a given confidence, say 95%, depends on the number of markers and the length of the genome. Graphs indicating LOD thresholds are set forth in Lander *et al.*, *Genetics*, 121:185-199 (1989), and further described by Arús *et al.*, *Plant Breeding*, Hayward *et al.* (eds.) Chapman & Hall, London, pp. 314-331 (1993).

Additional models can be used. Many modifications and alternative approaches to interval mapping have been reported, including the use of non-parametric methods (Kruglyak *et al.*, *Genetics*, 139:1421-1428 (1995)). Multiple regression methods or models can be also be used, in which the trait is regressed on a large number of markers (Jansen, *Biometrics in Plant Breed*, van Oijen, Jansen (eds.) Proceedings of the Ninth Meeting of the Eucarpia Section Biometrics in Plant Breeding, The Netherlands, pp. 116-124 (1994); Weber *et al.*, *Advances in Plant Breeding*, Blackwell, Berlin, 16 (1994)). Procedures combining interval mapping with regression analysis, whereby the phenotype is regressed onto a single putative QTL at a given marker interval, and at the same time onto a number of markers that serve as 'cofactors,' have been reported by Jansen *et al.*, *Genetics*, 136:1447-1455 (1994) and Zeng, *Genetics*, 136:1457-1468 (1994). Generally, the use of cofactors reduces the bias and sampling error of the estimated QTL positions (Utz *et al.*, *Biometrics in Plant Breeding*, van Oijen *et al.* (eds.) Proceedings of the Ninth Meeting of the Eucarpia Section Biometrics in Plant Breeding, The Netherlands, pp.195-204 (1994), thereby improving the precision and efficiency of QTL mapping (Zeng,

Genetics, 136:1457-1468 (1994)). These models can be extended to multi-environment experiments to analyze genotype-environment interactions (Jansen *et al.*, *Theo. Appl. Genet.* 91:33-37 (1995)).

Selection of an appropriate mapping or segregation populations is important to map construction. The choice of appropriate mapping population depends on the type of marker systems employed (Tanksley *et al.*, *Molecular mapping plant chromosomes. Chromosome structure and function: Impact of new concepts* J.P. Gustafson *et al.* (eds.), Plenum Press, New York, pp. 157-173 (1988)). Consideration must be given to the source of parents (adapted vs. exotic) used in the mapping population. Chromosome pairing and recombination rates can be severely disturbed (suppressed) in wide crosses (adapted x exotic) and generally yield greatly reduced linkage distances. Wide crosses will usually provide segregating populations with a relatively large array of polymorphisms when compared to progeny in a narrow cross (adapted x adapted).

As used herein, the progeny include not only, without limitation, the products of any cross (be it a backcross or otherwise) between two plants, but all progeny whose pedigree traces back to the original cross. Specifically, without limitation, such progeny include plants that have 12.5% or less genetic material derived from one of the two originally crossed plants. As used herein, a second plant is derived from a first plant if the second plant's pedigree includes the first plant.

An F₂ population is the first generation of selfing after the hybrid seed is produced. Usually a single F₁ plant is selfed to generate a population segregating for all the genes in Mendelian (1:2:1) fashion. Maximum genetic information is obtained from a completely classified F₂ population using a codominant marker system (Mather, *Measurement of Linkage in Heredity*: Methuen & Co., (1938)). In the case of dominant markers, progeny tests (*e.g.*, F₃, BCF₂) are required to identify the heterozygotes, thus making it equivalent to a completely classified F₂ population. However, this procedure is often prohibitive because of the cost and time involved in progeny testing. Progeny testing of F₂ individuals is often used in map construction where phenotypes do not consistently reflect genotype (*e.g.*, disease resistance) or where trait expression is controlled by a QTL. Segregation data from progeny test populations (*e.g.*, F₃ or BCF₂)

can be used in map construction. Marker-assisted selection can then be applied to cross progeny based on marker-trait map associations (F_2 , F_3), where linkage groups have not been completely disassociated by recombination events (*i.e.*, maximum disequilibrium).

Recombinant inbred lines (RIL) (genetically related lines; usually $>F_5$, developed from continuously selfing F_2 lines towards homozygosity) can be used as a mapping population. Information obtained from dominant markers can be maximized by using RIL because all loci are homozygous or nearly so. Under conditions of tight linkage (*i.e.*, about $<10\%$ recombination), dominant and co-dominant markers evaluated in RIL populations provide more information per individual than either marker type in backcross populations (Reiter *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 89:1477-1481 (1992)). However, as the distance between markers becomes larger (*i.e.*, loci become more independent), the information in RIL populations decreases dramatically when compared to codominant markers.

Backcross populations (*e.g.*, generated from a cross between a successful variety (recurrent parent) and another variety (donor parent) carrying a trait not present in the former) can be utilized as a mapping population. A series of backcrosses to the recurrent parent can be made to recover most of its desirable traits. Thus a population is created consisting of individuals nearly like the recurrent parent but each individual carries varying amounts or mosaic of genomic regions from the donor parent. Backcross populations can be useful for mapping dominant markers if all loci in the recurrent parent are homozygous and the donor and recurrent parent have contrasting polymorphic marker alleles (Reiter *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 89:1477-1481 (1992)). Information obtained from backcross populations using either codominant or dominant markers is less than that obtained from F_2 populations because one, rather than two, recombinant gametes are sampled per plant. Backcross populations, however, are more informative (at low marker saturation) when compared to RILs as the distance between linked loci increases in RIL populations (*i.e.*, about $.15\%$ recombination). Increased recombination can be beneficial for resolution of tight linkages, but may be undesirable in the construction of maps with low marker saturation.

Near-isogenic lines (NIL) created by many backcrosses to produce an array of individuals that are nearly identical in genetic composition except for the trait or genomic region under interrogation can be used as a mapping population. In mapping with NILs, only a portion of the polymorphic loci are expected to map to a selected region.

Bulk segregant analysis (BSA) is a method developed for the rapid identification of linkage between markers and traits of interest (Michelmore, *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 88:9828-9832 (1991)). In BSA, two bulked DNA samples are drawn from a segregating population originating from a single cross. These bulks contain individuals that are identical for a particular trait (resistant or sensitive to particular disease) or genomic region but arbitrary at unlinked regions (*i.e.*, heterozygous). Regions unlinked to the target region will not differ between the bulked samples of many individuals in BSA.

Plants generated using a method of the present invention can be part of or generated from a breeding program. The choice of breeding method depends on the mode of plant reproduction, the heritability of the trait(s) being improved, and the type of cultivar used commercially (*e.g.*, F₁ hybrid cultivar, pureline cultivar, etc). Selected, non-limiting approaches, for breeding the plants of the present invention are set forth below. A breeding program can be enhanced using marker assisted selection of the progeny of any cross. It is further understood that any commercial and non-commercial cultivars can be utilized in a breeding program. Factors such as, for example, emergence vigor, vegetative vigor, stress tolerance, disease resistance, branching, flowering, seed set, seed size, seed density, standability, and threshability *etc.* will generally dictate the choice.

For highly heritable traits, a choice of superior individual plants evaluated at a single location will be effective, whereas for traits with low heritability, selection should be based on mean values obtained from replicated evaluations of families of related plants. Popular selection methods commonly include pedigree selection, modified pedigree selection, mass selection, and recurrent selection. In a preferred embodiment a backcross or recurrent breeding program is undertaken.

The complexity of inheritance influences choice of the breeding method. Backcross breeding can be used to transfer one or a few favorable genes for a highly

heritable trait into a desirable cultivar. This approach has been used extensively for breeding disease-resistant cultivars. Various recurrent selection techniques are used to improve quantitatively inherited traits controlled by numerous genes. The use of recurrent selection in self-pollinating crops depends on the ease of pollination, the frequency of successful hybrids from each pollination, and the number of hybrid offspring from each successful cross.

Breeding lines can be tested and compared to appropriate standards in environments representative of the commercial target area(s) for two or more generations. The best lines are candidates for new commercial cultivars; those still deficient in traits may be used as parents to produce new populations for further selection.

One method of identifying a superior plant is to observe its performance relative to other experimental plants and to a widely grown standard cultivar. If a single observation is inconclusive, replicated observations can provide a better estimate of its genetic worth. A breeder can select and cross two or more parental lines, followed by repeated selfing and selection, producing many new genetic combinations.

The development of new soybean cultivars requires the development and selection of soybean varieties, the crossing of these varieties and selection of superior hybrid crosses. The hybrid seed can be produced by manual crosses between selected male-fertile parents or by using male sterility systems. Hybrids are selected for certain single gene traits such as pod color, flower color, seed yield, pubescence color or herbicide resistance which indicate that the seed is truly a hybrid. Additional data on parental lines, as well as the phenotype of the hybrid, influence the breeder's decision whether to continue with the specific hybrid cross.

Pedigree breeding and recurrent selection breeding methods can be used to develop cultivars from breeding populations. Breeding programs combine desirable traits from two or more cultivars or various broad-based sources into breeding pools from which cultivars are developed by selfing and selection of desired phenotypes. New cultivars can be evaluated to determine which have commercial potential.

Pedigree breeding is used commonly for the improvement of self-pollinating crops. Two parents who possess favorable, complementary traits are crossed to produce

an F_1 . An F_2 population is produced by selfing one or several F_1 's. Selection of the best individuals in the best families is performed. Replicated testing of families can begin in the F_4 generation to improve the effectiveness of selection for traits with low heritability. At an advanced stage of inbreeding (*i.e.*, F_6 and F_7), the best lines or mixtures of phenotypically similar lines are tested for potential release as new cultivars.

Backcross breeding has been used to transfer genes for a simply inherited, highly heritable trait into a desirable homozygous cultivar or inbred line, which is the recurrent parent. The source of the trait to be transferred is called the donor parent. The resulting plant is expected to have the attributes of the recurrent parent (*e.g.*, cultivar) and the desirable trait transferred from the donor parent. After the initial cross, individuals possessing the phenotype of the donor parent are selected and repeatedly crossed (backcrossed) to the recurrent parent. The resulting parent is expected to have the attributes of the recurrent parent (*e.g.*, cultivar) and the desirable trait transferred from the donor parent.

The single-seed descent procedure in the strict sense refers to planting a segregating population, harvesting a sample of one seed per plant, and using the one-seed sample to plant the next generation. When the population has been advanced from the F_2 to the desired level of inbreeding, the plants from which lines are derived will each trace to different F_2 individuals. The number of plants in a population declines each generation due to failure of some seeds to germinate or some plants to produce at least one seed. As a result, not all of the F_2 plants originally sampled in the population will be represented by a progeny when generation advance is completed.

In a multiple-seed procedure, soybean breeders commonly harvest one or more pods from each plant in a population and thresh them together to form a bulk. Part of the bulk is used to plant the next generation and part is put in reserve. The procedure has been referred to as modified single-seed descent or the pod-bulk technique.

The multiple-seed procedure has been used to save labor at harvest. It is considerably faster to thresh pods with a machine than to remove one seed from each by hand for the single-seed procedure. The multiple-seed procedure also makes it possible to plant the same number of seeds of a population each generation of inbreeding.

Descriptions of other breeding methods that are commonly used for different traits and crops can be found in one of several reference books (*e.g.*, Fehr, *Principles of Cultivar Development* Vol. 1, pp. 2-3 (1987)).

In a preferred aspect of the present invention the source of the *rhg1* SCN resistant allele for use in a breeding program is derived from a plant selected from the group consisting of PI548402 (Peking), PI200499, A2869, Jack, A2069, PI209332 (No:4), PI404166 (Krasnoarmejkaja), PI404198 (Sun huan do), PI437654 (Er-hej-jan), PI438489 (Chiquita), PI507354 (Tokei 421), PI548655 (Forrest), PI548988 (Pickett), PI84751, PI437654, PI40792, Pyramid, Nathan, AG2201, A3469, AG3901, A3904, AG4301, AG4401, AG4501, AG4601, PION9492, PI88788, Dyer, Custer, Manokin, Doles, and SCN resistant progeny thereof (USDA, Soybean Germplasm Collection, University of Illinois, Illinois). In a more preferred aspect, the source of the *rhg1* SCN resistant allele for use in a breeding program is derived from a plant selected from the group consisting of PI548402 (Peking), PI404166 (Krasnoarmejkaja), PI404198 (Sun huan do), PI437654 (Er-hej-jan), PI438489 (Chiquita), PI507354 (Tokei 421), PI548655 (Forrest), PI548988 (Pickett), PI84751, PI437654, PI40792, and SCN resistant progeny thereof.

In a preferred aspect of the present invention the source of the *rhg1* SCN sensitive allele for use in a breeding program is derived from a plant selected from the group consisting of A3244, A2833, AG3001, Williams, Will, A2704, Noir, DK23-51, Lee 74, Essex, Minsoy, A1923, Hutcheson, and SCN sensitive progeny thereof. In a more preferred aspect, the source of the *rhg1* SCN sensitive allele for use in a breeding program is derived from an A3244 plant, and SCN sensitive progeny thereof.

In a preferred aspect of the present invention the source of the *Rhg4* SCN resistant allele for use in a breeding program is derived from a plant selected from the group consisting of PI548402 (Peking), PI437654 (Er-hej-jan), PI438489 (Chiquita), PI507354 (Tokei 421), PI548655 (Forrest), PI548988 (Pickett), PI88788, PI404198 (Sun Huan Do), PI404166 (Krasnoarmejkaja), Hartwig, Manokin, Doles, Dyer, Custer, and SCN resistant progeny thereof. In a more preferred aspect, the source of the *Rhg4* SCN resistant allele for use in a breeding program is derived from a plant selected from the

group consisting of PI548402 (Peking), PI88788, PI404198 (Sun huan do), PI438489 (Chiquita), PI437654 (Er-hej-jan), PI404166 (Krasnoarmejkaja), PI548655 (Forrest), PI548988 (Pickett), PI507354 (Tokei 421), and SCN resistant progeny thereof.

In a preferred aspect of the present invention the source of the *Rhg4* SCN sensitive allele for use in a breeding program is derived from a plant selected from the group consisting of A3244, Will, Noir, Lee 74, Essex, Minsoy, A2704, A2833, AG3001, Williams, DK23-51, and Hutcheson, and SCN sensitive progeny thereof. In a more preferred aspect, the source of the *Rhg4* SCN sensitive allele for use in a breeding program is derived from an A3244 plant, and SCN sensitive progeny thereof.

As used herein linkage of a nucleic acid sequence with another nucleic acid sequence may be genetic or physical. In a preferred embodiment, a nucleic acid marker is genetically linked to either *rhg1* or *Rhg4*, where the marker nucleic acid molecule exhibits a LOD score of greater than 2.0, as judged by interval mapping, for SCN resistance or partial resistance, preferably where the marker nucleic acid molecule exhibits a LOD score of greater than 3.0, as judged by interval mapping, for SCN resistance or partial resistance, more preferably where the marker nucleic acid molecule exhibits a LOD score of greater than 3.5, as judged by interval mapping, for SCN resistance or partial resistance and even more preferably where the marker nucleic acid molecule exhibits a LOD score of about 4.0, as judged by interval mapping, for SCN resistance or partial resistance based on maximum likelihood methods described by Lander *et al.*, *Genetics*, 121:185-199 (1989), and implemented in the software package MAPMAKER/QTL (default parameters)(Lincoln *et al.*, *Mapping Genes Controlling Quantitative Traits Using MAPMAKER/QTL*, Whitehead Institute for Biomedical Research, Massachusetts, (1990)).

In another embodiment the nucleic acid molecule may be physically linked to either *rhg1* or *Rhg4*. In a preferred embodiment, the nucleic acid marker specifically hybridizes to a nucleic acid molecule having a sequence that is present on linkage group G within 500 kb or 100kb, more preferably within 50kb, even more preferably within 25kb of an *rhg1* allele, where the *rhg1* allele is preferably a sensitive allele, and more preferably a sensitive allele from A3244. In a preferred embodiment the nucleic acid

marker is capable of specifically hybridizing to a nucleic acid molecule having a sequence that is present on linkage group A2 within 500kb or 100kb, more preferably within 50kb, even more preferably within 25kb of an *Rhg4* allele, where the *Rhg4* allele is preferably a sensitive allele, and more preferably a sensitive allele from A3244.

The present invention provides a method of investigating an *rhg1* haplotype of a soybean plant comprising: (A) isolating nucleic acid molecules from the soybean plant; (B) determining the nucleic acid sequence of an *rhg1* allele or part thereof; and, (C) comparing the nucleic acid sequence of the *rhg1* allele or part thereof to a reference nucleic acid sequence.

As used herein, the term “investigating” refers to any method capable of detecting a feature, such as a polymorphism or haplotype. Nucleic acid molecules only need to be isolated from a soybean plant to the degree of purity necessary for the task required or to a greater purity if desired. A person of ordinary skill in the art has available techniques to isolate nucleic acid molecules from plants to a sufficient purity, for example without limitation, to sequence the desired region of the nucleic acid molecule or to carry out a marker assay.

The determination of an *rhg1* or *Rhg4* allele or part thereof may be carried out using any technique. Illustration of such techniques include techniques that provide the nucleic acid sequence for an *rhg1* or *rhg4* allele or part thereof include amplification of a desired allele or part thereof (see, for example, the Examples and SEQ ID NOs: 8-53). In a preferred embodiment, the nucleic acid sequence determined is that of an exon of an *rhg1* allele, more preferably exon 1 or exon 3 of an *rhg1* allele, or of an LRR domain. In another preferred embodiment, a single nucleotide is determined. In another preferred embodiment, the nucleic acid sequence determined is that of an LRR domain.

A comparison of a sequence with a reference sequence can be carried out with any appropriate sequence comparison method.

As used herein, a reference sequence is any *rhg1* allele sequence or consensus sequence. A reference sequence may be a nucleic acid sequence or an amino acid sequence. In a preferred embodiment, the reference sequence is any SCN resistant *rhg1* allele sequence. In a further preferred embodiment, the *rhg1* reference sequence is

selected from the group consisting of SEQ ID NOs: 2, 3, 5, 6, 8-23, 28-43, 1097, 1098, and 1100-1115.

The present invention provides a method of investigating an *Rhg4* haplotype of a soybean plant comprising: (A) isolating nucleic acid molecules from the soybean plant; (B) determining the nucleic acid sequence of an *Rhg4* allele or part thereof; and (C) comparing the nucleic acid sequence of the *Rhg4* allele or part thereof to a reference nucleic acid sequence.

As used herein, a reference sequence is any *Rhg4* allele sequence or consensus sequence. A reference sequence may be a nucleic acid sequence or an amino acid sequence. In a preferred embodiment, the reference sequence is any SCN resistant *Rhg4* allele sequence. In a further preferred embodiment, the *Rhg4* reference sequence is selected from the group consisting of SEQ ID NOs: 4, 7, 44-47, 50-53, 1099, and 1116-1119.

The present invention provides a method of introgressing SCN resistance or partial SCN resistance into a soybean plant comprising: performing marker assisted selection of the soybean plant with a nucleic acid marker, wherein the nucleic acid marker specifically hybridizes with a nucleic acid molecule having a first nucleic acid sequence that is physically linked to a second nucleic acid sequence that is located on linkage group G of soybean A3244, wherein the second nucleic acid sequence is within 500 kb of a third nucleic acid sequence which is capable of specifically hybridizing with the nucleic acid sequence of SEQ ID NO: 5, 6, complements thereof, or fragments thereof; and, selecting the soybean plant based on the marker assisted selection.

The present invention provides a method of introgressing SCN resistance or partial SCN resistance into a soybean plant comprising: performing marker assisted selection of the soybean plant with a nucleic acid marker, wherein the nucleic acid marker specifically hybridizes with a nucleic acid molecule having a first nucleic acid sequence that is physically linked to a second nucleic acid sequence that is located on linkage group A2 of soybean A3244, wherein the second nucleic acid sequence is within 500 kb of a third nucleic acid sequence which is capable of specifically hybridizing with the nucleic acid sequence of SEQ ID NO: 7, complements thereof, or fragments thereof; and,

selecting the soybean plant based on the marker assisted selection. Marker assisted introgression of traits into plants has been reported. Marker assisted introgression involves the transfer of a chromosome region defined by one or more markers from one germplasm to a second germplasm. In a preferred embodiment the introgression is carried out by backcrossing with an *rhg1* or *Rhg4* SCN resistant soybean recurrent parent.

In light of the current disclosure, plant introductions and germplasm can be screened with a marker nucleic acid molecule of the present invention to screen for alleles of *rhg1* or *Rhg4* using one or more of techniques disclosed herein or known in the art.

The present invention also provides for parts of the plants produced by a method of the present invention. Plant parts, without limitation, include seed, endosperm, ovule and pollen. In a particularly preferred embodiment of the present invention, the plant part is a seed.

Plants or parts thereof produced by a method of the present invention may be grown in culture and regenerated. Methods for the regeneration of soybean plants from various tissue types and methods for the tissue culture of soybean are known in the art (See, for example, Widholm *et al.*, *In Vitro Selection and Culture-induced Variation in Soybean*, In *Soybean: Genetics, Molecular Biology and Biotechnology*, Eds. Verma *et al.*, CAB International, Wallingford, Oxon, England (1996)). Regeneration techniques for plants such as soybean can use as the starting material a variety of tissue or cell types. With soybean in particular, regeneration processes have been developed that begin with certain differentiated tissue types such as meristems, Cartha *et al.*, *Can. J. Bot.* 59:1671-1679 (1981), hypocotyl sections, Cameya *et al.*, *Plant Science Letters* 21: 289-294 (1981), and stem node segments, Saka *et al.*, *Plant Science Letters*, 19: 193-201 (1980); Cheng *et al.*, *Plant Science Letters*, 19: 91-99 (1980). Regeneration of whole sexually mature soybean plants from somatic embryos generated from explants of immature soybean embryos has been reported (Ranch *et al.*, *In Vitro Cellular & Developmental Biology* 21: 653-658 (1985). Regeneration of mature soybean plants from tissue culture by organogenesis and embryogenesis has also been reported (Barwale *et al.*, *Planta* 167: 473-481 (1986); Wright *et al.*, *Plant Cell Reports* 5: 150-154 (1986)).

Agents

One skilled in the art can refer to general reference texts for detailed descriptions of known techniques discussed herein or equivalent techniques. These texts include *Current Protocols in Molecular Biology* Ausubel, *et al.*, eds., John Wiley & Sons, N.Y. (1989), and supplements through September (1998), *Molecular Cloning, A Laboratory Manual*, Sambrook *et al.*, 2nd Ed., Cold Spring Harbor Press, Cold Spring Harbor, New York (1989), *Genome Analysis: A Laboratory Manual 1: Analyzing DNA*, Birren *et al.*, Cold Spring Harbor Press, Cold Spring Harbor, New York (1997); *Genome Analysis: A Laboratory Manual 2: Detecting Genes*, Birren *et al.*, Cold Spring Harbor Press, Cold Spring Harbor, New York (1998); *Genome Analysis: A Laboratory Manual 3: Cloning Systems*, Birren *et al.*, Cold Spring Harbor Press, Cold Spring Harbor, New York (1999); *Genome Analysis: A Laboratory Manual 4: Mapping Genomes*, Birren *et al.*, Cold Spring Harbor Press, Cold Spring Harbor, New York (1999); *Plant Molecular Biology: A Laboratory Manual*, Clark, Springer-Verlag, Berlin, (1997), *Methods in Plant Molecular Biology*, Maliga *et al.*, Cold Spring Harbor Press, Cold Spring Harbor, New York (1995). These texts can, of course, also be referred to in making or using an aspect of the invention. It is understood that any of the agents of the invention can be substantially purified and/or be biologically active and/or recombinant.

(a) Nucleic Acid Molecules

Nucleic acid molecules of the present invention include, without limitation, nucleic acid molecules having a nucleic acid sequence selected from the group consisting of SEQ ID NOs: 1-1096 and complements thereof. A subset of the nucleic acid molecules of the present invention includes nucleic acid molecules that encode a protein or fragment thereof. Another subset of the nucleic acid molecules of the present invention are cDNA molecules. Another subset of the nucleic acid molecules of the present invention includes nucleic acid molecules that are marker molecules. A further subset of the nucleic acid molecules of the present invention are those nucleic acid molecules having promoter sequences.

Fragment nucleic acid molecules may comprise significant portion(s) of, or indeed most of, these nucleic acid molecules. In preferred embodiments, the fragments

may comprise smaller polynucleotides, *e.g.*, oligonucleotides having from about 20 to about 250 nucleotide residues and more preferably, about 20 to about 100 nucleotide residues, or about 40 to about 60 nucleotide residues. In another preferred embodiment, fragment molecules may be at least 15 nucleotides, at least 30 nucleotides, at least 50 nucleotides, or at least 100 nucleotides.

The term “substantially purified,” as used herein, refers to a molecule separated from substantially all other molecules normally associated with it in its native state. More preferably a substantially purified molecule is the predominant species present in a preparation. A substantially purified molecule may be greater than 60% free, preferably 75% free, more preferably 90% free, and most preferably 95% free from the other molecules (exclusive of solvent) present in the natural mixture. The term “substantially purified” is not intended to encompass molecules present in their native state.

The agents of the present invention will preferably be “biologically active” with respect to either a structural attribute, such as the capacity of a nucleic acid to hybridize to another nucleic acid molecule, or the ability of a protein to be bound by an antibody (or to compete with another molecule for such binding). Alternatively, such an attribute may be catalytic and thus involve the capacity of the agent to mediate a chemical reaction or response.

The agents of the present invention may also be recombinant. As used herein, the term recombinant describes (a) nucleic acid molecules that are constructed or modified outside of cells and that can replicate or function in a living cell, (b) molecules that result from the transcription, replication or translation of recombinant nucleic acid molecules, or (c) organisms that contain recombinant nucleic acid molecules or are modified using recombinant nucleic acid molecules.

It is understood that the agents of the present invention may be labeled with reagents that facilitate detection of the agent, *e.g.*, fluorescent labels, (Prober *et al.*, *Science* 238:336-340 (1987); Albarella *et al.*, EP 144914), chemical labels, (Sheldon *et al.*, U.S. Patent 4,582,789; Albarella *et al.*, U.S. Patent 4,563,417), and modified bases, (Miyoshi *et al.*, EP 119448) including nucleotides with radioactive elements, *e.g.*, ^{32}P , ^{33}P , ^{35}S or ^{125}I , such as ^{32}P dCTP.

It is further understood, that the present invention provides recombinant bacterial, animal, fungal and plant cells and viral constructs comprising the agents of the present invention.

Nucleic acid molecules or fragments thereof of the present invention are capable of specifically hybridizing to other nucleic acid molecules under certain circumstances. As used herein, two nucleic acid molecules are said to be capable of specifically hybridizing to one another if the two molecules are capable of forming an anti-parallel, double-stranded nucleic acid structure. A nucleic acid molecule is said to be the "complement" of another nucleic acid molecule if they exhibit "complete complementarity," *i.e.*, each nucleotide in one sequence is complementary to its base pairing partner nucleotide in another sequence. Two molecules are said to be "minimally complementary" if they can hybridize to one another with sufficient stability to permit them to remain annealed to one another under at least conventional "low-stringency" conditions. Similarly, the molecules are said to be "complementary" if they can hybridize to one another with sufficient stability to permit them to remain annealed to one another under conventional "high-stringency" conditions. Nucleic acid molecules which hybridize to other nucleic acid molecules, *e.g.*, at least under low stringency conditions are said to be "hybridizable cognates" of the other nucleic acid molecules. Conventional stringency conditions are described by Sambrook *et al.*, *Molecular Cloning*, A Laboratory Manual, 2nd Ed., Cold Spring Harbor Press, Cold Spring Harbor, New York (1989) and by Haymes *et al.*, *Nucleic Acid Hybridization, A Practical Approach*, IRL Press, Washington, DC (1985). Departures from complete complementarity are therefore permissible, as long as such departures do not completely preclude the capacity of the molecules to form a double-stranded structure. Thus, in order for a nucleic acid molecule to serve as a primer or probe it need only be sufficiently complementary in sequence to be able to form a stable double-stranded structure under the particular solvent and salt concentrations employed.

Appropriate stringency conditions which promote DNA hybridization, for example, 6.0 X sodium chloride/sodium citrate (SSC) at about 45°C, followed by a wash of 2.0 X SSC at 50°C, are known to those skilled in the art or can be found in *Current*

Protocols in Molecular Biology, John Wiley & Sons, N.Y. (1989), 6.3.1-6.3.6. For example, the salt concentration in the wash step can be selected from a low stringency of about 2.0 X SSC at 50°C to a high stringency of about 0.2 X SSC at 50°C. In addition, the temperature in the wash step can be increased from low stringency conditions at room temperature, about 22°C, to high stringency conditions at about 65°C. Both temperature and salt may be varied, or either the temperature or the salt concentration may be held constant while the other variable is changed.

In a preferred embodiment, a nucleic acid of the present invention will specifically hybridize to one or more of the nucleic acid molecules set forth in SEQ ID NO: 1 through SEQ ID NO: 1096 or complements thereof under moderately stringent conditions, for example at about 2.0 X SSC and about 65°C.

In a particularly preferred embodiment, a nucleic acid of the present invention will include those nucleic acid molecules that specifically hybridize to one or more of the nucleic acid molecules set forth in SEQ ID NO: 1 through SEQ ID NO: 1096 or complements thereof under high stringency conditions such as 0.2 X SSC and about 65°C.

In one aspect of the present invention, the nucleic acid molecules of the present invention comprise one or more of the nucleic acid sequences set forth in SEQ ID NO: 1 through SEQ ID NO: 1096 or complements thereof or fragments of either. In another aspect of the present invention, one or more of the nucleic acid molecules of the present invention share at least 60% sequence identity with one or more of the nucleic acid sequences set forth in SEQ ID NO: 1 through SEQ ID NO: 1096 or complements thereof or fragments of either. In a further aspect of the present invention, one or more of the nucleic acid molecules of the present invention share at least 70% or more, *e.g.*, at least 80%, sequence identity with one or more of the nucleic acid sequences set forth in SEQ ID NO: 1 through SEQ ID NO: 1096 or complements thereof or fragments of either. In a more preferred aspect of the present invention, one or more of the nucleic acid molecules of the present invention share at least 90% or more, *e.g.*, at least 95% and up to 100% sequence identity with one or more of the nucleic acid sequences set forth in SEQ ID NO: 1 through SEQ ID NO: 1096 complements thereof or fragments of either.

As used herein “sequence identity” refers to the extent to which two optimally aligned polynucleotide or peptide sequences are invariant throughout a window of alignment of components, *e.g.*, nucleotides or amino acids. An “identity fraction” for aligned segments of a test sequence and a reference sequence is the number of identical components which are shared by the two aligned sequences divided by the total number of components in reference sequence segment, *i.e.*, the entire reference sequence or a smaller defined part of the reference sequence. “Percent identity” is the identity fraction times 100.

Useful methods for determining sequence identity are disclosed in Guide to Huge Computers, Martin J. Bishop, ed., Academic Press, San Diego, 1994, and Carillo *et al.*, *SIAM J Applied Math* 48:1073 (1988). More particularly, preferred computer programs for determining sequence identity include the Basic Local Alignment Search Tool (BLAST) programs which are publicly available from National Center Biotechnology Information (NCBI) at the National Library of Medicine, National Institute of Health, Bethesda, Md. 20894; see BLAST Manual, Altschul *et al.*, NCBI, NLM, NIH; Altschul *et al.*, *J. Mol. Biol.* 215:403-410 (1990); version 2.0 or higher of BLAST programs allows the introduction of gaps (deletions and insertions) into alignments; BLASTX can be used to determine sequence identity between a polynucleotide sequence query and a protein sequence database; and, BLASTN can be used to determine sequence identity between between sequences.

For purposes of this invention “percent identity” shall be determined using BLASTX version 2.0.14 (default parameters), BLASTN version 2.0.14, or BLASTP 2.0.14.

A particularly preferred group of nucleic acid sequences are those present in the soybean insert of the clones set forth in table 6 below.

TABLE 6

Line	Names of Clones Containing the Specified Gene		
	<i>Rhg4</i>	<i>rhg1/frag 1</i>	<i>rhg1/frag 2</i>
Forrest	Forrest 1	Forrest 7	Forrest13
Peking	Peking 1	Peking 7	Peking 13
Pickett	Pickett 1	Pickett 7	Pickett 13
PI84751	PI 84751.1	PI 84751.7	PI 84751.13

Line	Names of Clones Containing the Specified Gene		
	<i>Rhg4</i>	<i>rhg1/frag 1</i>	<i>rhg1/frag 2</i>
PI87631	PI 87631.1	PI 87631.7	PI 87631.13
PI87631-1	PI 87631-1.1		PI 87631-1.13
PI88788R	PI 88788R.1	PI 88788R.7	PI 88788R.13
PI89772			PI 89772.13
PI90763		PI 90763.7	PI 90763.13
PI200499	PI 200499.1	PI 200499.7	PI 200499.13
PI209332	PI 209332.1		PI 209332.13
PI404166	PI 404166.1	PI 404166.7	PI 404166.13
PI404198A		PI 404198A.7	PI 404198A.13
PI404198B	PI 404198B.1	PI 404198B.7	PI404198B.13
PI437654	PI 437654.1	PI 437654.7	PI 437654.13
PI438489B	PI 438489.1	PI 438489.7	PI 438489B.13
PI467312	PI 467312.1	PI 467312.7	PI 467312.13
PI507354	PI 507354.1	PI 507354.7	PI 507354.13
PI423871	PI 423871.1	PI 423871.7	PI 423871.13
PI407922		PI 407922.7	PI 407922.13
PI360843	PI 360843.1	PI 360843.7	PI 360843.13
A2869	A2869.1	A 2869.7	A2869.13
A2069	A2069.1		A2069.13
Jack	JACK1		JACK13
Will	WILL1	WILL.7	WILL13
Minsoy	Minsoy1	Minsoy.7	MINSOY13
Noir	Noir1	Noir.7	NOIR13
Hutcheson	Hutcheson1	Hutcheson.7	Hutcheson.13
A1923	A1923.1	A1923.7	A1923.13
A2704		A2704.7	A2704.13
Essex	Essex1	Essex.7	ESSEX13
A3244	A3244.1	A 3244.7	A3244.13
Lee74	Lee74.1	Lee74.7	Lee74.13
PI437654		R107C17.7	R107C17.13

Table 5 shows clones comprising *rhg1* and *Rhg4* sequences. The “Lines” column indicates the cultivar from which the sequence in the clone is derived. The *Rhg4*, *rhg1/frag1*, and *rhg1/frag2* columns show the clones derived from the lines that have the *Rhg4*, *rhg1* fragment 1, or *rhg1* fragment 2, respectively. *Rhg4* is amplified with SEQ ID NOs: 48 and 49, which produces a 3.5 kb product. *rhg1* fragment 1 is amplified with SEQ ID NOs: 24 and 25, which produces a 2.9 kb product, and *rhg1* fragment 2 is amplified with SEQ ID NOs: 26 and 27, which produces a 1.75 kb product. All fragments are subcloned into a pCR4-TOPO vector.

(i) **Nucleic Acid Molecules Encoding Proteins or Fragments Thereof**

A) *rhg1*

The present invention includes nucleic acid molecules that code for an *rhg1* protein or fragment thereof. Examples of such nucleic acid molecules include those that code for the proteins set forth in SEQ ID NOs: 1097, 1100, 1098, 1101, and 1102-1115. Examples of illustrative fragment molecules include, without limitation, an extracellular LRR domain (*rhg1*, v.1, SEQ ID NO: 1097, residues 164-457; *rhg1*, v.2, SEQ ID NO: 1098, residues 141-434), a transmembrane domain (*rhg1*, v.1, SEQ ID NO: 1097, residues 508-530; *rhg1*, v.2, SEQ ID NO: 1098, residues 33-51 and 485-507), and an STK domain (*rhg1*, v.1, SEQ ID NO: 1097, residues 578-869; *rhg1*, v.2, SEQ ID NO: 1098, residues 555-846). Examples of illustrative nucleic acid molecules include SEQ ID NOs: 5, 6, 8-23, and 28-43.

B) *Rhg4*

The present invention includes nucleic acid molecules that code for an *Rhg4* protein or fragment thereof. Examples of such nucleic acid molecules include those that code for the proteins set forth in SEQ ID NOs: 1099 and 1116-1119. Examples of illustrative fragment molecules include, without limitation, an extracellular LRR domain (SEQ ID NO: 1099, residues 34-44), a transmembrane domain (SEQ ID NO: 1099, residues 449-471), and an STK domain (SEQ ID NO: 1099, residues 531-830). Examples of illustrative nucleic acid molecules include SEQ ID NOs: 7, 44-47, and 50-53.

C) *Rhg1* and *Rhg4*

In another further aspect of the present invention, nucleic acid molecules of the present invention can comprise sequences which differ from those encoding a protein or fragment thereof in SEQ ID NO: 1097 through SEQ ID NO: 1119 due to fact that the different nucleic acid sequence encodes a protein having one or more conservative amino acid changes. It is understood that codons capable of coding for such conservative amino acid substitutions are known in the art.

It is well known in the art that one or more amino acids in a native sequence can be substituted with another amino acid(s), the charge and polarity of which are similar to

that of the native amino acid, *i.e.*, a conservative amino acid substitution. Conserved substitutions for an amino acid within the native polypeptide sequence can be selected from other members of the class to which the naturally occurring amino acid belongs. Amino acids can be divided into the following four groups: (1) acidic amino acids, (2) basic amino acids, (3) neutral polar amino acids, and (4) neutral nonpolar amino acids. Representative amino acids within these various groups include, but are not limited to: (1) acidic (negatively charged) amino acids such as aspartic acid and glutamic acid; (2) basic (positively charged) amino acids such as arginine, histidine, and lysine; (3) neutral polar amino acids such as glycine, serine, threonine, cysteine, cystine, tyrosine, asparagine, and glutamine; and (4) neutral nonpolar (hydrophobic) amino acids such as alanine, leucine, isoleucine, valine, proline, phenylalanine, tryptophan, and methionine.

Conservative amino acid changes within the native polypeptides sequence can be made by substituting one amino acid within one of these groups with another amino acid within the same group. Biologically functional equivalents of the proteins or fragments thereof of the present invention can have ten or fewer conservative amino acid changes, more preferably seven or fewer conservative amino acid changes, and most preferably five or fewer conservative amino acid changes. The encoding nucleotide sequence will thus have corresponding base substitutions, permitting it to encode biologically functional equivalent forms of the proteins or fragments of the present invention.

It is understood that certain amino acids may be substituted for other amino acids in a protein structure without appreciable loss of interactive binding capacity with structures such as, for example, antigen-binding regions of antibodies or binding sites on substrate molecules. Because it is the interactive capacity and nature of a protein that defines that protein's biological functional activity, certain amino acid sequence substitutions can be made in a protein sequence and, of course, its underlying DNA coding sequence and, nevertheless, obtain a protein with like properties. It is thus contemplated by the inventors that various changes may be made in the peptide sequences of the proteins or fragments of the present invention, or corresponding DNA sequences that encode said peptides, without appreciable loss of their biological utility or activity. It

is understood that codons capable of coding for such amino acid changes are known in the art.

In making such changes, the hydropathic index of amino acids may be considered. The importance of the hydropathic amino acid index in conferring interactive biological function on a protein is generally understood in the art (Kyte *et al.*, *J. Mol. Biol.* 157, 105-132 (1982)). It is accepted that the relative hydropathic character of the amino acid contributes to the secondary structure of the resultant protein, which in turn defines the interaction of the protein with other molecules, for example, enzymes, substrates, receptors, DNA, antibodies, antigens, and the like. In making such changes, the substitution of amino acids whose hydropathic indices are within ± 2 is preferred, those which are within ± 1 are particularly preferred, and those within ± 0.5 are even more particularly preferred.

It is also understood in the art that the substitution of like amino acids can be made effectively on the basis of hydrophilicity. U.S. Patent 4,554,101, states that the greatest local average hydrophilicity of a protein, as govern by the hydrophilicity of its adjacent amino acids, correlates with a biological property of the protein. In a further aspect of the present invention, one or more of the nucleic acid molecules of the present invention differ in nucleic acid sequence from those encoding a peptide set forth in SEQ ID NO: 1097 through SEQ ID NO: 1119 or fragment thereof due to the fact that one or more codons encoding an amino acid has been substituted for a codon that encodes a nonessential substitution of the amino acid originally encoded.

Agents of the invention include nucleic acid molecules that encode at least about a contiguous 10 amino acid region of a protein of the present invention, more preferably at least about a contiguous 11 to 14 or larger amino acid region of a protein of the present invention. It is understood that the present invention includes nucleic acid molecules that specifically hybridize or exhibit a particular identity to the nucleic acid molecules described in (i). See (a) above.

(ii) **Nucleic Acid Molecule Markers and Collections of Such Molecules**

One aspect of the present invention concerns nucleic acid molecules of the present invention that can act as markers. As used herein, a “marker” is an indicator for the presence of at least one phenotype or polymorphism, such as single nucleotide polymorphisms (SNPs), cleaveable amplified polymorphic sequences (CAPS), amplified fragment length polymorphisms (AFLPs), restriction fragment length polymorphisms (RFLPs), simple sequence repeats (SSRs), or random amplified polymorphic DNA (RAPDs). A “nucleic acid marker” as used herein means a nucleic acid molecule that is capable of being a marker for detecting a polymorphism or phenotype.

In one embodiment of the present invention, the nucleic acid marker specifically hybridizes to a nucleic acid molecule having a nucleic acid sequence selected from the group SEQ NOs: 1-1096 and complements thereof. In a preferred embodiment, the nucleic acid marker is capable of detecting an *rhg1* SNP or INDEL set forth in table 2. In a preferred embodiment, the nucleic acid marker is capable of detecting an *Rgh4* SNP or INDEL set forth in table 4. In another preferred embodiment the nucleic acid marker is a nucleic acid molecule capable of acting as a PCR primer to amplify an *rhg1* or *Rgh4* coding region. Examples of such primers include, without limitation, nucleic acid molecules having a nucleic acid sequence set forth in SEQ ID NO: 401 –1096 and complements thereof. Such primers can be used in pairs to amplify a region (amplicons, e.g., without limitation, SEQ ID NOs: 54-400) that can be further investigated using techniques known in the art such as nucleic acid sequencing. Preferred pairs are those with identical “Seq ID” (*see* Description of the Sequence Listing) except for the fact that one “Seq ID” recites forward primer and one recites reverse primer.

In another embodiment of the present invention, the nucleic acid marker specifically hybridizes to a nucleic acid molecule having a sequence that is present on linkage group G within 500 kb or 100kb, more preferably within 50kb, even more preferably within 25kb of an *rhg1* allele, where the *Rgh4* allele is preferably a sensitive allele, and more preferably a sensitive allele from A3244. In a preferred embodiment the nucleic acid marker specifically hybridizes to a nucleic acid molecule having a sequence

that is present on linkage group A2 within 500kb or 100kb, more preferably within 50kb, even more preferably within 25kb of an *Rhg4* allele, where the *Rhg4* allele is preferably a sensitive allele, and more preferably a sensitive allele from A3244.

As used herein, a "collection of nucleic acid molecules" is a population of nucleic acid molecules where at least two, preferably all, of the nucleic acid molecules differ, at least in part, in their nucleic acid sequence. It is understood, that as used herein, an individual species within a collection of nucleic acid molecules may be physically separate or alternatively not physically separate from one or more other species within the collection of nucleic acid molecules. An example of a situation where individual species may be physically separate but considered a collection of nucleic acid molecules is where more than two species are present in a single location such as an array.

As used herein, where a collection of nucleic acid molecules is a marker for a particular attribute, the level, pattern, occurrence and/or absence of the nucleic acid molecules associated with the attribute are not required to be the same between species of the collection. For example, the increase in the level of a species when in combination with the decrease in a second species could be diagnostic for a particular attribute. In a preferred embodiment of the present invention, the level, pattern, occurrence and/or absence of a nucleic acid molecule and/or collection of nucleic acid molecules of the present invention is a marker for SCN resistance.

In one embodiment, the marker is any nucleic acid molecule that specifically hybridizes to any nucleic acid sequence set forth herein. In another embodiment, the marker is a marker capable of distinguishing among the haplotypes of either *rhg1* or *Rhg4*. In yet another embodiment, more than one marker is used to simultaneously distinguish more than one haplotype. In a preferred embodiment, two, three, four, six, eight, twenty five or fifty or more nucleic acid markers are used simultaneously. In another embodiment, one or more markers that are capable of distinguishing among the haplotypes of *rhg1* and one or more markers that are capable of distinguishing among the haplotypes of *Rhg4* are used together.

(iii) Nucleic acid molecules having promoter sequences and other regulatory sequences

The present invention includes nucleic acid molecules that are an *rhg1* or *Rhg4* promoter or fragment thereof. Examples of such nucleic acid molecules include those set forth in SEQ ID NO: 2, upstream of coordinate 45163 and SEQ ID NO: 3, upstream of coordinate 46798. As used herein a promoter is a nucleic acid sequence that when joined with a coding region is capable of expressing the protein or fragment thereof so encoded. In a preferred embodiment the promoter sequence corresponds to between 500 nucleotides and 5,000 nucleotides or between 300 nucleotides and 700 nucleotides of the nucleic acid sequence set forth in SEQ ID NO: 2 between coordinates 45163 and 40163, or SEQ ID NO:3 between coordinates 46798 and 41798, or the nucleic acid sequence set forth in SEQ ID NO: 4 between coordinates 111805 and 106805 Preferred partial promoter regions include the TATA box region, e.g. at coordinates 44234 through 44246 of SEQ ID NO: 2 and at coordinates 107826 through 107835 of SEQ ID NO: 4, and CAAT box region, e.g. at coordinates 106243 through 106259 of SEQ ID NO: 4.

Other regulatory sequences include introns or 3' untranslated regions (3'UTRs) associated with *rhg1* and *Rhg4*. In a preferred embodiment, an intron is selected from a nucleic acid comprising a sequence selected from SEQ ID NO: 2 (*rhg1* v.1 at coordinates 45315-45449, 45510-46940, and 48764-48974), SEQ ID NO: 3 (*rhg1* v.2 at coordinates 48764-48974) and SEQ ID NO: 4 (*Rhg4* at coordinates 113969-114683). In another preferred embodiment, a 3'UTR is located within 5,000 nucleotides, more preferable within 1000 nucleotides in the 3' direction of the last coding nucleotide of either *rhg1* or *Rhg4* (SEQ ID NO: 2, *rhg1* v.1, coordinate 49573, SEQ ID NO: 3, *rhg1*, v.2, coordinate 49573, SEQ ID NO: 4, *Rhg4*, coordinate 115204).

It is understood that the present invention includes nucleic acid molecules that specifically hybridize or exhibit a particular identity to the nucleic acid molecules described in (iii). See (a) above.

(b) Protein and Peptide Molecules

A class of agents comprises one or more of the protein or peptide molecules encoded by SEQ ID NO: 1097 through SEQ ID NO:1119 or one or more of the protein or fragment thereof or peptide molecules encoded by other nucleic acid agents of the present invention. As used herein, the term “protein molecule” and “peptide molecule” mean any protein or protein fragment or peptide or polypeptide molecule that comprises ten or more amino acids, preferably at least 11 or 12 or more, more preferably at least 13 or 14 amino acids. It is well known in the art that proteins may undergo modification, including post-translational modifications, such as, but not limited to, disulfide bond formation, glycosylation, phosphorylation, or oligomerization. Thus, as used herein, the terms “protein molecule” and “peptide molecule” include molecules that are modified by any biological or non-biological process. The terms “amino acid” and “amino acids” refer to all naturally occurring L-amino acids. This definition is meant to include norleucine, ornithine, homocysteine, and homoserine.

One or more of the protein or peptide molecules may be produced via chemical synthesis, or more preferably, by expression in a suitable bacterial or eukaryotic host. Suitable methods for expression are described by Sambrook, *et al.*, (In: *Molecular Cloning, A Laboratory Manual, 2nd Edition, Cold Spring Harbor Press, Cold Spring Harbor, New York (1989)*, or similar texts.

Another class of agents comprise protein or peptide molecules encoded by SEQ ID NO: 1097 through SEQ ID NO: 1119 or complements thereof or, fragments or fusions thereof in which non-essential, or not relevant, amino acid residues have been added, replaced, or deleted. An example of such a homolog is a protein homolog of each soybean species, including but not limited to alfalfa, barley, *Brassica*, broccoli, cabbage, citrus, garlic, oat, oilseed rape, onion, canola, flax, pea, peanut, pepper, potato, rye, soybean, strawberry, sugarcane, sugarbeet, soybean, maize, rice, cotton, sorghum, *Arabidopsis*, wheat, pine, fir, eucalyptus, apple, lettuce, peas, lentils, grape, banana, tea, turf grasses, *etc.* Particularly preferred non- soybean plants to utilize for the isolation of homologs would include alfalfa, barley, oat, oilseed rape, canola, ornamentals, sugarcane,

sugarbeet, soybean, maize, rice, cotton, sorghum, *Arabidopsis*, wheat, potato, and turf grasses. Such a homolog can be obtained by any of a variety of methods. Most preferably, as indicated above, one or more of the disclosed sequences (SEQ ID NO: 1 through SEQ ID NO: 1096 or complements thereof) will be used to define a pair of primers that may be used to isolate the protein homolog-encoding nucleic acid molecules from any desired species. Such molecules can be expressed to yield protein homologs by recombinant means.

(c) Plant Constructs and Plant Transformants

One or more of the nucleic acid molecules of the invention may be used in plant transformation or transfection. Exogenous genetic material may be transferred into a plant cell and the plant cell regenerated into a whole, fertile or sterile plant. Exogenous genetic material is any genetic material, whether naturally occurring or otherwise, from any source that is capable of being inserted into any organism. In a preferred embodiment the exogenous genetic material includes a nucleic acid molecule of the present invention, preferably a nucleic acid molecule having at least 20 nucleotides of a sequence selected from the group consisting of SEQ ID NO: 1 through SEQ ID NO: 1096 and complements thereof. In a preferred embodiment, the nucleic acid molecule codes for a protein or fragment thereof described in Section (i). In another preferred embodiment, the nucleic acid molecule is a promoter or fragment thereof described in Section (iii).

Such genetic material may be transferred into either monocotyledons and dicotyledons including, but not limited to tomato, eggplant, maize, soybean, *Arabidopsis*, phaseolus, peanut, alfalfa, wheat, rice, oat, sorghum, rye, tritordeum, millet, fescue, perennial ryegrass, sugarcane, cranberry, papaya, banana, banana, muskmelon, apple, cucumber, dendrobium, gladiolus, chrysanthemum, liliacea, cotton, eucalyptus, sunflower, canola, turfgrass, sugarbeet, coffee and dioscorea (Christou, In: *Particle Bombardment for Genetic Engineering of Plants*, Biotechnology Intelligence Unit. Academic Press, San Diego, California (1996).

In a preferred embodiment, the genetic material is transferred to a soybean.

Preferred soybeans to transfer an *rhg1* SCN resistance allele are selected from the group consisting of PI548402 (Peking), PI200499, A2869, Jack, A2069, PI209332 (No:4), PI404166 (Krasnoarmejkaja), PI404198 (Sun huan do), PI437654 (Er-hej-jan), PI438489 (Chiquita), PI507354 (Tokei 421), PI548655 (Forrest), PI548988 (Pickett), PI84751, PI437654, PI40792, Pyramid, Nathan, AG2201, A3469, AG3901, A3904, AG4301, AG4401, AG4501, AG4601, PION9492, PI88788, Dyer, Custer, Manokin, and Doles.

Preferred soybeans to transfer an *Rhg4* SCN resistance allele are selected from the group consisting of PI548402 (Peking), PI437654 (Er-hej-jan), PI438489 (Chiquita), PI507354 (Tokei 421), PI548655 (Forrest), PI548988 (Pickett), PI88788, PI404198 (Sun Huan Do), PI404166 (Krasnoarmejkaja), Hartwig, Manokin, Doles, Dyer, and Custer.

Transfer of a nucleic acid that encodes for a protein can result in overexpression of that protein in a transformed cell or transgenic plant. One or more of the proteins or fragments thereof encoded by nucleic acid molecules of the invention may be overexpressed in a transformed cell or transformed plant. Such overexpression may be the result of transient or stable transfer of the exogenous genetic material. Such overexpression can also result in SCN resistance to one or more races of SCN.

Exogenous genetic material may be transferred into a host cell by the use of a DNA vector or construct designed for such a purpose. Design of such a vector is generally within the skill of the art (*See, Plant Molecular Biology: A Laboratory Manual*, Clark (ed.), Springer, New York (1997)).

A construct or vector may include a plant promoter to express the protein or protein fragment of choice. A number of promoters, which are active in plant cells, have been described in the literature. These include the nopaline synthase (NOS) promoter (Ebert *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 84:5745-5749 (1987), the octopine synthase (OCS) promoter (which are carried on tumor-inducing plasmids of *Agrobacterium tumefaciens*), the caulimovirus promoters such as the cauliflower mosaic virus (CaMV) 19S promoter (Lawton *et al.*, *Plant Mol. Biol.* 9:315-324 (1987), and the CaMV 35S

promoter (Odell *et al.*, *Nature* 313:810-812 (1985), the figwort mosaic virus 35S-promoter, the light-inducible promoter from the small subunit of ribulose-1,5-bisphosphate carboxylase (ssRUBISCO), the Adh promoter (Walker *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 84:6624-6628 (1987), the sucrose synthase promoter (Yang *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 87:4144-4148 (1990), the R gene complex promoter (Chandler *et al.*, *The Plant Cell* 1:1175-1183 (1989), and the chlorophyll a/b binding protein gene promoter, *etc.* These promoters have been used to create DNA constructs that have been expressed in plants; *see, e.g.*, PCT publication WO 84/02913. The CaMV 35S promoters are preferred for use in plants. Promoters known or found to cause transcription of DNA in plant cells can be used in the invention.

For the purpose of expression in source tissues of the plant, such as the leaf, seed, root or stem, it is preferred that the promoters utilized have relatively high expression in these specific tissues. Tissue-specific expression of a protein of the present invention is a particularly preferred embodiment. For this purpose, one may choose from a number of promoters for genes with tissue- or cell-specific or -enhanced expression. Examples of such promoters reported in the literature include the chloroplast glutamine synthetase GS2 promoter from pea (Edwards *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 87:3459-3463 (1990), the chloroplast fructose-1,6-biphosphatase (FBPase) promoter from wheat (Lloyd *et al.*, *Mol. Gen. Genet.* 225:209-216 (1991), the nuclear photosynthetic ST-LS1 promoter from potato (Stockhaus *et al.*, *EMBO J.* 8:2445-2451 (1989), the STK (PAL) promoter and the glucoamylase (CHS) promoter from *Arabidopsis thaliana*. Also reported to be active in photosynthetically active tissues are the ribulose-1,5-bisphosphate carboxylase (RbcS) promoter from eastern larch (*Larix laricina*), the promoter for the *cab* gene, *cab6*, from pine (Yamamoto *et al.*, *Plant Cell Physiol.* 35:773-778 (1994), the promoter for the Cab-1 gene from wheat (Fejes *et al.*, *Plant Mol. Biol.* 15:921-932 (1990), the promoter for the CAB-1 gene from spinach (Lubberstedt *et al.*, *Plant Physiol.* 104:997-1006 (1994), the promoter for the *cab1R* gene from rice (Luan *et al.*, *Plant Cell.* 4:971-981 (1992), the pyruvate, orthophosphate dikinase (PPDK) promoter from maize (Matsuoka *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 90: 9586-9590 (1993), the promoter for the tobacco Lhcb1*2

gene (Cerdan *et al.*, *Plant Mol. Biol.* 33:245-255 (1997), the *Arabidopsis thaliana* SUC2 sucrose-H⁺ symporter promoter (Truernit *et al.*, *Planta*. 196:564-570 (1995), and the promoter for the thylakoid membrane proteins from spinach (psaD, psaF, psaE, PC, FNR, atpC, atpD, cab, rbcS). Other promoters for the chlorophyll a/b-binding proteins may also be utilized in the invention, such as the promoters for LhcB gene and PsbP gene from white mustard (*Sinapis alba*; Kretsch *et al.*, *Plant Mol. Biol.* 28:219-229 (1995)).

For the purpose of expression in sink tissues of the plant, such as the tuber of the potato plant, the fruit of tomato, or the seed of maize, wheat, rice and barley, it is preferred that the promoters utilized in the invention have relatively high expression in these specific tissues. A number of promoters for genes with tuber-specific or -enhanced expression are known, including the class I patatin promoter (Bevan *et al.*, *EMBO J.* 8:1899-1906 (1986); Jefferson *et al.*, *Plant Mol. Biol.* 14:995-1006 (1990)), the promoter for the potato tuber ADPGPP genes, both the large and small subunits, the sucrose synthase promoter (Salanoubat *et al.*, *Gene* 60:47-56 (1987), Salanoubat *et al.*, *Gene* 84:181-185 (1989)), the promoter for the major tuber proteins including the 22 kd protein complexes and proteinase inhibitors (Hannapel, *Plant Physiol.* 101:703-704 (1993)), the promoter for the granule bound starch synthase gene (GBSS) (Visser *et al.*, *Plant Mol. Biol.* 17:691-699 (1991)), and other class I and II patatins promoters (Koster-Topfer *et al.*, *Mol Gen Genet.* 219:390-396 (1989); Mignery *et al.*, *Gene.* 62:27-44 (1988)).

Other promoters can also be used to express a protein or fragment thereof in specific tissues, such as seeds or fruits. The promoter for β -conglycinin (Chen *et al.*, *Dev. Genet.* 10: 112-122 (1989)) or other seed-specific promoters such as the napin and phaseolin promoters, can be used. The zeins are a group of storage proteins found in maize endosperm. Genomic clones for zein genes have been isolated (Pedersen *et al.*, *Cell* 29:1015-1026 (1982)) and the promoters from these clones, including the 15 kD, 16 kD, 19 kD, 22 kD, 27 kD and genes, could also be used. Other promoters known to function, for example, in maize include the promoters for the following genes: *waxy*, *Brittle*, *Shrunken 2*, Branching enzymes I and II, starch synthases, debranching enzymes, oleosins, glutelins and sucrose synthases. A particularly preferred promoter for maize

endosperm expression is the promoter for the glutelin gene from rice, more particularly the Osgt-1 promoter (Zheng *et al.*, *Mol. Cell Biol.* 13:5829-5842 (1993)). Examples of promoters suitable for expression in wheat include those promoters for the ADPGlucose pyrosynthase (ADPGPP) subunits, the granule bound and other starch synthase, the branching and debranching enzymes, the embryogenesis-abundant proteins, the gliadins and the glutenins. Examples of such promoters in rice include those promoters for the ADPGPP subunits, the granule bound and other starch synthase, the branching enzymes, the debranching enzymes, sucrose synthases and the glutelins. A particularly preferred promoter is the promoter for rice glutelin, Osgt-1. Examples of such promoters for barley include those for the ADPGPP subunits, the granule bound and other starch synthase, the branching enzymes, the debranching enzymes, sucrose synthases, the hordeins, the embryo globulins and the aleurone specific proteins.

Root specific promoters may also be used. An example of such a promoter is the promoter for the acid chitinase gene (Samac *et al.*, *Plant Mol. Biol.* 25:587-596 (1994)). Expression in root tissue could also be accomplished by utilizing the root specific subdomains of the CaMV35S promoter that have been identified (Lam *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 86:7890-7894 (1989)). Other root cell specific promoters include those reported by Conkling *et al.* (Conkling *et al.*, *Plant Physiol.* 93:1203-1211 (1990)).

Additional promoters that may be utilized are described, for example, in U.S. Patent Nos. 5,378,619; 5,391,725; 5,428,147; 5,447,858; 5,608,144; 5,608,144; 5,614,399; 5,633,441; 5,633,435; and 4,633,436. In addition, a tissue specific enhancer may be used (Fromm *et al.*, *The Plant Cell* 1:977-984 (1989)).

Preferred promoters are those set forth in Section (a)(iii) of Agents.

Constructs or vectors may also include, with the coding region of interest, a nucleic acid sequence that acts, in whole or in part, to terminate transcription of that region. A number of such sequences have been isolated, including the Tr7 3' sequence and the NOS 3' sequence (Ingelbrecht *et al.*, *The Plant Cell* 1:671-680 (1989); Bevan *et al.*, *Nucleic Acids Res.* 11:369-385 (1983)).

A vector or construct may also include regulatory elements. Examples of such include the Adh intron 1 (Callis *et al.*, *Genes and Develop.* 1:1183-1200 (1987)), the sucrose synthase intron (Vasil *et al.*, *Plant Physiol.* 91:1575-1579 (1989)) and the TMV omega element (Gallie *et al.*, *The Plant Cell* 1:301-311 (1989)). These and other regulatory elements may be included when appropriate.

A vector or construct may also include a selectable marker. Selectable markers may also be used to select for plants or plant cells that contain the exogenous genetic material. Examples of such include, but are not limited to: a neomycin phosphotransferase gene (U.S. Patent 5,034,322), which codes for kanamycin resistance and can be selected for using kanamycin, G418, *etc.*; a bar gene which codes for bialaphos resistance; genes which encode glyphosate resistance (U.S. Patents 4,940,835; 5,188,642; 4,971,908; 5,627,061); a nitrilase gene which confers resistance to bromoxynil (Stalker *et al.*, *J. Biol. Chem.* 263:6310-6314 (1988)); a mutant acetolactate synthase gene (ALS) which confers imidazolinone or sulphonylurea resistance (European Patent Application 154,204 (Sept. 11, 1985)); and a methotrexate resistant DHFR gene (Thillet *et al.*, *J. Biol. Chem.* 263:12500-12508 (1988)).

A vector or construct may also include DNA sequence which encodes a transit peptide. Incorporation of a suitable chloroplast transit peptide may also be employed (European Patent Application Publication Number 0218571). Translational enhancers may also be incorporated as part of the vector DNA. DNA constructs could contain one or more 5' non-translated leader sequences which may serve to enhance expression of the gene products from the resulting mRNA transcripts. Such sequences may be derived from the promoter selected to express the gene or can be specifically modified to increase translation of the mRNA. Such regions may also be obtained from viral RNAs, from suitable eukaryotic genes, or from a synthetic gene sequence. For a review of optimizing expression of transgenes, see Koziel *et al.*, *Plant Mol. Biol.* 32:393-405 (1996).

A vector or construct may also include a screenable marker. Screenable markers may be used to monitor expression. Exemplary screenable markers include: a β -glucuronidase or uidA gene (GUS) which encodes an enzyme for which various

chromogenic substrates are known (Jefferson, *Plant Mol. Biol. Rep.* 5:387-405 (1987); Jefferson *et al.*, *EMBO J.* 6:3901-3907 (1987)); an R-locus gene, which encodes a product that regulates the production of anthocyanin pigments (red color) in plant tissues (Dellaporta *et al.*, *Stadler Symposium 11*:263-282 (1988)); a β -lactamase gene (Sutcliffe *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 75:3737-3741 (1978)), a gene which encodes an enzyme for which various chromogenic substrates are known (*e.g.*, PADAC, a chromogenic cephalosporin); a luciferase gene (Ow *et al.*, *Science* 234:856-859 (1986)); a xylE gene (Zukowsky *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 80:1101-1105 (1983)) which encodes a catechol dioxygenase that can convert chromogenic catechols; an α -amylase gene (Ikata *et al.*, *Bio/Technol.* 8:241-242 (1990)); a tyrosinase gene (Katz *et al.*, *J. Gen. Microbiol.* 129:2703-2714 (1983)) which encodes an enzyme capable of oxidizing tyrosine to DOPA and dopaquinone which in turn condenses to melanin; an α -galactosidase, which will turn a chromogenic α -galactose substrate.

Included within the terms "selectable or screenable marker genes" are also genes which encode a secretable marker whose secretion can be detected as a means of identifying or selecting for transformed cells. Examples include markers which encode a secretable antigen that can be identified by antibody interaction, or even secretable enzymes which can be detected catalytically. Secretable proteins fall into a number of classes, including small, diffusible proteins which are detectable, (*e.g.*, by ELISA), small active enzymes which are detectable in extracellular solution (*e.g.*, α -amylase, β -lactamase, phosphinothricin transferase), or proteins which are inserted or trapped in the cell wall (such as proteins which include a leader sequence such as that found in the expression unit of extension or tobacco PR-S). Other possible selectable and/or screenable marker genes will be apparent to those of skill in the art.

There are many methods for introducing transforming nucleic acid molecules into plant cells. Suitable methods are believed to include virtually any method by which nucleic acid molecules may be introduced into a cell, such as by *Agrobacterium* infection or direct delivery of nucleic acid molecules such as, for example, by PEG-mediated transformation, by electroporation or by acceleration of DNA coated particles, etc

(Potrykus, *Ann. Rev. Plant Physiol. Plant Mol. Biol.* 42:205-225 (1991); Vasil, *Plant Mol. Biol.* 25:925-937 (1994)). For example, electroporation has been used to transform maize protoplasts (Fromm *et al.*, *Nature* 312:791-793 (1986)).

Other vector systems suitable for introducing transforming DNA into a host plant cell include but are not limited to binary artificial chromosome (BIBAC) vectors (Hamilton *et al.*, *Gene* 200:107-116 (1997)); and transfection with RNA viral vectors (Della-Cioppa *et al.*, *Ann. N.Y. Acad. Sci.* (1996), 792 (Engineering Plants for Commercial Products and Applications), 57-61). Additional vector systems also include plant selectable YAC vectors such as those described in Mullen *et al.*, *Molecular Breeding* 4:449-457 (1988)).

Technology for introduction of DNA into cells is well known to those of skill in the art. Four general methods for delivering a gene into cells have been described: (1) chemical methods (Graham *et al.*, *Virology* 54:536-539 (1973)); (2) physical methods such as microinjection (Capecchi, *Cell* 22:479-488 (1980)), electroporation (Wong *et al.*, *Biochem. Biophys. Res. Commun.* 107:584-587 (1982); Fromm *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 82:5824-5828 (1985); U.S. Patent No. 5,384,253); and the gene gun (Johnston *et al.*, *Methods Cell Biol.* 43:353-365 (1994)); (3) viral vectors (Clapp, *Clin. Perinatol.* 20:155-168 (1993); Lu *et al.*, *J. Exp. Med.* 178:2089-2096 (1993); Eglitis *et al.*, *Biotechniques* 6:608-614 (1988)); and (4) receptor-mediated mechanisms (Curiel *et al.*, *Hum. Gen. Ther.* 3:147-154 (1992), Wagner *et al.*, *Proc. Natl. Acad. Sci. (USA)* 89:6099-6103 (1992)).

Acceleration methods that may be used include, for example, microprojectile bombardment and the like. One example of a method for delivering transforming nucleic acid molecules to plant cells is microprojectile bombardment. This method has been reviewed by Yang *et al.* (eds.), *Particle Bombardment Technology for Gene Transfer*, Oxford Press, Oxford, England (1994)). Non-biological particles (microprojectiles) that may be coated with nucleic acids and delivered into cells by a propelling force. Exemplary particles include those comprised of tungsten, gold, platinum and the like.

A particular advantage of microprojectile bombardment, in addition to it being an effective means of reproducibly transforming monocots, is that neither the isolation of protoplasts (Cristou *et al.*, *Plant Physiol.* 87:671-674 (1988)) nor the susceptibility of *Agrobacterium* infection are required. An illustrative embodiment of a method for delivering DNA into maize cells by acceleration is a biolistics α -particle delivery system, which can be used to propel particles coated with DNA through a screen, such as a stainless steel or Nytex screen, onto a filter surface covered with corn cells cultured in suspension. Gordon-Kamm *et al.*, describes the basic procedure for coating tungsten particles with DNA (Gordon-Kamm *et al.*, *Plant Cell* 2:603-618 (1990)). The screen disperses the tungsten nucleic acid particles so that they are not delivered to the recipient cells in large aggregates. A particle delivery system suitable for use with the invention is the helium acceleration PDS-1000/He gun is available from Bio-Rad Laboratories (Bio-Rad, Hercules, California)(Sanford *et al.*, *Technique* 3:3-16 (1991)).

For the bombardment, cells in suspension may be concentrated on filters. Filters containing the cells to be bombarded are positioned at an appropriate distance below the microprojectile stopping plate. If desired, one or more screens are also positioned between the gun and the cells to be bombarded.

Alternatively, immature embryos or other target cells may be arranged on solid culture medium. The cells to be bombarded are positioned at an appropriate distance below the microprojectile stopping plate. If desired, one or more screens are also positioned between the acceleration device and the cells to be bombarded. Through the use of techniques set forth herein one may obtain up to 1000 or more foci of cells transiently expressing a screenable or selectable marker gene. The number of cells in a focus which express the exogenous gene product 48 hours post-bombardment often range from one to ten and average one to three.

In bombardment transformation, one may optimize the pre-bombardment culturing conditions and the bombardment parameters to yield the maximum numbers of stable transformants. Both the physical and biological parameters for bombardment are important in this technology. Physical factors are those that involve manipulating the

DNA/microprojectile precipitate or those that affect the flight and velocity of either the macro- or microprojectiles. Biological factors include all steps involved in manipulation of cells before and immediately after bombardment, the osmotic adjustment of target cells to help alleviate the trauma associated with bombardment and also the nature of the transforming DNA, such as linearized DNA or intact supercoiled plasmids. It is believed that pre-bombardment manipulations are especially important for successful transformation of immature embryos.

In another alternative embodiment, plastids can be stably transformed. Methods disclosed for plastid transformation in higher plants include the particle gun delivery of DNA containing a selectable marker and targeting of the DNA to the plastid genome through homologous recombination (Svab *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 87:8526-8530 (1990); Svab *et al.*, *Proc. Natl. Acad. Sci. (U.S.A.)* 90:913-917 (1993); Staub *et al.*, *EMBO J.* 12:601-606 (1993); U.S. Patents 5,451,513 and 5,545,818).

Accordingly, it is contemplated that one may wish to adjust various aspects of the bombardment parameters in small-scale studies to fully optimize the conditions. One may particularly wish to adjust physical parameters such as gap distance, flight distance, tissue distance and helium pressure. One may also minimize the trauma reduction factors by modifying conditions which influence the physiological state of the recipient cells and which may therefore influence transformation and integration efficiencies. For example, the osmotic state, tissue hydration and the subculture stage or cell cycle of the recipient cells may be adjusted for optimum transformation. The execution of other routine adjustments will be known to those of skill in the art in light of the present disclosure.

Agrobacterium-mediated transfer is a widely applicable system for introducing genes into plant cells because the DNA can be introduced into whole plant tissues, thereby bypassing the need for regeneration of an intact plant from a protoplast. The use of *Agrobacterium*-mediated plant integrating vectors to introduce DNA into plant cells is well known in the art. See, for example the methods described by Fraley *et al.*, *Bio/Technology* 3:629-635 (1985) and Rogers *et al.*, *Methods Enzymol.* 153:253-277 (1987). Further, the integration of the T-DNA is a relatively precise process resulting in

few rearrangements. The region of DNA to be transferred is defined by the border sequences and intervening DNA is usually inserted into the plant genome as described (Spielmann *et al.*, *Mol. Gen. Genet.* 205:34 (1986)).

Modern *Agrobacterium* transformation vectors are capable of replication in *E. coli* as well as *Agrobacterium*, allowing for convenient manipulations as described (Klee *et al.*, In: *Plant DNA Infectious Agents*, Hohn *et al.* (eds.), Springer-Verlag, New York, pp. 179-203 (1985)). Moreover, technological advances in vectors for *Agrobacterium*-mediated gene transfer have improved the arrangement of genes and restriction sites in the vectors to facilitate construction of vectors capable of expressing various polypeptide coding genes. The vectors described have convenient multi-linker regions flanked by a promoter and a polyadenylation site for direct expression of inserted polypeptide coding genes and are suitable for present purposes (Rogers *et al.*, *Methods Enzymol.* 153:253-277 (1987)). In addition, *Agrobacterium* containing both armed and disarmed Ti genes can be used for the transformations. In those plant strains where *Agrobacterium*-mediated transformation is efficient, it is the method of choice because of the facile and defined nature of the gene transfer.

A transgenic plant formed using *Agrobacterium* transformation methods typically contains a single gene on one chromosome. Such transgenic plants can be referred to as being heterozygous for the added gene. More preferred is a transgenic plant that is homozygous for the added structural gene; *i.e.*, a transgenic plant that contains two added genes, one gene at the same locus on each chromosome of a chromosome pair. A homozygous transgenic plant can be obtained by sexually mating (selfing) an independent segregant transgenic plant that contains a single added gene, germinating some of the seed produced and analyzing the resulting plants produced for the gene of interest.

It is also to be understood that two different transgenic plants can also be mated to produce offspring that contain two independently segregating, exogenous genes. Selfing of appropriate progeny can produce plants that are homozygous for both added, exogenous genes that encode a polypeptide of interest. Backcrossing to a parental plant

and out-crossing with a non-transgenic plant are also contemplated, as is vegetative propagation.

Transformation of plant protoplasts can be achieved using methods based on calcium phosphate precipitation, polyethylene glycol treatment, electroporation and combinations of these treatments (*See, for example, Potrykus et al., Mol. Gen. Genet.* 205:193-200 (1986); Lorz *et al., Mol. Gen. Genet.* 199:178 (1985); Fromm *et al., Nature* 319:791 (1986); Uchimiya *et al., Mol. Gen. Genet.* 204:204 (1986); Marcotte *et al., Nature* 335:454-457 (1988)).

Application of these systems to different plant strains depends upon the ability to regenerate that particular plant strain from protoplasts. Illustrative methods for the regeneration of cereals from protoplasts are described (Fujimura *et al., Plant Tissue Culture Letters* 2:74 (1985); Toriyama *et al., Theor Appl. Genet.* 205:34 (1986); Yamada *et al., Plant Cell Rep.* 4:85 (1986); Abdullah *et al., Biotechnology* 4:1087 (1986)).

To transform plant strains that cannot be successfully regenerated from protoplasts, other ways to introduce DNA into intact cells or tissues can be utilized. For example, regeneration of cereals from immature embryos or explants can be effected as described (Vasil, *Biotechnology* 6:397 (1988)). In addition, "particle gun" or high-velocity microprojectile technology can be utilized (Vasil *et al., Bio/Technology* 10:667 (1992)).

Using the latter technology, DNA is carried through the cell wall and into the cytoplasm on the surface of small metal particles as described (Klein *et al., Nature* 328:70 (1987); Klein *et al., Proc. Natl. Acad. Sci. (U.S.A.)* 85:8502-8505 (1988); McCabe *et al., Bio/Technology* 6:923 (1988)). The metal particles penetrate through several layers of cells and thus allow the transformation of cells within tissue explants.

The regeneration, development and cultivation of plants from single plant protoplast transformants or from various transformed explants are well known in the art (Weissbach *et al., In: Methods for Plant Molecular Biology*, Academic Press, San Diego, CA, (1988)). This regeneration and growth process typically includes the steps of selection of transformed cells, culturing those individualized cells through the usual

stages of embryonic development through the rooted plantlet stage. Transgenic embryos and seeds are similarly regenerated. The resulting transgenic rooted shoots are thereafter planted in an appropriate plant growth medium such as soil.

The development or regeneration of plants containing the foreign, exogenous gene that encodes a protein of interest is well known in the art. Preferably, the regenerated plants are self-pollinated to provide homozygous transgenic plants. Otherwise, pollen obtained from the regenerated plants is crossed to seed-grown plants of agronomically important lines. Conversely, pollen from plants of these important lines is used to pollinate regenerated plants. A transgenic plant of the invention containing a desired polypeptide is cultivated using methods well known to one skilled in the art.

There are a variety of methods for the regeneration of plants from plant tissue. The particular method of regeneration will depend on the starting plant tissue and the particular plant species to be regenerated.

Methods for transforming dicots, primarily by use of *Agrobacterium tumefaciens* and obtaining transgenic plants have been published for cotton (U.S. Patent No. 5,004,863; U.S. Patent No. 5,159,135; U.S. Patent No. 5,518,908); soybean (U.S. Patent No. 5,569,834; U.S. Patent No. 5,416,011; McCabe *et al.*, *Biotechnology* 6:923 (1988); Christou *et al.*, *Plant Physiol.* 87:671-674 (1988)); *Brassica* (U.S. Patent No. 5,463,174); peanut (Cheng *et al.*, *Plant Cell Rep.* 15:653-657 (1996), McKently *et al.*, *Plant Cell Rep.* 14:699-703 (1995)); papaya; and pea (Grant *et al.*, *Plant Cell Rep.* 15:254-258 (1995)).

Transformation of monocotyledons using electroporation, particle bombardment and *Agrobacterium* have also been reported. Transformation and plant regeneration have been achieved in asparagus (Bytebier *et al.*, *Proc. Natl. Acad. Sci. (USA)* 84:5354 (1987)); barley (Wan *et al.*, *Plant Physiol* 104:37 (1994)); maize (Rhodes *et al.*, *Science* 240:204 (1988); Gordon-Kamm *et al.*, *Plant Cell* 2:603-618 (1990); Fromm *et al.*, *Bio/Technology* 8:833 (1990); Koziel *et al.*, *Bio/Technology* 11:194 (1993); Armstrong *et al.*, *Crop Science* 35:550-557 (1995)); oat (Somers *et al.*, *Bio/Technology* 10:1589 (1992)); orchard grass (Horn *et al.*, *Plant Cell Rep.* 7:469 (1988)); rice (Toriyama *et al.*, *Theor Appl. Genet.* 205:34 (1986); Part *et al.*, *Plant Mol. Biol.* 32:1135-1148 (1996);

Abedinia *et al.*, *Aust. J. Plant Physiol.* 24:133-141 (1997); Zhang *et al.*, *Theor. Appl. Genet.* 76:835 (1988); Zhang *et al.*, *Plant Cell Rep.* 7:379 (1988); Battraw *et al.*, *Plant Sci.* 86:191-202 (1992); Christou *et al.*, *Bio/Technology* 9:957 (1991)); rye (De la Pena *et al.*, *Nature* 325:274 (1987)); sugarcane (Bower *et al.*, *Plant J.* 2:409 (1992)); tall fescue (Wang *et al.*, *Bio/Technology* 10:691 (1992)) and wheat (Vasil *et al.*, *Bio/Technology* 10:667 (1992); U.S. Patent No. 5,631,152).

Assays for gene expression based on the transient expression of cloned nucleic acid constructs have been developed by introducing the nucleic acid molecules into plant cells by polyethylene glycol treatment, electroporation, or particle bombardment (Marcotte *et al.*, *Nature* 335:454-457 (1988); Marcotte *et al.*, *Plant Cell* 1:523-532 (1989); McCarty *et al.*, *Cell* 66:895-905 (1991); Hattori *et al.*, *Genes Dev.* 6:609-618 (1992); Goff *et al.*, *EMBO J.* 9:2517-2522 (1990)). Transient expression systems may be used to functionally dissect gene constructs (*see generally*, Mailga *et al.*, *Methods in Plant Molecular Biology*, Cold Spring Harbor Press (1995)).

Any of the nucleic acid molecules of the invention may be introduced into a plant cell in a permanent or transient manner in combination with other genetic elements such as vectors, promoters, enhancers, *etc.* Further, any of the nucleic acid molecules of the invention may be introduced into a plant cell in a manner that allows for overexpression of the protein or fragment thereof encoded by the nucleic acid molecule.

Cosuppression is the reduction in expression levels, usually at the level of RNA, of a particular endogenous gene or gene family by the expression of a homologous sense construct that is capable of transcribing mRNA of the same strandedness as the transcript of the endogenous gene (Napoli *et al.*, *Plant Cell* 2:279-289 (1990); van der Krol *et al.*, *Plant Cell* 2:291-299 (1990)). Cosuppression may result from stable transformation with a single copy nucleic acid molecule that is homologous to a nucleic acid sequence found within the cell (Prolls *et al.*, *Plant J.* 2:465-475 (1992)) or with multiple copies of a nucleic acid molecule that is homologous to a nucleic acid sequence found within the cell (Mittlesten *et al.*, *Mol. Gen. Genet.* 244:325-330 (1994)). Genes, even though different, linked to homologous promoters may result in the cosuppression of the linked genes

(Vaucheret, *C.R. Acad. Sci. III* 316:1471-1483 (1993); Flavell, *Proc. Natl. Acad. Sci. (U.S.A.)* 91:3490-3496 (1994)); van Blokland *et al.*, *Plant J.* 6:861-877 (1994); Jorgensen, *Trends Biotechnol.* 8:340-344 (1990); Meins *et al.*, In: *Gene Inactivation and Homologous Recombination in Plants*, Paszkowski (ed.), pp. 335-348, Kluwer Academic, Netherlands (1994)).

It is understood that one or more of the nucleic acids of the invention may be introduced into a plant cell and transcribed using an appropriate promoter with such transcription resulting in the cosuppression of an endogenous protein.

Antisense approaches are a way of preventing or reducing gene function by targeting the genetic material (U.S. Patents 4,801,540 and 5,107,065 Mol *et al.*, *FEBS Lett.* 268:427-430 (1990)). The objective of the antisense approach is to use a sequence complementary to the target gene to block its expression and create a mutant cell line or organism in which the level of a single chosen protein is selectively reduced or abolished. Antisense techniques have several advantages over other 'reverse genetic' approaches. The site of inactivation and its developmental effect can be manipulated by the choice of promoter for antisense genes or by the timing of external application or microinjection. Antisense can manipulate its specificity by selecting either unique regions of the target gene or regions where it shares homology to other related genes (Hiatt *et al.*, In: *Genetic Engineering*, Setlow (ed.), Vol. 11, New York: Plenum 49-63 (1989)).

The principle of regulation by antisense RNA is that RNA that is complementary to the target mRNA is introduced into cells, resulting in specific RNA:RNA duplexes being formed by base pairing between the antisense substrate and the target mRNA (Green *et al.*, *Annu. Rev. Biochem.* 55:569-597 (1986)). Under one embodiment, the process involves the introduction and expression of an antisense gene sequence. Such a sequence is one in which part or all of the normal gene sequences are placed under a promoter in inverted orientation so that the 'wrong' or complementary strand is transcribed into a noncoding antisense RNA that hybridizes with the target mRNA and interferes with its expression (Takayama *et al.*, *Crit. Rev. Biochem. Mol. Biol.* 25:155-184 (1990)). An antisense vector is constructed by standard procedures and introduced into

cells by transformation, transfection, electroporation, microinjection, infection, *etc.* The type of transformation and choice of vector will determine whether expression is transient or stable. The promoter used for the antisense gene may influence the level, timing, tissue, specificity, or inducibility of the antisense inhibition.

It is understood that the activity of a protein in a plant cell may be reduced or depressed by growing a transformed plant cell containing a nucleic acid molecule whose non-transcribed strand encodes a protein or fragment thereof.

Post transcriptional gene silencing (PTGS) can result in virus immunity or gene silencing in plants. PTGS is induced by dsRNA and is mediated by an RNA-dependent RNA polymerase, present in the cytoplasm, that requires a dsRNA template. The dsRNA is formed by hybridization of complementary transgene mRNAs or complementary regions of the same transcript. Duplex formation can be accomplished by using transcripts from one sense gene and one antisense gene co-located in the plant genome, a single transcript that has self-complementarity, or sense and antisense transcripts from genes brought together by crossing. The dsRNA-dependent RNA polymerase makes a complementary strand from the transgene mRNA and RNase molecules attach to this complementary strand (cRNA). These cRNA-RNase molecules hybridize to the endogene mRNA and cleave the single-stranded RNA adjacent to the hybrid. The cleaved single-stranded RNAs are further degraded by other host RNases because one will lack a capped 5' end and the other will lack a poly(A) tail (Waterhouse *et al.*, *PNAS* 95: 13959-13964 (1998)).

It is understood that one or more of the nucleic acids of the invention may be introduced into a plant cell and transcribed using an appropriate promoter with such transcription resulting in the postranscriptional gene silencing of an endogenous transcript.

Antibodies have been expressed in plants (Hiatt *et al.*, *Nature* 342:76-78 (1989); Conrad *et al.*, *Plant Mol. Biol.* 26:1023-1030 (1994)). Cytoplasmic expression of a scFv (single-chain Fv antibodies) has been reported to delay infection by artichoke mottled crinkle virus. Transgenic plants that express antibodies directed against endogenous

proteins may exhibit a physiological effect (Philips *et al.*, *EMBO J.* 16:4489-4496 (1997); Marion-Poll, *Trends in Plant Science* 2:447-448 (1997)). For example, expressed anti-abscissic antibodies have been reported to result in a general perturbation of seed development (Philips *et al.*, *EMBO J.* 16: 4489-4496 (1997)).

Antibodies that are catalytic may also be expressed in plants (abzymes). The principle behind abzymes is that since antibodies may be raised against many molecules, this recognition ability can be directed toward generating antibodies that bind transition states to force a chemical reaction forward (Persidas, *Nature Biotechnology* 15:1313-1315 (1997); Baca *et al.*, *Ann. Rev. Biophys. Biomol. Struct.* 26:461-493 (1997)). The catalytic abilities of abzymes may be enhanced by site directed mutagenesis. Examples of abzymes are, for example, set forth in U.S. Patent No: 5,658,753; U.S. Patent No. 5,632,990; U.S. Patent No. 5,631,137; U.S. Patent 5,602,015; U.S. Patent No. 5,559,538; U.S. Patent No. 5,576,174; U.S. Patent No. 5,500,358; U.S. Patent 5,318,897; U.S. Patent No. 5,298,409; U.S. Patent No. 5,258,289 and U.S. Patent No. 5,194,585.

It is understood that any of the antibodies of the invention may be expressed in plants and that such expression can result in a physiological effect. It is also understood that any of the expressed antibodies may be catalytic.

(d) Antibodies

One aspect of the present invention concerns antibodies, single-chain antigen binding molecules, or other proteins that specifically bind to one or more of the protein or peptide molecules of the present invention and their homologues, fusions or fragments. Such antibodies may be used to quantitatively or qualitatively detect the protein or peptide molecules of the present invention. As used herein, an antibody or peptide is said to "specifically bind" to a protein or peptide molecule of the present invention if such binding is not competitively inhibited by the presence of non-related molecules.

Nucleic acid molecules that encode all or part of the protein of the present invention can be expressed, via recombinant means, to yield protein or peptides that can in turn be used to elicit antibodies that are capable of binding the expressed protein or peptide. Such antibodies may be used in immunoassays for that protein. Such protein-

encoding molecules, or their fragments may be a “fusion” molecule (*i.e.*, a part of a larger nucleic acid molecule) such that, upon expression, a fusion protein is produced. It is understood that any of the nucleic acid molecules of the present invention may be expressed, via recombinant means, to yield proteins or peptides encoded by these nucleic acid molecules.

The antibodies that specifically bind proteins and protein fragments of the present invention may be polyclonal or monoclonal and may comprise intact immunoglobulins, or antigen binding portions of immunoglobulins fragments (such as $F(ab')$, $F(ab')_2$), or single-chain immunoglobulins producible, for example, via recombinant means. It is understood that practitioners are familiar with the standard resource materials which describe specific conditions and procedures for the construction, manipulation and isolation of antibodies (*see*, for example, Harlow *et al.*, In: *Antibodies: A Laboratory Manual*, Cold Spring Harbor Press, Cold Spring Harbor, New York (1988)).

Murine monoclonal antibodies are particularly preferred. BALB/c mice are preferred for this purpose, however, equivalent strains may also be used. The animals are preferably immunized with approximately 25 μ g of purified protein (or fragment thereof) that has been emulsified in a suitable adjuvant (such as TiterMax adjuvant (Vaxcel, Norcross, GA)). Immunization is preferably conducted at two intramuscular sites, one intraperitoneal site and one subcutaneous site at the base of the tail. An additional *i.v.* injection of approximately 25 μ g of antigen is preferably given in normal saline three weeks later. After approximately 11 days following the second injection, the mice may be bled and the blood screened for the presence of anti-protein or peptide antibodies. Preferably, a direct binding Enzyme-Linked Immunoassay (ELISA) is employed for this purpose.

More preferably, the mouse having the highest antibody titer is given a third *i.v.* injection of approximately 25 μ g of the same protein or fragment. The splenic leukocytes from this animal may be recovered 3 days later and then permitted to fuse, most preferably, using polyethylene glycol, with cells of a suitable myeloma cell line (such as, for example, the P3X63Ag8.653 myeloma cell line). Hybridoma cells are selected by

culturing the cells under “HAT” (hypoxanthine-aminopterin-thymine) selection for about one week. The resulting clones may then be screened for their capacity to produce monoclonal antibodies (“mAbs”), preferably by direct ELISA.

In one embodiment, anti-protein or peptide monoclonal antibodies are isolated using a fusion of a protein or peptide of the present invention, or conjugate of a protein or peptide of the present invention, as immunogens. Thus, for example, a group of mice can be immunized using a fusion protein emulsified in Freund’s complete adjuvant (*e.g.*, approximately 50 µg of antigen per immunization). At three week intervals, an identical amount of antigen is emulsified in Freund’s incomplete adjuvant and used to immunize the animals. Ten days following the third immunization, serum samples are taken and evaluated for the presence of antibody. If antibody titers are too low, a fourth booster can be employed. Polysera capable of binding the protein or peptide can also be obtained using this method.

In a preferred procedure for obtaining monoclonal antibodies, the spleens of the above-described immunized mice are removed, disrupted and immune splenocytes are isolated over a ficoll gradient. The isolated splenocytes are fused, using polyethylene glycol with BALB/c-derived HGPRT (hypoxanthine guanine phosphoribosyl transferase) deficient P3x63xAg8.653 plasmacytoma cells. The fused cells are plated into 96 well microtiter plates and screened for hybridoma fusion cells by their capacity to grow in culture medium supplemented with hypoxanthine, aminopterin and thymidine for approximately 2-3 weeks.

Hybridoma cells that arise from such incubation are preferably screened for their capacity to produce an immunoglobulin that binds to a protein of interest. An indirect ELISA may be used for this purpose. In brief, the supernatants of hybridomas are incubated in microtiter wells that contain immobilized protein. After washing, the titer of bound immunoglobulin can be determined using, for example, a goat anti-mouse antibody conjugated to horseradish peroxidase. After additional washing, the amount of immobilized enzyme is determined (for example through the use of a chromogenic substrate). Such screening is performed as quickly as possible after the identification of

the hybridoma in order to ensure that a desired clone is not overgrown by non-secreting neighbor cells. Desirably, the fusion plates are screened several times since the rates of hybridoma growth vary. In a preferred sub-embodiment, a different antigenic form may be used to screen the hybridoma. Thus, for example, the splenocytes may be immunized with one immunogen, but the resulting hybridomas can be screened using a different immunogen. It is understood that any of the protein or peptide molecules of the present invention may be used to raise antibodies.

Such antibody molecules or their fragments may be used for diagnostic purposes. Where the antibodies are intended for diagnostic purposes, it may be desirable to derivatize them, for example with a ligand group (such as biotin) or a detectable marker group (such as a fluorescent group, a radioisotope or an enzyme).

The ability to produce antibodies that bind the protein or peptide molecules of the present invention permits the identification of mimetic compounds of those molecules. A "mimetic compound" is a compound that is not that compound, or a fragment of that compound, but which nonetheless exhibits an ability to specifically bind to antibodies directed against that compound.

Having now generally described the invention, the same will be more readily understood through reference to the following examples which are provided by way of illustration, and are not intended to be limiting of the present invention, unless specified.

EXAMPLE 1

In this example, DNA is extracted from soybean plants, amplified, and mapped.

A single trifoliate leaf is collected from the newest growth of four week old soybean plants. Leaf tissue from the leaf is placed on ice and stored at -80°C. The frozen tissue is lyophilized, and approximately 0.01 grams of the tissue is used for DNA extraction. The 0.01 grams of leaf tissue is ground to powder in 1.4 ml tubes. 600 microliters (μ l) of DNA extraction buffer consisting of 0.5M NaCl, 0.1M Tris-(hydroxymethyl) aminomethane pH 8.0, 0.05 M ethylenediaminetetra-acetic acid (EDTA), 10.0 g L⁻¹ sodium dodecyl sulfate (SDS), and 2 g L⁻¹ phenantroline (dissolved in 0.01 L ethanol) is heated to 65°C (with 0.77 g L⁻¹ dithiothreitol added immediately before

use) is added to each tube, and each tube is mixed thoroughly. The samples are placed in a 65°C water bath for 15 minutes and shaken by hand after 10 minutes. The samples are taken out of the water bath and cooled to room temperature, and then 200 µl of 5 M KOAc is added to each tube. The samples are inverted and placed at 4°C for 20 minutes. Samples are then centrifuged for 12 minutes at 6200 X g and the supernatant (about 600 µl) is transferred to new tubes. DNA is precipitated with 330 µl of cold isopropanol and placed at -20°C for 1 hr. The DNA is pelleted by centrifuging at 6200 X g for 10 minutes and washed with 70% EtOH. The DNA is pelleted by centrifugation at 6200 X g for 10 minutes and dried using a Speed-Vac. The DNA is dissolved in 100 µl of TE_{0.1} (0.01 M Tris-HCl pH 8.0, 0.0001 M EDTA). The extraction will generally yield 500 ng DNA µl⁻¹.

A polymerase chain reaction (PCR) is conducted with 5 to 10 ng genomic DNA in 10 µl volumes of 10 mM Tris-HCl (pH 8.3), 50 mM KCl, 0.001% gelatin, 1.5 mM MgCl₂, 0.1 mM of each dNTP, 150 nM of each primer, 0.01 mM Cresol Red, 2% sucrose and 0.32 units of AmpliTaq DNA Polymerase (Perkin Elmer Instruments Inc., USA). For thermocycling, the Gene Amp PCR System 9700 (Perkin Elmer Instruments Inc., USA) is used with one step of 94°C for 3 minutes, then 32 cycles of 94°C, 47°C, and 72°C steps of 25 sec each and one final step of 72°C for 3 minutes. The PCR products are run on a 6% polyacrylamide gel (30 cm X 8 cm X 1 mm) in 1X TAE (40 mM Tris-HCl, pH 8.3, 1 mM EDTA) at 180 v for 45 minutes. The gels are stained using SYBR Gold (Molecular Probes, Eugene, OR) according to the manufacturer's instructions.

SSR primer screening for polymorphism is performed using PIC, HS-1, Will and PI507354 genotypes. SSRs that are polymorphic and easy to score (*i.e.*, clear banding pattern and good separation between alleles) are mapped using the HS-1 x PIC (F2) and/or Will x PI507354 (RIL) mapping populations. At least one SSR per BAC sequence is mapped. DNA markers that exhibited codominant banding patterns are scored as homozygous for one or the other parent or as heterozygous, exhibiting both parental alleles. Marker scores are checked for segregation distortion using the chi-squared test for goodness of fit to expected ratios. Linkage relationships are determined using Mapmaker Version 3.0b with a LOD of 3.0 (Whitehead Institute, Cambridge, MA).

EXAMPLE 2

DNA fragments containing candidates for genes *rhg1* and *Rhg4* from susceptible and resistant soybean lines are subcloned into a TA cloning plasmid (TOPO TA Cloning Kit, Version E, Invitrogen Corporation, 1600 Faraday Avenue, Carlsbad, CA).

Genomic DNA from 24 susceptible and 9 resistant lines is isolated using standard techniques. Approximately 500 nanograms (ng) of DNA is used for PCR amplification. Resistant BAC DNA is isolated by using AUTOGEN (AutoGen Corp., 35 Loring Drive Framingham, MA). PCR amplification is then performed using 0.1- 0.2 ng of resistant BAC DNA. The primers that are used to amplify candidate *rhg1* genes PCR are as follows:

Fragment I (2,892 bp) primer (SEQ ID NO: 25), GCA ATA CTT GAA GGA ATA TGT CCA C; primer (SEQ ID NO: 24), beginning at start codon, ATG GAT GGT AAA AAT TCA AAA CTA AAC; modified reverse primer 1 (SEQ ID NO: 1123), beginning 5 bp before start codon; GTT GTA TGG ATG GTA AAA ATT CAA AAC. Fragment II (1,746 bp) reverse primer 2 (SEQ ID NO: 27), ending at 13 bp after stop codon, GAC TGG CTG TGA CTG ATC TCT CT; primer 2 (SEQ ID NO: 26), CTC ACT TAC ACT GCT GAA TGC AGA.

The primers for *Rgh4* PCR are as follows:

Forward primer (SEQ ID NO: 48), ATG TCT CTC CCC AAA ACC CTA CTT TCT CTC; reverse primer (SEQ ID NO: 49), ending at 2 bp after stop codon, GGT TAA CGG CAA TCC ATT GAA TCA AAG GAG.

PCR amplification is performed in an MJ Research PTC DNA Engine *TM* System, Model PTC-225 (MJ Research Inc, 590 Lincoln Street Waltham, MA). PCR is performed using the following components: 1µl DNA, 5µl 10x buffer, 1µl primer 1, 1µl primer 2, 1µl 10mM dNTP, 1.5 µl 50mM MgCl₂, 0.2µl Taq. (Platinum), 39.3µl H₂O. The PCR program used is as follows: 95°C for 10 minutes (step 1), 95°C for 30 seconds (step 2), 70°C for 30 seconds/-1°C per cycle/72°C for 3 minutes (step 3), repeat steps two through three 9 times (step 4), 95°C for 30 seconds (step 5), 60°C for 30 seconds (step 6),

72°C for 3 minutes (step 7), repeat steps five through seven 34 times (step 8), 4°C forever (step 9), end.

PCR products are separated on 1% agarose gel by electrophoresis. A single DNA band is excised from gel. Gel extraction is done using CLONTECH NucleoSpin Extraction Kit (Clontech Laboratories Inc., 1020 East Meadow Circle, Palo Alto, CA). 2 µl of purified DNA is loaded on 1% agarose gel to check concentration. 40-100ng of DNA is used for subcloning.

A TOPO cloning reaction is done according to the following: 4µl of fresh PCR product, 1µl Clontech Salt Solution, and 1 µl TOPO vector. The solution is mixed gently, incubated for 10 minutes at room temperature, and then placed on ice.

A one shot chemical transformation is performed as follows. 2µl of the TOPO Cloning reaction is added to a vial of TOP 10 One Shot Chemically Competent *E. coli* and mixed gently. The mixture is then Incubated on ice for 30 minutes. The cells are then heat-shocked for 30 seconds at 42°C, and immediately transferred to ice. 250 µl of SOC medium is then added, and the mixture is incubated at 37°C for 1 hour. 80 µl is then spread onto a selective plate, and 170 µl is spread onto another plate. The plates are incubated at 37°C for 18-20 hours. The selective plates are LB agar plates with 100 µg/ml ampicillin, 40 µg/ml IPTG, and 40 µg/ml X-GAL.

After incubation, 8-10 white or light blue colonies are selected. The positive colonies are inoculated into LB medium containing 50 µg/ml ampicillin and incubated at 37°C overnight. Sterilized glycerol is added to make 15% glycerol stock, which can be stored at -80°C.

Sanger sequencing reactions are performed on subclones using BigDye Terminators (Applied Biosystems, 850 Lincoln Centre Drive, Foster City, CA) and then analyzed on ABI 377/ABI 3700 automated sequencing machines (Applied Biosystems, 850 Lincoln Centre Drive, Foster City, CA). The sequences are evaluated for quality and error probability using the program, PHRED (Ewing and Green, *Genome Res.*, 8:186-194 (1998), Ewing *et al.*, *Genome Res.*, 8:175-185, (1998)), assembled using the *phrap* assembler and viewed using *consed* (Gordon *et al.*, *Genome Res.*, 8:195-202). An *rhg1*

candidate gene is found in BAC 240O17, and is about 4.5 kb in size. An *Rhg4* candidate was found in BAC 318O13, and is about 3.5 kb in size.

EXAMPLE 3

The physical mapping of a QTL (quantitative trait locus) is described in this example. Mapping is initiated with linkage analysis of SSR (simple sequence repeats) markers. Markers that are shown to be linked to the QTL of interest are used to PCR screen the soy BAC library and identify candidate BACs. Confirmed BACs are subcloned and sequenced, BAC-end sequenced, and fingerprinted. New markers are designed from good BAC-end sequences and used to screen the library, by either PCR or hybridization to high density grid filters, in order to extend the contigs. A BAC-end sequence and fingerprint database of soy BACs is used in conjunction with the above methods to help build and extend contigs. Sequenced BACs are aligned, and overlapping BACs are placed into contigs. These contigs, which contain unique sequences, are put into an ACEDB database, and predicted genes are annotated by hand using various programs. Candidates genes (for the gene of interest) are subcloned from genomic DNA of different lines by PCR using primers from outside the predicted coding regions. These subclones are sequenced and screened for SNPs (single nucleotide polymorphisms) and INDELs (insertions/deletions), and different haplotypes of the lines with and without the desired phenotype are examined for correlations between the haplotype and phenotype.

A single trifoliolate leaf is collected from the newest growth of four week old soybean plants. The leaf tissue is placed on ice and stored at -80°C. The frozen tissue is lyophilized and approximately 0.01 grams of tissue is used for DNA extraction. The leaf tissue is ground to powder in 1.4 ml tubes and 600 µl of DNA extraction buffer [0.5M NaCl, 0.1M Tris-(hydroxymethyl) aminomethane pH 8.0, 0.05 M ethylenediaminetetraacetic acid (EDTA), 10.0 g L⁻¹ sodium dodecyl sulfate (SDS), 2 g L⁻¹ phenantrolone (dissolved in 0.01 L ethanol)] heated to 65°C (with 0.77 g L⁻¹ dithiothreitol added immediately before use) is added to each tube and mixed thoroughly. The samples are placed in a 65°C water bath for 15 minutes and shaken by hand after 10 min. The samples are taken out of the water bath, cooled to room temperature, and 200 µl of 5 M

KOAc is added to each tube. The samples are inverted and placed at 4°C for 20 min. Samples are then centrifuged for 12 minutes at 6200 X g and the supernatant (about 600 µl) is transferred to new tubes. DNA is precipitated with 330 µl of cold isopropanol and placed at -20°C for 1 hr. The DNA is pelleted by centrifuging at 6200 X g for 10 minutes and is washed with 70% EtOH. The DNA is pelleted by centrifugation at 6200 X g for 10 minutes and dried using a Speed-Vac. The DNA is dissolved in 100 µl of TE_{0.1} (0.01 M Tris-HCl pH 8.0, 0.0001 M EDTA). The extraction yields 500 ng DNA µl⁻¹.

The polymerase chain reaction (PCR) is conducted with 5 to 10 ng genomic DNA in 10 µl volumes of 10 mM Tris-HCl (pH 8.3), 50 mM KCl, 0.001% gelatin, 1.5 mM MgCl₂, 0.1 mM of each dNTP, 150 nM of each primer, 0.01 mM Cresol Red, 2% sucrose and 0.32 units of AmpliTaq DNA Polymerase (Perkin Elmer Instruments Inc., USA, 761 Main Avenue, Norwalk, CT). For thermocycling, the Gene Amp PCR System 9700 (Perkin Elmer Instruments Inc., USA, 761 Main Avenue, Norwalk, CT) is used with one step of 94°C for 3 min, then 32 cycles of 94°C, 47°C and 72°C steps of 25 sec each and one final step of 72°C for 3 min. The PCR products are run on a 6% polyacrylamide gel (30 cm X 8 cm X 1 mm) in 1X TAE (40 mM Tris-HCl, pH 8.3, 1 mM EDTA) at 180v for 45 min. The gels are stained using SYBR Gold (Molecular Probes, Eugene, OR) per manufacturers instructions.

SSR primer screening for polymorphisms is performed using PIC, HS-1, Will and PI507354 genotypes. SSRs that are polymorphic and easy to score (*i.e.*, Clear banding pattern and good separation between alleles) are mapped using the HS-1 x PIC (F2) and/or Will x PI507354 (RIL) mapping populations. At least one SSR per BAC sequence is mapped. DNA markers that exhibited codominant banding patterns are scored as homozygous for one or the other parent or as heterozygous, exhibiting both parental alleles. Marker scores are checked for segregation distortion using the chi-squared test for goodness of fit to expected ratios. Linkage relationships were determined using Mapmaker Version 3.0b with a LOD of 3.0 (Whitehead Institute for Biomedical Research, Cambridge MA).

Thirty-two BAC DNA superpools (10 genomic equivalents) extracted from either 4608 clones (48 96-well microtiter plates) are used as templates for the first round of PCR screening. Following identification of the positive superpools, the second screening is performed against 4-D BAC DNA pools. Each clone of the superpool is addressed 4-dimensionally (7 X 7 X 12 X 8) and pooled in each dimension. Each set of 48 plates is divided into 6 sets of 7 plates and one set of 6 plates, and partitioned in two ways. The first partition is in numerical order, plates 1-7, 8-14, ... 43-48 representing 7 group or stack pools. The second partition is according to plate position within each of the respective stacks, plates [1, 8, 15, 22, 29, 36], [2,9,16, 23, 30, 37, 43] *etc.*, representing 7 plate pools. Each well of the 96-well plates contains 12 columns and 8 rows. Clones from row 1 are pooled from all 48 plates to generate the row 1 pool. Clones of rows 2, 3, 4....8, and columns 1, 2, 3....12 are pooled to generate 8 row pools and 12 column pools respectively.

For each superpool, BAC DNA is extracted from a total of 34 subpools (7 + 7 + 8 + 12). Positive clones are identified by TaqMan/PCR screening of the 34 subpools if one positive clone is present. If more than one positive clone is present in a superpool, a third round of screening with N4 PCR reactions is performed.

Addresses of candidate BACs are identified, and the candidates are streaked out for single colony isolation and grown overnight at 37°C. A single, isolated colony is picked and streaked out and grown overnight at 37°C. PCR is repeated for the marker of interest (using the program designed for the relevant marker) using a smear of cells from the plate streaked from a single colony. The PCR product is run on a 2% agarose gel and purified using the Clonotech NucleoSpin Gel Extraction Kit (according to the manufacturer's instructions, Clonotech Laboratories Inc., 1020 East Meadow Circle, Palo Alto, CA) and 10-50 ng of the purified DNA are added to 10 pmol of each primer (forward and reverse), in a total volume of 6 µl of ddH₂O and 2 µl of BigDye Terminators (Applied Biosystems, 850 Lincoln Centre Drive, Foster City, CA). The cycling conditions are: 96°C for 1 minute (step 1), 96°C for 10 seconds (step 2), 50°C for

5 seconds (step 3), 60°C for 4 minutes (step 4), steps 2-4 are repeated for 24 cycles (step 5), and hold at 4°C.

The generated sequence is compared to the consensus sequence using DNA comparison software. Confirmed clones are subcloned, sequenced, BAC-end sequenced, and Fingerprinted.

BAC-end sequencing is done using 3.2 pmol of SP6 and T7 primers (separately), approximately 600 ng-1 ug of BAC DNA (Autogen prepped, AutoGen Corp., 35 Loring Drive Framingham, MA) reaction, resuspended in 6µl of ddH₂O, and 4µl of BigDye Terminators (Applied Biosystems 850 Lincoln Centre Drive, Foster City, CA) to give a total reaction volume of 10ul. The cycling conditions are: 96°C for 2 minutes (step 1), 96°C for 15 seconds (step 2), 50°C for 15 seconds (step 3), 60°C for 4 minutes (step 4), steps 2-4 are repeated for 50-60 cycles (step 5), 72°C for 2 minutes (step 6), hold at 4°C or 10°C (step 7).

The reactions are ethanol precipitated and loaded on capillary sequencers. The newly generated BAC-end sequence is trimmed from the vector sequence, and entered into a database containing approximately 400,000 BAC-end sequences. Each BAC is blasted against the database to search for BAC-end matches extension of the contigs. New markers are designed from good BAC-end sequences, and these are then used to rescreen the library in order to build up contigs across the region of interest. Screening can be done in either of two ways: as above (PCR strategy), or by hybridization of high-density grid filters from Research Genetics (Research Genetics, 2130 Memorial Parkway, Huntsville, AL).

The probes used for hybridization are derived from clones or genomic DNA by PCR amplification using the vector or gene-specific primers, with the appropriate cycling conditions. PCR products are run on a 1% agarose gel containing ethidium bromide (0.2 ug/ml) in 1X TAE buffer at 100 volt for 1-2 hrs. Isolated DNA fragments are excised and gel-purified using the Clonotech NucleoSpin gel extraction kit (Clonotech Laboratories Inc., 1020 East Meadow Circle, Palo Alto, CA), before labeling. In order to check the size of the fragments and concentration, 2 µl of eluted DNA plus loading buffer are

loaded on a 1% agarose gel along with DNA markers of known concentration and size. All the probes used to screen the library are tested individually for repetitiveness, with a smaller filter spotted with random clones from the library along with some positive control clones according to the protocol described below.

The A3244 soy library generated by a an *EcoRI* digest is spotted on 3 high density grid filters from Research Genetics (Research Genetics, 2130 Memorial Parkway, Huntsville, AL). Each filter has six fields, twelve 384 well plates are spotted in each field in duplicate, with a total of 27,648 clones spotted on each filter. The plates are spotted in a 5X5 grid (12 clones per 5X5 grid) pattern within each field. Each clone is spotted in duplicate with a specific orientation within the 5X5 grid, which, together with the field position, gives information about its address. In a first round hybridization procedure, multiple probes are labeled separately and then pooled together to hybridize to BAC filters. Positive BACs identified in this procedure are deconvoluted by rehybridization with the individual probes.

A hybridization oven is set at 65°C, and Church Buffer (0.5 M Sodium Phosphate, pH 7.0, 7% SDS, 1% bovine serum albumin, 1 mM EDTA, 100 µg/ml salmon sperm DNA) is prewarmed to 65°C. Membranes are washed in 500 ml of 0.1X SSC, 0.1% SDS in a large container at room temperature for 5 minutes with gentle shaking (50 rpm) on a rotary shaker. The membranes are rinsed with 500 ml of 0.1X SSC (no SDS) for 1 minute. The wash solution is poured off, and 500 ml of 6XSSC (no SDS) is added to equilibrate the membranes. Three filters are placed in a tube. The filters are separated from each other and the sides of the tube by a layer of mesh. Each tube is filled with 6XSSC and shaken gently with the tube vertical to help eliminate bubbles between the filters and tube wall. The 6X SSC solution is poured off, and 25 ml of pre-warmed Church buffer is added. The bottles are rotated in a hybridization oven at 60 rpm and 65°C for 30 minutes or longer.

Probes are labeled using 1 µl of 40-50 uCi/µl [$\alpha^{32}\text{P}$ dCTP], 50 ng of purified DNA in 49 µl of ddH₂O, and Read-To-Go Labeling Beads from Amersham Pharmacia according to the manufacturers instructions (Amersham Pharmacia, Uppsala, Sweden).

The probes are purified using the Bio-Spin Column P30 from BioRad according to manufacturers instructions (Bio-Rad Laboratories, 3316 Spring Garden Street, Philadelphia, PA). To 1 µl of the column-purified probe is added to a minipoly-Q vial (liquid scintillation vial) for each probe. 5 ml of scintillation liquid is added to each vial, and radiation activity for each vial is measured using a liquid scintillation counter.

After the probes are purified and counted for radioactivity, 10-20 probes and one control probe (from 50 µl reaction) are pooled with 10^7 cpm/probe each, into one 1.5 ml eppendorf tube. The pooled probes are denatured at 99°C in a sand heating block for 10 minutes. The tubes are cooled on ice or ice water about 2 minutes, and then spun down at 14,000 rpm for 30 seconds in microcentrifuge. The tubes are pre-hybridized in 25ml of Church buffer for at least 30 minutes, which is then poured off. 40 ml of fresh hybridization solution (pre-warmed Church buffer) is added. The pooled-probe solution is added to the hybridization tube. The tube is rotated in the hybridization oven at 60 rpm, 65°C overnight.

The probe solution is poured off, 30 ml of pre-warmed (65°C) 1X SSC, 0.1% SDS washing solution is added to the hybridization tube, the hybridization tube is rotated in the hybridization oven (at 65° C) for 15 minutes, and the process is repeat two times. At the last wash, the tube is rotated 180° and at the same speed for 15 minutes at 65°C. The washing solution is poured off, and 2X SSC (no SDS) is added.

Excess liquid is removed from each filter by placing the filter on a piece of 3MM paper. The washed filter is placed on developed film with the DNA-side up (the side BACs were spotted on), covered with Saran wrap, and squeezed to force out liquid and bubbles. The Saran wrap is folded to the other side of the film, fixed it with tape, and then dried Kimwipes. The wrapped filters are placed into a film cassette with the DNA-side up (the side BACs were spotted on), which is placed on BioMax MS film (Biomax Technologies Inc., Vancouver, BC, Canada) in a darkroom, and exposed overnight at room temperature without an intensifying screen. Film is developed with a film developer in the dark room the next day, and each film is labeled with filter number, probe used for hybridization, exposure time, and date.

Starting from Field 3, a 384-well grid is put on the field with the A1 position of the grid on the upper right, and the grid is aligned to the image. The row and column position for each positive clone on the BAC recording spreadsheet is determined and recorded. The pattern of the hybridization signal is matched to known patterns. There are 6 plate reference numbers for each of twelve patterns, which are arranged in the same manner as the 6 fields. Based on the signal pattern and field number, a plate reference number is determined for each positive clone. The grid is moved to the next field and the process is repeated. The original plate number (P) is determined using the following formula: $P = (N-1) \times 72 + R$, where N is the filter number on which the identified clone is present and R is the plate reference number previously determined. The complete address of the identified clone is given by the original plate number plus its position on the plate determined previously. BACs' addresses are identified and converted to "imp" files according to a Q-bot file format.

24 working plates are loaded into a Q-bot (Genetix, Queensway, New Milton, Hampshire, United Kingdom) 6-high hotel and media-filled 96-well plates are placed on the deck. The Q-bot is run following the standard manual using the program called "Rearranging98" with the settings given in Appendix III of the accompanying manual: BAC-Picking. Plates containing picked clones are placed in a shaker incubator and grown overnight at 37° C at 200 rpm.

35 µl DNA solution are transferred from 96-well plates into a 384-well plate using a Platemate such that 4 96-well plates of DNA are combined into one 384-well plate. The 384-pin head (puck) is washed in 10% SDS solution for 5 minutes, ultrasonicated in a water bath for 3 minutes, washed with 70% ethanol for 1 min., and air dried for 3 minutes. The 384-well DNA source plates and membranes are arranged on the deck according to the instruction from the manual and the spotted grid design chosen for the membrane. Spotting pattern are designed so that there is one control probe at each of the 4 corners of the membrane. An asymmetric pattern is used to orient filters. The control probe concentration is about 5 ng/ul. Zeus is run according to instructions. If the DNA concentration is lower than 5 ng/ul, the Zeus is run a second time to double the

amount of spotted DNA on the membrane. One of the empty spots is spot dyed, if available, using one 384-well dye plate. If an empty spot is not available, it is printed on one of the DNA spots. This spot marks the position for cutting filters into small membranes (9X12 cm). Membranes are interleaved between 3M papers and left to air-dry. Each corner of each membrane is marked with a permanent marker and numbered. Filters are denatured on the surface of 3M paper soaked with denaturalization solution for 4 minutes, and then neutralized on the surface of 3 M paper soaked with neutralization solution for 5 minutes. The filters are washed with 2XSSC for 5 minutes and then air dried. The filters are then baked at 80°C for 1 hr. and cut into individual small membranes (9X12 cm) according to the marked corner.

To confirm and deconvolute, hybridizations are done as before, but with newly generated filters, and each probe is done separately with a single filter using the smaller tube. 15 ml of Church buffer is used for the hybridization.

Fingerprints are generated by digesting the BAC DNA with Hind III for 3 hours at 37°C and running the reaction on a 0.8% gel at 200V for 19 hours. The gels are stained with SybrGreen, while shaking at room temperature for 45 minutes, and scanned with a FluorImager. The bands are sized using Frag software and the fingerprints are assembled into contigs within FPC. Every time new clones are added the contigs are rebuilt using a tolerance of 10 and a cutoff of 10^{-9} .

Subclones are generated and Sanger sequencing reactions were performed on randomly chosen subclones using BigDye Terminators (Applied Biosystems, 850 Lincoln Centre Drive, Foster City, CA) then analyzed on ABI 377/ABI 3700 automated sequencing machines (Applied Biosystems, 850 Lincoln Centre Drive, Foster City, CA). 7-8 fold sequence coverage is thereby generated across the BAC. The sequences are evaluated for quality and error probability using the program, *phred*, assembled using the *phrap* assembler, and viewed using *consed*, as in example 2. For Bermuda standard BACs, all contigs are ordered and oriented and all gaps are closed using a directed primer walking strategy. A final quality value of phred40 (1 base error in 10,000 bases) with no gap regions, double coverage or two chemistries across single stranded areas is achieved.

The sequence contigs are put into an ACEDB database along with soy EST and plant EST matches, along with Blastx, Tblastx, and Plant Blastn hits. Genemark.hmm is used to predict possible genes, and GeneFinder is used to predict splicing sites, ORFs, potential coding regions, as well as start and stop codons. The contigs are then annotated by hand and predicted genes accepted, edited, and modified based on the characteristics present in the sequence and matches to protein, nucleotide, and EST databases.

The high-density BAC library membranes used for hybridization are made by Research Genetics (Research Genetics, 2130 Memorial Parkway, Huntsville, AL), using a modified Q-bot (Genetix, Queensway, New Milton, Hampshire, United Kingdom), 384-well plates containing BACs are spotted onto 22 cm X 22 cm Hybond N+ membranes (Amersham Pharmacia, Uppsala, Sweden). Bacteria from 72 plates are spotted twice onto one membrane, giving 55,296 colonies in total, or 27,648 unique clones per membrane. The plates are spotted into six "fields" per membrane, with each field having 12 plates spotted in duplicate. This spotting format results in six fields with 384 grids in each field. Each grid is a 5X5 matrix containing 12 unique clones in duplicate, with the center position left empty. The two positions occupied by each clone in duplicate are designed to give a unique pattern that indicates the plate location of each clone. After spotting, the bacteria on the membrane are incubated for 8 hours on LB-agar plates containing 12.5 ug/ml chloramphenicol. The membranes are then denatured, neutralized, washed in a standard procedure, UV-light crosslinked, and air-dried. The membranes can be stored and shipped at room temperature.

What is claimed is:

1. A method for the production of a soybean plant having an *rhg1* SCN resistant allele comprising:

(A) crossing a first soybean plant having an *rhg1* SCN resistant allele with a second soybean plant having an *rhg1* SCN sensitive allele to produce a segregating population;

(B) screening said segregating population for a member having an *rhg1* SCN resistant allele with a first nucleic acid molecule capable of specifically hybridizing to linkage group G, wherein said first nucleic acid molecule specifically hybridizes to a second nucleic acid molecule that is linked to said *rhg1* SCN resistant allele; and,

(C) selecting said member for further crossing and selection.

2. The method for the production of a soybean plant according to claim 1, wherein said first nucleic acid molecule is capable of specifically hybridizing to said second nucleic acid molecule having the nucleic acid sequence of SEQ ID NO: 2, 3, complements thereof, or fragments thereof having at least 15 nucleotides.

3. The method for the production of a soybean plant according to claim 1, wherein said first nucleic acid molecule is capable of specifically hybridizing to said second nucleic acid molecule having the nucleic acid sequence of SEQ ID NO: 5 or 6, complements thereof, or fragments thereof having at least 15 nucleotides.

4. The method for the production of a soybean plant according to claim 1, wherein said first nucleic acid molecule is a nucleic acid marker capable of detecting *rhg1* haplotype 2 or 4.

5. The method for the production of a soybean plant according to claim 1, wherein said first nucleic acid molecule is capable of specifically hybridizing to a nucleic acid molecule having a sequence that is present on linkage group G within 100kb of said *rhg1* SCN sensitive allele.

6. The method for the production of a soybean plant according to claim 5, wherein said first nucleic acid molecule is capable of specifically hybridizing to a nucleic acid molecule having a sequence that is present on linkage group G and located within 50kb of said *rhg1* SCN sensitive allele.

7. The method for the production of a soybean plant according to claim 6, wherein said first nucleic acid molecule is capable of specifically hybridizing to a nucleic acid molecule having a sequence that is present on linkage group G and located within 25kb of said *rhg1* SCN sensitive allele.
8. The method for the production of a soybean plant according to claim 7, wherein said *rhg1* SCN sensitive allele is also present in soybean line A3244.
9. The method for the production of a soybean plant according to claim 1, wherein said first soybean plant having an *rhg1* SCN resistant allele is selected from the soybean maturity group consisting of 000, 00, 0, I, II, III, IV, and V.
10. The method for the production of a soybean plant according to claim 1, wherein said first soybean plant having an *rhg1* SCN resistant allele is selected from the soybean maturity group consisting of VI, VII, VIII, IX, and X.
11. A method of investigating an *rhg1* haplotype of a soybean plant comprising:
 - (A) isolating nucleic acid molecules from said soybean plant;
 - (B) determining the nucleic acid sequence of an *rhg1* allele or part thereof; and,
 - (C) comparing the nucleic acid sequence of said *rhg1* allele or part thereof to a reference nucleic acid sequence.
12. The method of investigating an *rhg1* haplotype of a soybean plant according to claim 11, wherein said determining of said nucleic acid sequence of said *rhg1* allele or part thereof is a determination of a single nucleotide.
13. The method of investigating an *rhg1* haplotype of a soybean plant according to claim 11, wherein said determining of said nucleic acid sequence of said *rhg1* allele or part thereof is a determination of the nucleic acid sequence of an exon of *rhg1*.
14. The method of investigating an *rhg1* haplotype of a soybean plant according to claim 13, wherein said exon is exon 1 of *rhg1* v.1.
15. The method of investigating an *rhg1* haplotype of a soybean plant according to claim 13, wherein said exon is exon 3 of *rhg1* v.1.
16. The method of investigating an *rhg1* haplotype of a soybean plant according to claim 13, wherein said exon is exon 1 of *rhg1* v.2.

17. The method of investigating an *rhg1* haplotype of a soybean plant according to claim 13, wherein said exon is exon 2 of *rhg1* v.2.
18. The method of investigating an *rhg1* haplotype of a soybean plant according to claim 13, wherein said determination of said nucleic acid sequence of said *rhg1* allele or part thereof is a determination of the nucleic acid sequence of a leucine rich repeat domain.
19. A method of introgressing SCN resistance or partial SCN resistance into a soybean plant comprising:
 - performing marker assisted selection of said soybean plant with a nucleic acid marker, wherein said nucleic acid marker specifically hybridizes with a nucleic acid molecule having a first nucleic acid sequence that is physically linked to a second nucleic acid sequence that is located on linkage group G of soybean A3244, wherein said second nucleic acid sequence is within 500 kb of a third nucleic acid sequence which is capable of specifically hybridizing with the nucleic acid sequence of SEQ ID NO: 5, 6, complements thereof, or fragments thereof having at least 15 nucleotides; and,
 - selecting said soybean plant based on said marker assisted selection.
20. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 19, wherein said introgression of said SCN resistance or partial resistance is carried out by backcrossing with a sensitive soybean recurrent parent.
21. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 19, wherein said introgression of said SCN resistance or partial resistance is carried out by backcrossing with an *Rhg4* SCN resistance soybean recurrent parent.
22. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 19, wherein said introgression of said SCN resistance or partial resistance is carried out by backcrossing with an elite soybean recurrent parent.
23. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 19, wherein said nucleic acid marker is selected from the group consisting of SEQ ID NOs: 54-1096 and complements thereof.

24. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 19, wherein said nucleic acid marker is capable of detecting a single nucleotide polymorphism selected from the group of those set forth in table 2.

25. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 19, wherein said nucleic acid marker is capable of detecting a SSR selected from the group consisting of SEQ ID NOs: 54-1096 and complements thereof.

26. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 19, wherein said physically linked second nucleic acid sequence is within 100 kb of a nucleic sequence which is capable of specifically hybridizing with the nucleic acid sequence of SEQ ID NO: 5, or 6, complements thereof, or fragments thereof having at least 15 nucleotides.

27. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 26, wherein said physically linked second nucleic acid sequence is within 50 kb of a nucleic sequence which is capable of specifically hybridizing with the nucleic acid sequence of SEQ ID NO: 5 or 6, complements thereof, or fragments thereof having at least 15 nucleotides.

28. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 27, wherein said physically linked second nucleic acid sequence is within 25 kb of a nucleic sequence which is capable of specifically hybridizing with the nucleic acid sequence of SEQ ID NO: 5 or 6, complements thereof, or fragments thereof having at least 15 nucleotides.

29. A method for the production of a soybean plant having an *Rhg4* SCN resistant allele comprising:

(A) crossing a first soybean plant having an *Rhg4* SCN resistant allele with a second soybean plant having an *Rhg4* SCN sensitive allele to produce a segregating population;

(B) screening the segregating population for a member having an *Rhg4* SCN resistant allele with a first nucleic acid molecule capable of specifically hybridizing to

linkage group A2, wherein said first nucleic acid molecule specifically hybridizes to a second nucleic acid molecule linked to said *Rhg4* SCN resistant allele; and,

(C) selecting said member for further crossing and selection.

30. The method for the production of a soybean plant according to claim 29, wherein said first nucleic acid molecule is capable of specifically hybridizing to said second nucleic acid molecule having the nucleic acid sequence of SEQ ID NO: 4, complements thereof, or fragments thereof having at least 15 nucleotides.

31. The method for the production of a soybean plant according to claim 29, wherein said first nucleic acid molecule is capable of specifically hybridizing to said second nucleic acid molecule having the nucleic acid sequence of SEQ ID NO: 7, complements thereof, or fragments thereof having at least 15 nucleotides.

32. The method for the production of a soybean plant according to claim 29, wherein said nucleic acid molecule is a nucleic acid marker capable of detecting *Rhg4* haplotype 3.

33. The method for the production of a soybean plant according to claim 29, wherein said first nucleic acid molecule is capable of specifically hybridizing to a nucleic acid molecule having a sequence that is present on linkage group A2 within 100kb of said *Rhg4* SCN sensitive allele.

34. The method for the production of a soybean plant according to claim 33, wherein said first nucleic acid molecule is capable of specifically hybridizing to a nucleic acid molecule having a sequence that is present on linkage group A2 and located within 50kb of said *Rhg4* SCN sensitive allele.

35. The method for the production of a soybean plant according to claim 34, wherein said first nucleic acid molecule is capable of specifically hybridizing to a nucleic acid molecule having a sequence that is present on linkage group A2 and located within 25kb of said *Rhg4* SCN sensitive allele.

36. The method for the production of a soybean plant according to claim 35, wherein said *Rhg4* SCN sensitive allele is also present in soybean line A3244.

37. The method for the production of a soybean plant according to claim 29, wherein said first soybean plant having an *Rhg4* SCN resistant allele is selected from the soybean maturity group consisting of 000, 00, 0, I, II, III, IV, and V.

38. The method for the production of a soybean plant according to claim 29, wherein said first soybean plant having an *Rhg4* SCN resistant allele is selected from the soybean maturity group consisting of VI, VII, VIII, IX, and X.

39. A method of investigating an *Rhg4* haplotype of a soybean plant comprising:

- (A) isolating nucleic acid molecules from said soybean plant;
- (B) determining the nucleic acid sequence of an *Rhg4* allele or part thereof; and
- (C) comparing the nucleic acid sequence of said *Rhg4* allele or part thereof to a reference nucleic acid sequence.

40. The method of investigating an *Rhg4* haplotype of a soybean plant according to claim 39, wherein said determining of said nucleic acid sequence of said *Rhg4* allele or part thereof is a determination of a single nucleotide.

41. The method of investigating an *Rhg4* haplotype of a soybean plant according to claim 39, wherein said determining of said nucleic acid sequence of said *Rhg4* allele or part thereof is a determination of the nucleic acid sequence of an exon of *Rhg4*.

42. The method of investigating an *Rhg4* haplotype of a soybean plant according to claim 41, wherein said exon is exon 1.

43. The method of investigating an *Rhg4* haplotype of a soybean plant according to claim 41, wherein said exon is exon 2.

44. The method of investigating an *Rhg4* haplotype of a soybean plant according to claim 41, wherein said determination of said nucleic acid sequence of said *Rhg4* allele or part thereof is a determination of the nucleic acid sequence of a leucine rich repeat domain.

45. A method of introgressing SCN resistance or partial SCN resistance into a soybean plant comprising:

performing marker assisted selection of said soybean plant with a nucleic acid marker, wherein said nucleic acid marker specifically hybridizes with a nucleic acid molecule having a first nucleic acid sequence that is physically linked to a second nucleic

acid sequence that is located on linkage group A2 of soybean A3244, wherein said second nucleic acid sequence is within 500 kb of a third nucleic acid sequence which specifically hybridizes with the nucleic acid sequence of SEQ ID NO: 7, complements thereof, or fragments thereof having at least 15 nucleotides; and,

selecting said soybean plant based on said marker assisted selection.

46. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 45, wherein said introgression of said SCN resistance or partial resistance is carried out by backcrossing with a sensitive soybean recurrent parent.

47. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 45, wherein said introgression of said SCN resistance or partial resistance is carried out by backcrossing with an *Rhg1* SCN resistance soybean recurrent parent.

48. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 45, wherein said introgression of said SCN resistance or partial resistance is carried out by backcrossing with an elite soybean recurrent parent.

49. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 45, wherein said nucleic acid marker is selected from the group consisting of SEQ ID NOs: 54-1096 and complements thereof.

50. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 45, wherein said nucleic acid marker is capable of detecting a single nucleotide polymorphism selected from the group consisting of those set forth in table 4.

51. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 45, wherein said nucleic acid marker is capable of detecting a SSR selected from the group consisting of SEQ ID NOs: 54-1096 and complements thereof.

52. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 45, wherein said physically linked second nucleic acid sequence is within 100 kb of a nucleic sequence which specifically hybridizes with the nucleic acid sequence of SEQ ID NO: 7 or complement thereof.

53. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 45, wherein said physically linked second nucleic acid sequence is within 50 kb of a nucleic sequence which is capable of specifically hybridizing with the nucleic acid sequence of SEQ ID NO: 7, complements thereof, or fragments thereof having at least 15 nucleotides.
54. The method of introgressing SCN resistance or partial SCN resistance into a soybean plant according to claim 45, wherein said physically linked second nucleic acid sequence is within 25 kb of a nucleic sequence which is capable of specifically hybridizing with the nucleic acid sequence of SEQ ID NO: 7, complements thereof, or fragments thereof having at least 15 nucleotides.
55. A substantially purified nucleic acid molecule comprising a nucleic acid sequence selected from the group consisting of SEQ ID NOs: 5, 6, 8-23, 28-43, complements thereof, and fragments of either.
56. A substantially purified first nucleic acid molecule with nucleic acid sequence which specifically hybridizes to a second nucleic acid molecule having a nucleic acid sequence selected from the group consisting of a complement of SEQ ID NOs: 5, 6, 8-23, 28-43.
57. A substantially purified nucleic acid molecule comprising a nucleic acid sequence selected from the group consisting of SEQ ID NOs: 7, 44-47, and 50-53, complements thereof, and fragments of either.
58. A substantially purified first nucleic acid molecule with nucleic acid sequence which specifically hybridizes to a second nucleic acid molecule having a nucleic acid sequence selected from the group consisting of a complement of SEQ ID NOs: 50-53.
59. A substantially purified protein or fragment thereof comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 1097, 1098, and 1100-1115 and fragments thereof.
60. A substantially purified protein or fragment thereof comprising an amino acid sequence selected from the group consisting of SEQ ID NOs 1099, and 1116-1119 and fragments thereof.

61. A transformed plant having a nucleic acid molecule which comprises: (A) an exogenous promoter region which functions in a plant cell to cause the production of a mRNA molecule; (B) a structural nucleic acid molecule encoding a protein or fragment thereof comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 1097, 1100, 1098, 1101, 1102-1115; and (C) a 3' non-translated sequence that functions in the plant cell to cause termination of transcription and addition of polyadenylated ribonucleotides to a 3' end of the mRNA molecule.

62. The transformed plant according to claim 61, wherein said plant is soybean.

63. The transformed plant according to claim 62, wherein said plant is soybean is selected from the group consisting of PI548402 (Peking), PI200499, A2869, Jack, A2069, PI209332 (No:4), PI404166 (Krasnoarmejkaja), PI404198 (Sun huan do), PI437654 (Er-hej-jan), PI438489 (Chiquita), PI507354 (Tokei 421), PI548655 (Forrest), PI548988 (Pickett), PI84751, PI437654, PI40792, Pyramid, Nathan, AG2201, A3469, AG3901, A3904, AG4301, AG4401, AG4501, AG4601, PION9492, PI88788, Dyer, Custer, Manokin, and Doles.

64. The transformed plant according to claim 61, wherein said promoter is an *rhg1* promoter.

65. The transformed plant according to claim 61, wherein said promoter is an *Rhg4* promoter.

66. A transformed plant having a nucleic acid molecule which comprises: (A) an exogenous promoter region which functions in a plant cell to cause the production of a mRNA molecule; (B) a structural nucleic acid molecule encoding a protein or fragment thereof comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 1099, 1116-1119; and (C) a 3' non-translated sequence that functions in the plant cell to cause termination of transcription and addition of polyadenylated ribonucleotides to a 3' end of the mRNA molecule.

67. The transformed plant according to claim 66, wherein said plant is soybean.

68. The transformed plant according to claim 67, wherein said plant is soybean is selected from the group consisting of PI548402 (Peking), PI437654 (Er-hej-jan), PI438489 (Chiquita), PI507354 (Tokei 421), PI548655 (Forrest), PI548988 (Pickett),

PI88788, PI404198 (Sun Huan Do), PI404166 (Krasnoaarmejkaja), Hartwig, Manokin, Doles, Dyer, and Custer.

69. The transformed plant according to claim 66, wherein said promoter is an *rhg1* promoter.

70. The transformed plant according to claim 66, wherein said promoter is an *Rhg4* promoter.

71. A transgenic seed having a nucleic acid molecule which comprises: (A) an exogenous promoter region which functions to cause the production of a mRNA molecule; (B) a structural nucleic acid molecule encoding a protein or fragment thereof comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 1097, 1100, 1098, 1101, 1102-1115; and (C) a 3' non-translated sequence that functions to cause termination of transcription and addition of polyadenylated ribonucleotides to a 3' end of the mRNA molecule.

72. A transgenic seed having a nucleic acid molecule which comprises: (A) an exogenous promoter region which functions to cause the production of a mRNA molecule; (B) a structural nucleic acid molecule encoding a protein or fragment thereof comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 1099, 1116-1119; and (C) a 3' non-translated sequence that functions to cause termination of transcription and addition of polyadenylated ribonucleotides to a 3' end of the mRNA molecule.

rhg1 LRR

consensus LRR	L F S N L P	N L E E L D L S N N	L T	S L P P G
	a x x a x	x L x x L x L x x N	L	I
LRR 177-200	T L G L L P	G L R K L S L H D N Q	I G	G S I P S
LRR 201-224	S L G F C P	N L R G V Q L F N N R	L T	G S I P L
LRR 225-248	L A N S T	L L Q S L D L S N N L	L T	G A I P Y S
LRR 249-272	L T H S F	K L Y W L N L S F N S	F S	G P L P A S
LRR 273-297	W G G N S K	S L T F L S L Q N N N	L S	G S L P N S
LRR 302-325	L G S L R	R L Q N L I L D H N F	F T	G D V P A S
LRR 326-349	I G T L S	E L N E L S L S H N K	F S	G A I P N E
LRR 350-373	T L S N L S	R L K T L D I S N N A	L N	G N L P A
LRR 374-397	S L G R L R	S L T L L N A E N N L	L D	N Q I P Q
LRR 398-421	S I A N I S	N L S V L I L S R N Q	F S	G H I P S
LRR 422-445	S F D S Q R	S L R Q L D L S L N N	F S	G E I P V
LRR 446-470	L L A K K F N S L	N L F N V S N S	L S	G S V P P

Figure 1**Rhg4 LRR**

consensus LRR	L F S N L P	N L E E L D L S N N	L T	S L P P G
LRR 34-57		H V T S I S L A S H S	L T	G T L P S D
LRR 58-80	L N S L S	Q L R T L S L Q D N S	L	G T L P S
LRR 81-104	L S N L S	F L Q T V Y L N R N N	F S	S V P T
LRR 105-130	A F A S L T	S L Q T L S L G S N P	A L Q P W S F P T D	
LRR 131-154	L T S S S	N L I D L D L A T V S	L T	G P L P D I
LRR 155-178	F D K F P	S L Q H L R L S Y N N	L T	G N L P S S
LRR 179-203	F S A A N	N L E T L W L N N Q A A G L S	G T L L	
LRR 227-250	L S N M S	A L S D L Q L R D N Q	L T	G V V P A
LRR 251-274	S L T S L P	S L K K V S L D N N E	L Q	G P V P V
LRR 333-356	F G K G V N	K I I T V N F E K Q G	L Q	G T I S P
LRR 357-380	A F A N L T	D L R T L F L N G N N	L I	G S I P D
LRR 381-404	S L I T L P	Q L Q T L D V S D N N	L S	G L V P K
	F P P K V K			

Figure 2

<110> Parnell, Laurence D.
Hauge, Brian M.
Parsons, Jeremy D.
Wang, Ming Li

<120> Nucleic Acid Molecules And Other Molecules Associated With
Soybean Cyst Nematode Resistance

<130> 38-10(15810)B

<150> US 60/174,880

<151> 2000-01-07

<160> 1123

<210> 1

<211> 127197

<212> DNA

<213> Glycine max

<223> Seq ID: 515002_region_G2

<400> 1

```

aagcttgaac agtatatgga ttagccacca tgttgaaagg cacgtaaggc caaatctcag      60
cctttttccc tgttgacttg gccttcttta agaccttggt tggttccaca taaccagtta      120
ctgttacttt ctgctgcttc ctgtttatct ccaccgattc tactcctaca cttacaccac      180
catttttttag ttaatttcat caccttcata cgtggtgaat gctatataat taatatatca      240
cactattaat tttcaccaaa agaaaaatat tacactatta attgataaca tactctctaa      300
cactttttgtt ttaacatatt atttattatt aattaaaatt tattgaaaac cataaattat      360
aaattataag tgaaaccgta aaataaagag tcatatcaaa cattttttgt gattttcaac      420
aaattttaac ataaaagatg gttgtgctag ctttttttat atatattatt ataattataa      480
tatggcacac tacccatgga agctgatttt gagaataaaa ttgagggaaa acgtagcact      540
taccatctaa tgaagagaga gttttcctaa ccttgagcac acagccgtca caatccatca      600
tcaccttcag ctccacggtc tgtaattgct tcttgttctt gttcttggtg ttgtgttggt      660
ggttgccatt cccacttccc attaaatcag accagtaatc tocaaccccc atttttgtgt      720
atttaatatc aaaaccaata tgaaagcaag ctgggaagtt cttgatgagt agagaaaatt      780
agtaggtatt agatgggttg aacatcattg atggtgtggg agcgtaggag aagaatttat      840
atagagaaaa agcaagggtcc aaaaccacaa gaagttacaa ggaactttct tgcaaacag      900
aaaaatattc ctcaactcact taccttctaa tgatctaaaa accaatgctg ctctttgaag      960
aacttttttt tagttacctt gggaatatttt taccacatct aactaaaatt gattttggtg      1020

```

gaagtaaaaa ttaatcttat ttgttttaaat tttatcataa ttttaaaaaat aattttaaacg	1080
tacaaaatctt agttaaaatc aagattaatt cacatcagca tagtctacca gaattttgaa	1140
agttattcac acaattatat ataggctttt tcaccattca gattcaatga tatgaatgga	1200
aaggtatagt ggtccctaac tacgccagtg aataaagaac cttagaacgg attataactt	1260
cttaacggag aaaattttta cgtgggggttc aagaaagtag ataagaagga acgcattcct	1320
gtatcacctt ttctattcgc aaatatatat gtaaatagta aaaatttatg gtactgcttg	1380
cggttcagtt gacacttgac aaagttatctt atttgatatg taaaaagaaa tggacatatc	1440
aatgacagc taatactgag aactctctta ttgaagagca ataatttatt gaggacgaaa	1500
gtgaaagact gaaagcagct tccaccgact catgcacata tccgatcgaa tgaacaacat	1560
aatgtggaac agataatgac ggggattgta ttggaagtga tgcaagtga agcatttagc	1620
accattgaca aagataatcc ttcatattgc aacggctatg agccttttac cctctccatt	1680
gataaaatctt cagtcaactt aaggccaatc aaactcacia atatatgtca agtttgtact	1740
ttgcaaaaag ataataagga aattatctat caaactaaaa taaaattcac aaaatcatca	1800
ttccttagcc agactcatga tccaaactca tatttttaaat taaatttcag tcttctaaca	1860
ttaaggagtt ttcccatttt tcttgatttt aaaaagaaaa tatttcaatc gtctctctta	1920
gcgataccct ttggactcgt tgtgacaata ttcataacac tttctcctaa aatctttcga	1980
cctttcacta taaataacttg ttaatgttat ctaaaagtat gaagcattat tttgtaagca	2040
aattcttttta gcttagtcac gaagaagtta ttggaagtgt cataattaat ttcatcatgc	2100
atggttcaag aattccatta gacaaagaaa attgtctcag tagttatcat cgataacaca	2160
agctactaga ccaattgacc aaagaagttt cgtcttttaa attcttttcc catcttgttt	2220
gaatatgaga tatttgattc tcattgatac tttttcgata agataaaggt gacattttgg	2280
cttctgtttc taagatatct ctataaaggg aaccaaaga agcaatttga atcattaatt	2340
taactaacc actaaataat ctttttttca attagcaaaa ctgctgaaag ctgagtccta	2400
cttttggaac acaaaagtag agtgataagg aaaagataaa aataagaaaa tgcaacgaaa	2460
agtggtgggtg agaacagaaa agagaagcat gcgtcaggat accaccctaa actaaagtat	2520
gtgcttaagt ttggaagtac cggagggtata caccaaaggc ttagtttcat ttgcattaac	2580
atattaataa taattcacia gagaagaaat ataaaataag ataaatcaat tttttcacia	2640
gttaaatctt attttatttt ttggaatttt tacaagaaat aaaaaattc ataacttaaa	2700
attaactcat gtatgataac tttttaatag tttttttgtt taattttcct aaaagataag	2760

gcgtataaat taatttttagt ttacgagaga agttggattt gtttatttct tatattaagt 2820
 gccttggtta gaaatttatt gaaagtgacc caaatcaat tatatgtgga tttaaact 2880
 tcaaagctcg ctgaaactga aagcatttca ttcaaaagta aatttaacgt taatgttccc 2940
 ctgattagtt gagaaaagga catgaattgt actagtatta atttacctcg agatcaaaga 3000
 gagcaaaaag tttaatcata ctatatttac gcagaaaaag atgataaaca agtgtatagt 3060
 acagacgtga gacgtggaat aaaactttga ttagtaataa attgggtcatt gttgctttta 3120
 gaaacttgct gtggacacac atgacaaaag ggatttgcat ttttatgaag ctcgctctcat 3180
 gtttaaactt taatttggac ggaattgaaa aacatctcat tgatatattc atgtgctttc 3240
 ttcttgctag ctttttgatt gtagatactc ttgattatc ataaaaggaa cgaacgactt 3300
 taatttggaa attgagaccg aagttgcaat agaaatcggt acacgtcttc tctagtgtgt 3360
 atgtattggt tccttttggg tttaaaggat gaccaaagt tgaggccagt cacaataaa 3420
 agggaactca cgaagctggg gaaagtgtt agtatagttt aatgttttaa ctcatgcacg 3480
 caccagatat cttaagaatc tataccagat atataacggt tgtctatata gtttctttcc 3540
 attcccattg ttggagaatt aaagcttctg attatttagc atattttatt gtataatttt 3600
 actatatagt attttgtact ttaagtatct tatcaaatct tcggttgcaa catcattgga 3660
 gaagatatag tggcattcat aatgaatata agtccaatga attcacttta tgttgtcaac 3720
 tagtagtcca atgaattatg ttgtggttgg cttaagaatg aatacaagtc aaatttcagc 3780
 tggcttacag tcacagtggc atggaatata taacagagtg ttgcgtcaaa aaaacaataa 3840
 tgacgacaac aggactaaat acaatgcatg tatttttttt ttaattgaga aataatttat 3900
 tctttaaagt tctctaaaaa aagtaacatt ttactaataa ttttccccac tcgaattgag 3960
 ggtattaaag taattttcat tgtttttgct tttatttttt atttaaaaaa catttgttca 4020
 gttaatgaga ttaatgaatt ttgtcacttt tgggtaacac atgtaaaatt gaagacggat 4080
 gcagaaacaa acacctacta aatgacagta tatgaaacct ttatatcaag tacatatatt 4140
 attttctcaa ttttctttta ctttaactca ttaagccaat cgatctatta catctcttac 4200
 ttgatttga tgtttcactt atcattaatt aaagataaac aatgtattac attttcttaa 4260
 ctaaaaatta gcatctaaga catatatttt ttagtattcat ttgtcatga aaaatatggg 4320
 tacatcatcc gatacaatta ctaaaactaa ctaagggaag aattattctc acttttatat 4380
 ttgttattta aactatcaat tctgaaattt ctattttgcc cactaaccaa attcctccac 4440
 cccctctctt tcccttccc tccttctcat atccaaaacc gttgcccta caccaaccta 4500

gactgcatca cccctccctc agcgccaccc ttctccccac acaaaacgtc gtcaatccac 4560
gaccacgccca tccctccctc cgcaacccat tgtcaatcca catgcatgcc atcctccccc 4620
tccatgcaat tcgttgatcc acacagcacc ttgccccatc aagatcaagc acccttgttt 4680
ctcttttttg gattttattg cagggtttgt tgttggtgaa tcgtatttct gttgcatcat 4740
tttttacacg ctactgtctg taatggaaat agaataaaat cgtatttctt ttgctttttt 4800
ttcttttacc catgtgtgca acgaaaatag aattttgtta gagacttatt taacggagtc 4860
atattttcgt ggaaggaca agctaaaaaa aaaatatttg aaactaagag ggattgtgcc 4920
aatagcaata ttggtattgc tagttccctt gaactacata aaaccttcct cgtattgaaa 4980
tatgcttaat taaaactttc atacctgaaa tatgggtgtc ttcaaattat tagctaatat 5040
ttattttttt taatcaagta gttgaaaaaa aaattcagtt tcattttatt atttatttat 5100
ttttcatcaa gtggtaatat gacatacgga gtgttgccct aacctgtctt gttatggata 5160
actcactctc atgttatcat ctctgatgat tgtgacaata acatgttggg aaattgaaac 5220
ataaaaaaat tttagataac tatttgacaa aaaatgaatt tttaggtagt aatttgaaaa 5280
taattttatt tccaggtagt aaaaacttaa ttaaatcaat ctgaaaaata attttttagc 5340
taacaaatga taaggagaaa ttttataaaa ataaataatt taatttcaaa taaaatgata 5400
aattttatta tttcattaaa aataaaaaata aaaatggtaa tcataaattt aagttaggtt 5460
taaaagtaaa tcttataagt caataagaaa aaattatttc tcaaacactt ttatttgatc 5520
aaatatttgt aagtttgtgt aaaaaactaa aaattaatta aaataacctg atgagcatat 5580
atgtaattta cttttatata gacttaaaaa actttatctt tttttaagat aatttctcat 5640
tcaaaataag aaatacatat aattaatgag atattttttt atttgtagaa ttaaaaaaag 5700
tactatttga aattcacaat aacacttatc aatttatcat atttaatcag ctgaactaaa 5760
ttaataaaat aatattaaag attaaattaa aaagttgagt tacatacatt gaaccaacaa 5820
gatcaaacac tgagatatat attttgatc cagagaataa taaaggaaga gtgaaggaag 5880
gcataacatg ttacatacat tgaaccaaca agatcaaaca gtgagatatt aattatttat 5940
tgtttaataa aatttttaat acctgaaaaa catatcattt ttaaaattatt acttaaaaaa 6000
tcattttttt caaataccta ctgaaaaaa aaatttagtt ttattttatt atgtcattaa 6060
tcataatcac gtccactcgg tcatatgtca ttgaaagtga taacgtaaca ataaaatatt 6120
cgtgacaagg tgtgatgacg taacattttg tatgtcacat tatcatttca ctaaagacaa 6180
ctaacaacaa ataataaaat aaaattgaat tttttttaaa atacttaact ttaaaaaata 6240

aatattaaat aataatctaa aaatgatctg tatgtccatt atcaaaaatt taagtaagcc 6300
gaaatataac cttcttattc agtcattgtg gattcgctaa caactcgtgc tgatcgagcc 6360
tatagtaatt agctctctta gctagaaaca ttagccccctg attatcaata tgatgttctt 6420
gcacaaaacg acaaaatgat ttcatgat tttagataaat aagcgcagga ttctctatta 6480
ttcagagcaa ttaaatgaac gcaattacga ggcagcaaat gcaaaatgct tcacatgagg 6540
ctattggcta tttaaaattt cactttgaca tttttataat taattttgtc tcaataattc 6600
gcatgacaat tagcattaaa ggtagctaa aactctaatt taaattgtta caatatttta 6660
aaaaaaactg agaaacatga ttttaagtttt gttattatat caaatactac tataaaatag 6720
aaaaaactta cacccttcaa atgtactaga ttoggatttt ttttatagaa aatattttta 6780
aattaaatgt cactactcaac agtcaacacg gtatttcaca gtccccctaga atttcaaaca 6840
aatcaacca agtaacataa attagttgac tgaaaaaatg aattaaatta aaaggcagtc 6900
atgggataac accaggcata ttaatttaca taacctcacc cgagcaaaag cgggtttaac 6960
agataatggt ccagtcagtg ttaggaatct aacatgctgg caatgtcaaa aaaataacag 7020
cattggatgg tgtaagatct aaaatactta caaagctagg aggaggacaa aatggataca 7080
tatttgatg tacatgtaat aactctatct agacaggcta gttgagatac ataagaataa 7140
gaacgtgtct gtctcagtaa agggcagaca caagtagaag tagaagaaac aaatagcagt 7200
gccaatgtac ccggcacgat gaaatcatcc gagatggagc agccgaaggt ttgtggggag 7260
ctcttcagc aacagctgga gcaactgcat gcccgttcgt tctttgttgc tcatctgtag 7320
gcaatgggtt tgatgaagtc tcatttggag aaaggggcat cctcttgct agactcagat 7380
cctgacctac agatgcatgt agactgtata taagcaaaag gaataaaaag ggagacggga 7440
agaacagtgt taaggtagaa aaaagccttt gcatcaagca ccaggcaaat ggttaagaga 7500
ccaagaactc acaagaagtc agcttcattg cctaagtaga atgattagaa ctaaagctaa 7560
aatatattag cttataaact caaagtacta tgactcacia tttgagcgtg accacgctag 7620
cttcttgttt ccctatcaa ataccaaacg gtatcctgtc atgaagttct ctgccaaaaa 7680
aatttattag ttttaagatc aaagtatctt ttaataccat attccagagt atgggtaatc 7740
agtagacttt gataaggaaa atatttaact tacgtccgat tgttccata tctccttcag 7800
ttggctgtat ggctaaacaa aatccaatga ctccctgcac aggaaggacc gatctaacta 7860
atttagctac aagccgacaa ctattcttat aatgaagtct cttgtaacat ctttaattat 7920
atgtcaaaat tttagtccag gatcacttaa ttcacacca cctcattgcc atagaataca 7980

aatacggggt	catagaccac	aaaactgtta	ttctgttgga	acgtgagagt	taagctggga	8040
acctttggca	actcttgca	actgtctcag	aaaagaataa	taaataaata	aagccatcaa	8100
agagaccaga	aaattctacc	aattaggaaa	tcattgcacca	acgcaagagg	gaagagagac	8160
agagatctat	ccagaaaact	cacctgggaa	cataacaata	ctcccaagga	gacccctcaa	8220
agctagatct	tgaaccattt	acttgttgat	caaactatca	caaataaaat	catattaaaa	8280
gactgagcag	aaatttacat	taatggaatt	tagaaaacta	aagtacctcc	tcagctattg	8340
ctccatacac	atgaccagga	agaaaagtaa	atgatgtccc	gctatcaacc	tgcactttaa	8400
aacttgtcat	tttaagacaa	gaattcccaa	cacaacatga	ctccactcca	ataatgtagg	8460
ttgaactgac	caggaaattt	atcataatta	gcaactgtgac	accattttct	aaagtatatt	8520
ttagtgcagt	gaaacattgt	aaactaattt	aaagtacaga	atttcatact	ataatccatc	8580
caaaggcaag	aatgaagtag	actgtttgat	ggttgggtccc	tgggtcccaa	aaaatattct	8640
accagaatca	tcttcattaa	agcacaagga	aaaagaatcg	tggattaatc	ctgatttagc	8700
aagaaaactt	ggaactgaac	tctccccag	cccaaacct	aataggccat	ctggagcaac	8760
cccatccaaa	taaccaccac	tttgcttcac	accacacctg	cattcaacaa	aactgacgtc	8820
agagaaaaaa	ccaggaaact	tggttttaac	taaaaaaga	atacatcatc	agggaaagtg	8880
atgttgaagt	aacaaagaca	gggcagtcag	ccacacccaa	gaacaactgg	agcctgaaca	8940
gatgagtttg	ataaactgcc	gcctgactga	agatgcagta	tgtcctcaac	caacaatcca	9000
gaactcgacg	tggtctccga	caagtaactg	accatgtatg	gacactgctg	ctgtgaactt	9060
ttacaattcg	aacccttatc	acacaactga	tgactgcaag	atagatgctt	actggataag	9120
gaccgagacg	gactatactc	attcagatct	ctatcctgca	taatagatgc	cccatatgtg	9180
aaggagcacc	tgccaatcaa	ttactggaaa	taagtgtcaa	acctgttata	gattctaaac	9240
ctcattgaac	cattacactc	agaaaggaac	catgttttgt	gttagtgtca	cattaaactc	9300
gaattgaaac	cttatccaat	caaggatttg	caattcgcat	gattaactat	ttgttaaaca	9360
atcaataaaa	caagctaata	taatccgata	ttttattatt	tttattacat	ttaagatatt	9420
gagactacaa	gttacatagt	agagtaaacc	aacattttag	ttcctgaaag	tataaagcct	9480
agtcacataa	acattagtcc	ccaaaactaa	gaaacttcaa	aaaagtcctt	gaagctgcaa	9540
tccgccaatc	gcattaatcc	aaagttataa	aaaaatatgt	gacttaatga	taatattatc	9600
atatgtttta	gagacaaaaa	tctcaagatg	aaacaactag	aaactccctg	gactaatttt	9660
aaattttcct	tagtttgaag	aactaatgtg	acacctcggt	atgcttaatc	atagtttact	9720

ctacatagta agagaaatca aagaaaaaaa tagattaggt atgatattca taccagattg 9780
 gaatagtaac tcgatgacaa tggagcacac tgtacgcaat cacacggaat ccaaaggaga 9840
 tcaactccctg cgtccaacgc caccagaaaac gaagtgtctg gtgttcctat atcaatccac 9900
 gtgtaatgca acctaatac cagagacgca ttatcagatt caaacgaag aaaagggagc 9960
 aattagggat tattattatt attattatta ttattaccag ccgaagtcgt tgccgagcga 10020
 catcgttttg ctaccgtgag aaggaaacag tagctggtag cgtgcgcctc cgactttgat 10080
 cttgogccgg agaatgtcgc cggtgagaag catccggtag tagcccatgc tccaccggtc 10140
 cggccagtat ccggtcggag gccgaaccgg ttctatttcg tcggcgaagc ggtgaacgag 10200
 gcgggcgga aacgtgatcg gaaccggcat tgccgcgagcc gttacaaaa gcaacaaaag 10260
 cagcaaccgc caccgcacgc agatcgagat ctggcacttg cacttattct gatgcctcgt 10320
 tttactgat ttaagtaacg attagtgtta attagtgagg tgaggggtgcg cagtgtgcat 10380
 catcatcgcc atggatcgta tcgtttcgtc cctgtgtggc tgtgtgtgag tgagagttag 10440
 agtgagagtg aggggtggata aaacaaacaa acaaaactag cgcattttgt tcgggggtgga 10500
 attagactgt tactaagtgc ttaattaatg gggaaaggaa agtggtatga ttagtgtttg 10560
 taacagtaag tgattattgt aaatgatgat taggaggaat aagggtgcaa cactgcagcg 10620
 acgaagcgaa acgtcacgcg cggtggtccc accatgtctt tacgtgcttg agaatgaaac 10680
 ggccttttat tgccgatgtc gatttgtctt tgccactgtg ggcccccca catttattat 10740
 tattcctttc cttttacgaa ataaaaata aaaaatcaaa caaacaaggc aaaagggttc 10800
 ttaagtattt agtttcatta tataaataaa ataatgcct agatctagta aataatcaca 10860
 ttatgtggtg tgggtcagga ataaagcttc acacacgaaa aaagaaatct tgcaagtaaa 10920
 cagctgaaca cattaattgt ttttaaagaa atctaaagtt attgaagaaa acaactgaga 10980
 catgataatt tgactaatta atacttttag tgaaggagac gtattttaaa agataaagta 11040
 taattataat aataattaat aaaataaata acgattaata ttagtaatt tcattctatg 11100
 taatattagt atgatctcaa ctcaactgat aattttcaag ataatagtta taattgcact 11160
 ctgtggaatc ttaagttctt tctccaaaga aaaaaaaaa cattttttct tcccttgctc 11220
 gtgttctctt attctgccat ctccaattct gttcacaatc gtaggttggt ccgccaatga 11280
 tgtttaatga taaagatcaa atacgtttgc aatgaatcgg gatgacaaga ctgagacaac 11340
 caataggtga agctaaccaa tgcacaagtg ctccaatcaa taaaacaggc caaaaagggt 11400
 ggggtggtcc aaaatgtgaa ggtaagtta agtaggggtg tcacgccttg gattgcgtct 11460

gtgtaaatcc gtcacccaat ccaaacaaaa aatatgtgat ggatttgtgt gtttttcttt 11520
ttaaatacgac ctaatctgat catgaatgaa tttgatcgag atggatttgt tattaataaaa 11580
agttcaaaaa taattttctt aaatttttta aaatatTTTT tagaatttac aatacaatta 11640
cttghtaatat agttgcataa aaaaaattaa ccaccaatTT caatgcacat attaaactgca 11700
tcataaaatc aaattgaaaa caagtaacca acaaacatTT aattttataaa gcaaataata 11760
ctaaatcaaa tttcaaccat aaagcagata acaaattgtc ttgaaaactt agtaatctta 11820
taaagtacac actagtacaa aataaaactta aaatcatccc aaaaaatata taatactaca 11880
atagaaacac tgcaatatag tgataatgtc agacaattgc tcaaccagcc aacctcacac 11940
atagaaacac ggtaagcaaa agatcaaaat caattattat actaataata aattttaaatt 12000
atgctatgca gaaaaaagaa atatgccaaa aaagaaatca tatcataaac taagttaaaa 12060
atattacctt aagaactaat agtcctaact cccaatacta atactcctaa gaatagtcca 12120
agtagtaatc ctaacactaa cattatttta agtcaaacca tacaacttta aaaaatgttt 12180
taaaaagtTc atcataacat aatatcaatt tatattcata ttgtaaacaa acggaaaaaa 12240
aaaaagaaac tattattgaa tacctagtTc catctTTTT gtttcatcta attcaactcg 12300
taaatacccg acattttgct tattagtTTT gagtcaattt tgggtacaaa tcaaagctTc 12360
aacagtaatg ggacttaag aactacaaaa atggatcaag cactcaacct tttgtactaa 12420
atgcgactc aaatgacaca atagacataa gaatgaccaa tataatctcta gccatgaaag 12480
aaataacatg atatttggat gctttcattt tccaccatgc caaaatgtca aatccaagac 12540
cgtcatctTc attgtcatcc tttaaataca tatccaactc actcctttgc tattcaccac 12600
atTTTTtatt cattttcaat ctaaattggT cgtcccaatc ctcatcctca tcaacatcgt 12660
tggcattacc ttgtgaagca tggatgaag ccaaagtact agaattacta ctatcaatgg 12720
aaataggatg ttctgaagca tattcaacaa acattttTct tataagatca tccaattttt 12780
tcagcatctc tttggtttg tcaacaccat gcattttctt aaaacaaaac tcaatataat 12840
caaatttata acacagatca agaaaagcag tcacaaataa aagatagcta atctgatcac 12900
tctctcaata cttgttaaac ttgagttgca tattagtTgt ctcttttgta tcaccggatc 12960
atcctcatgc ctccatctat ttaggcattt ctgaatagta accaactTct taaagaaatt 13020
cttagctgta acatgtagtg acccagaaaa aaaaattgca tcatagaaaa ctttcaaaaa 13080
actcacaac acacgagcat gtttctaatc catctcttta ggacatcctc cttcactatt 13140
tagaagagtg agcacatatg cagcctcaac atactcataa cgattgaaag cttgttcaaa 13200

ttttcagcaa catctaacat caaataagtg gagtgaccca gaaaaaaaaa ttgcatcata 13260
 gaaaactttc aaaaaactca caaacacacg agcacgtttc taatccatct ctttaggaca 13320
 tcttccttca ctatttagaa gagtgagcac atatgcagcc tcaacatact cataacgatt 13380
 gaaagcttgt tcaaattttc agcaacatct aacatcaaat aagtggagtt ccatctgggt 13440
 ggcacattaa gtgttagcat tgcctttgaa ttactactaa cgtcctccgc acacctcttt 13500
 aaagtagtca acctacttgg agaaaacctc acaacttac atgcaacctt tattttacta 13560
 attgaagagt caatttcctt aaacccatca catacaatca aattcaaat gtgtgttgtt 13620
 aactcattgg caagtggact aaattgtcac aagtaataaa ataaaataaa agtctgagta 13680
 tcaagtccac aggagcttta ttgtactta aattaatgta aacccaaatt ttcaaacaag 13740
 agataaagaa ttgagagtga aaagttaaag ggctagtaaa aggcaagaag ataagaaaat 13800
 aaacaataat ttgaatgcaa aacatgactt caaatgcaa ttgtgttgaa acttagcatg 13860
 ccaaaactac ttgtgctaca atgttaatat tttttctcta tctaataatta tccccgtgtt 13920
 tactcgcatt tactatgata ttctatcttt ggaacccgc atcaagagcc taatttatct 13980
 attttttctc ccaaatctct ttgcaaagat aaaatagtaa atcatattaa gattaaagat 14040
 gtatgaaata agctaaacaa acatcattct attcctagac atgatttcat ttagatgttc 14100
 tttccaatt ctctaggaaa caaccatttt caaatgcatt atctcctaaa caatacatga 14160
 gcatgggtga ttaaaccaca atcaataata ataaagcaca taaaagaaca atagaactga 14220
 aattgcatta aataaatagt aaggaagagt tacattacaa gagtttggtc tatcaggctc 14280
 tcaacaatga ggggttttagc ctctaccatg agagacttta cactttaagg gttgatggag 14340
 gtaaaagaag aaaagggatg aataaagaaa gagaaggaga gaatggttat agaaggaggg 14400
 tttcccctat tagagatgtt caggctttgg gtgtattcaa gagagagttc taagtctcgg 14460
 tgtgtctttc tccttttgct taaggtagct taaaattcac acgatctcac gctaagagcg 14520
 cccttctggg cttagcaggt atggcggtga tcacgcacta agtgcgacgg catctgggct 14580
 tagcgagtat ggtagcaagc acgcacttag cgcgagattc acactaaacg cgcctttggg 14640
 cttcttcatg aatcttcttc acgctaagct tgatctgact actaagttag acgacgcgct 14700
 aagcctttct tgtatgctaa acaagctgtc tccatcttca attttttttc aagacttttt 14760
 cttcacgttt ttgcatcaat tttttctccg gcacttgtaa tttccttctt ttgaatcttg 14820
 ctgatcaaga atcaaatga tattaaaatc ctcatatttt cattgaaaac aacagtaaag 14880
 tagaggaatt cttagtcaaa attgactatc aattaaaccc aaatttccca gttatcatgt 14940

gctgaacgct gcatatgtat aaactcttca ttcaacaaag tatgatcatt tcaaacacta 15000
 agacctctac ttaaatatga aatggctaca ctgttagcac ttgcattatc aactgttata 15060
 caacaaattt tttgaatccc tcattctttc aggcaattct ctagggctat ccaagtgggtt 15120
 tcacctttgt ggtcaccaat caaacaaaat tttagtattt tcttatgcaa cctaaatact 15180
 tcatcaatgt aataagttgt cacacacatg taattcacat tttggattaa tgtccatgta 15240
 tcaattgtaa gtgaaaccat tgtttatttg caaacaatat gcattccaac tgcttttcat 15300
 tattaaacac ttgaatgcaa tatctagcaa tagtcacatg agaagaaata ttaaaataag 15360
 gttgagccac ttocataaac ttocataaac tttcatattc aacaaattta aaagaaagtt 15420
 catttgtaat gatcatcttt gcaagttcta taatagttct ctcttgattg aaatcaacaa 15480
 atttcacact aagagcatta gggtcaccct cacatttctt tccaacaata attgtttttt 15540
 tattttctcat caacctgcct aaagggtttt tcatacatga agctaaatgt ttgttcaagt 15600
 ttttggttcc atatttagaa ctattagcct tatagcattt tttaacaatac ttgcaaaaagg 15660
 catcattatt taccctatca aaatgattcc acacttcaga aggggatcaa atagagcttg 15720
 cgacccttgt tgtgtgggaa cctccagcac ttgttttgtt ttgattgtga tggagcacca 15780
 gctgctacag gttcagtagg ggacattgag agggagtaaa cgggtggcaa ggacttaaga 15840
 cattgacact tccaataaaa cttctatttt ccatttgtca aatttaataa tttaacaacc 15900
 gtcaactaca agtctacaac gtgtatcata taaaaataa tgaataataa tataaatata 15960
 actatatatt ttttcttaag tgaataacat ctacaaatta cactcaaag agtcacttaa 16020
 gcataattat taatacaact atatatattt ttatgtggca agaacattat actttgttta 16080
 gagttgtaca aatacttact tagtagtaga caagtgacta ggaattttat taccaagaac 16140
 ttattccaca aatccaaatt ccaaattcat gttctaacct ctaacaacta tatatatatt 16200
 ccttgtcatt tgatgagtat gctttgattt cctatggaat ctcatctttg tctctaattt 16260
 gtattcattg aaactcttga attagaaaag ccacatgtac ctagtatcat ttgatcataa 16320
 ttcatatcct tatgtgatcc aaatcttctt tgctaataat gttattttaa acatgtacta 16380
 tctctttatt tctacatcaa ccaagaatgt atttcttgat attcatacca gatttttgtc 16440
 aactgttcc ccacagtgat agttcctaaa tataattttt tatgagtcga agacaaataa 16500
 aaaaccacat ttataacaag caatacaaac aaagcagtca caatatagca atctatcata 16560
 tgctgtaaga gaatatcagg aaggtaatca taaatgaga taaaggctga ataatttgta 16620
 aaatatctcc acctagagag tataagtaca gattttaata accacatcaa aagaataaaa 16680

aaaaaattat gtttcagaca cattcaccac agtgatgggt tcttaaaaaa aatcatctat 16740
cgattcataat gtaccaatta ttaatacaat aatgcagtta aatatgcagt aagcattttg 16800
tctaccagtg ccatgtagac gtaggagagt gacagagagg ttgcggcagc atcgccggcg 16860
tagcgagtc gcgcagagag attgagagag gatggagatg cgaagcgcca aagagaaagg 16920
cggagcagag acctgagaaa ggacgcagtc acgcagtcgc acaaccgcga gggaggaaga 16980
ggcggagcga gcgcaacggc gcggagggac ggagatgcga agcatcagag agcgagggtg 17040
agcggagacc ttagcgctgc gacgacgggt aacaaagagg ccgagtgcag tggcgcgga 17100
ggagggccgg accgtcggag ggagacgcgg agtcggagta gtcgagtaga catagtggg 17160
ggcgatatcg cgataggatt tatcctcttg gaggaataat taattaattg gtaatatatt 17220
atTTTTTTta taatattaat ttattatata aaggtttcat cggactcggg attatgtaac 17280
ccgtcccgaa tatgattagg ttttataagg ttggattagg tttgattcaa taaaaaaac 17340
ttatccaaat taattgggtt agattggatc attggattat ttgtacataa gtttaagaac 17400
ataatcgatg gaatttgaca attcatgaag ggtatttagg caatgtttgt ctaggttttc 17460
tttctTTTTt ttattttgta aaaaaaacat ttgcttaat attttttcct taatgattag 17520
taatataaaa tataaaaaaa tgtagcaac acactctttt taacacatat tttccattg 17580
gttaaaaatt attaaaaact acaaaaatta gaagaaaaaa ttattaaata agaaatgaga 17640
ctcacaaaaa tttataaatt ttaataaatt ttaactaata atagtgttat taacatttct 17700
ggatatagag attaatgagg ggttttctaa tcttttcttt attaaaaaaa tatgatgtaa 17760
aggtctaaat ttatagtcct catgtaaatc acgtgtgtgt attttgaaaa tattcaagta 17820
tctattagag ctatctatat aatacgggtg agtggagttg agtcatatag cctctcacct 17880
acaatgacta ggactctcgc aaatatgggt gcgcaaacct cttgcttctg tattttttaga 17940
gaacgagagg taatatatga tccatccatg agtatgcga ttgggaatga tgcagtattt 18000
tgctcatatc aaagggggag aggggtgacg actaatatat cttatagtta aatagataaa 18060
atgttttgat ttttgtgata tttttttaac aataatcggt gaatatcaaa aacttattat 18120
tattttttta ggacgaggaa ggtgctgtaa atgaaaagga agtaataaat tgaagtttat 18180
caaaaccaat gctttcgggt tctgaaatac gagatctaca taaagacaat tctaataaat 18240
gttatgaaga gtttgattgg aaaatcaatg gcaaaaggaa gaaaatttat taactcgatg 18300
taattaaaaat tggtgaaata ataaaatcta tattaaaaaa aaattacgca atagctcttg 18360
aaacgaatcc ccaacaaacg atatgaattt catgtagaaa tttggtactt tgatacagaa 18420

agaggcaaaa tgaaatgatt ttgtcatttt gagctttgat ttattagtag aaaaccgttc 18480
 caaattctga attgccaaat tttgggaaaa tggtaatcca gattgatctt ttgtgtgagt 18540
 gtggtgatct tgaatgttca ttaagagcta atcattaata gtattttatt atcacacaca 18600
 aaaaaatctt aaatatactc ctataaatat ttatatataa acaaggcact ttaaattgac 18660
 aacgtgcaaa aatcatacag gattcgtagc agacctaatc ttcggtgtgcc cctaggcatt 18720
 taacctaggg aaccaaggat caagttacaa aagaatatta ttttaaaaga atttgtttgg 18780
 gactatatag accaaagaac aaataactgt ggctatgtac actagcaaga taaataatac 18840
 aaaattttag caaaaatttc ttttcaacca tgtatcctgt tttccaattt caaagctgtc 18900
 actaaagaca gaaacgggta tcacttggtta gaccactgaa attctatttc taaattcctc 18960
 gagggctcac ttttactttc cggcaacaga gtgtactctc cagatactgc acctagcatt 19020
 actaccgat caatctggat tgtcactttc ccaaatgaac tctgtggtca gataaaaaaa 19080
 aaatagatgg gttaagcgga agcctaaaac caaaataact gaagatggat agactgcatt 19140
 tacaagtcca atttttccac aattaccttt ccctttttgc tcttgttttt gcaagaaatg 19200
 tgaagctttt ggccttttgg aggactctca aaggaccatg taaagctctc atccactcc 19260
 ggattagggc cagttgagac cacctgatca gcacattctc atggtaatta gcacattcac 19320
 tttccgagta ggaaatcaca tcaaaataga aagaaaacat gattttccac gaattgtata 19380
 ttgtgataac cacagattca gaatgcaaat cattgtccct tgcgttttaa acaatagaaa 19440
 agaaattgaa gtgggtgtgg ctcttggcaa gtgagaacca tatacttccg tatcaatatt 19500
 gtaacaaatc gcatttaagt caaaagctac ttcaaaagga aagaaaaaa caatttgggt 19560
 gaatctggat tctaaagtct ggcaacagaa ctgcaatgga atatgtaata gtcaactgga 19620
 tttttttttc taggaagtag ctataaaggt ctatatacta attgggcatt ttctaataatt 19680
 ggcataattt cgataaggac atagcagata acattattta ttatgcaaaa gattgacatg 19740
 gagatacagt catatattag tctcacataa aacaagcacg tcatccattt caactaatcc 19800
 tagtgcacta gtggagaaga agatcacaaa gcaagataat aaatacaaaa ttatttttaa 19860
 aataccttgg tttgccttgg aggagtgttt ccgagtgtaa gcttgcaaaa aacacttggg 19920
 tttccaacag attgcttcat gttgttaccg cgcttgatga tcaccaccaa tgttcctggc 19980
 aaacactgca ataaaaattc tgccttctcc tgaaagcgag gtggggccaga ctggattaag 20040
 tactgcagca aaggtatagc atctgcagct gctattgact gagctcttga aacttctgct 20100
 ggacatgctg accaagcttg cctaagcagg aaaagtgcac tcaaggcagc ttcttgagta 20160

gcctcagagc ctgtcttttaa ggacgtaacc aaatggggaa tgctaagtgt tgctgggtca 20220
 gttgctctca gtcttgggaa gttgctaaat agagaattta aggctttaag atactcatca 20280
 ttcacagatc cagtagccca taagtccttt tcaatagcag ctaaaagaac agacacaaaa 20340
 aatggttaggc atatttacat actgatgaga gaggttatca aggtgaagca acttattgtc 20400
 agacagacag aatcaacatt gctcaccaat gaattcagat tagaaatagc acctttatct 20460
 acagacaaga ctttcaaatt caacctatac tttctctgat acattaatga atatttacag 20520
 aagactaggc gcctatttta gctagaagag gttatataga acaactaaga gtcaagctgt 20580
 tcaacttatg aagcaattaa gtgcactaca agttttacta ttcatttggt ccttcccaa 20640
 atttttgggt tcattaccaa taatcaacca aaaagaatca gctctgctat ttttccaaa 20700
 gatgtattaa aagtcacatg tagcattttt gttttttttt tttattgaaa atcaagttat 20760
 gcttctgctt ataatagcaa agaaaaatgc tttactatgt ctatgactat gagaatcaat 20820
 tatttgattc aagaacaaga aaacaacatc agaaattatc atgtgaaaag taacaaatac 20880
 accattctat atgatgaaaa gcgaagataa gatataccgt agtgggtcag agtaaaaaata 20940
 acaagtattt aacactgcac gataggaaaa taactacca gttattgctc tgactgtttc 21000
 actagaagca tactcttgaa tggatgatt tgaaaataga agtttaataa acattgcagc 21060
 ctgaacagat gtttcaggat cacttgaacc tatcagatcc agtataacct gaaccccacc 21120
 cgctctgca actgctcttt tatttgatcg actgtacatc acaagggttt gcagagcaca 21180
 tatggctaca actttcattt cttcagttgg ttggtcttca agcacattca ctaaagcacg 21240
 acaagctgaa actgcatcac ttgtccgagc aagaccctca ttctgaaata gatcaccaag 21300
 agccaaagtt gctaatagcc ttgcttggtg tgcttgggtt tgtgggtcca agagataatg 21360
 ggataatggt aagatggctg acttggtaac ttttgtttct ctgatcttta cattgttaag 21420
 caaaacttct aagagtcttg cagcagtttc ctgcactga tgagatctta ggagctccaa 21480
 tagagcctct atagcaccac tttcagccat tgcttcagcg ctagttccgt catcactttc 21540
 caacacaaga agagcattta atgcaccaac aactgtgctt tctaagccag accgaagcag 21600
 cctaacaaaa acagcaactg gaacttccaa gtagtattca gaactaaatt gtagaatact 21660
 agccaaaaca gaggcagcag actcccataa agcatgagga atggaaggat cagattgcaa 21720
 tataactttt gaaatttcaa taacaccacc ttcttttgca atttcatttg gccatatcaa 21780
 tgcaatactg accagggcct ttacagctct ttgctgcaat atatgtatac cagaaccaag 21840
 aactcgtata agagggccaa ttacctgttg cgtcaccgga tctttctgaa ggtgttcttc 21900

taaaagtaga tgcgagagaa gctcagcagc caactgttgc actgctgata ttggagaatc 21960
 aagcaaaggg ataagagggt caataacttg gtgacaagtc aatgtgtaat cagcacgaca 22020
 ctgcggtatgt tctaagatat taactaaaac ctgcaatgca ctatgttgtc catctggccc 22080
 aaattcttct cttgtcagca acataaacag gggttcaact acttttagcag ccgatgggtcc 22140
 ttttagctatg ctagcattat tgggtcaatat acgcaacaat tctgcaaaaag ctgcacatag 22200
 ataatcaggt gcttcatgaa ggatgtcaag tatgctttca ataactccag ctttcacccat 22260
 ttccatttta caagctggcc tgtcttttcc taacttgacc agagctctgg aaatggcctc 22320
 atgaagtaca tgattcctac cataaagtag gccacaaga ggaataactg caccatgtgc 22380
 agcaactaat tcagccagtt gctcatcatc aacaagccta tccaatgcac ggacaactga 22440
 atggtgagca ggactaaact cacttacaag gagagagacc agaggttcaa cacaatgtgc 22500
 agcagccatt gtagaccgaa tccttgtatt tccaaaaaga acagaacata attcagcagc 22560
 atcccccttg aggtccattg agcaatctga tgagagaatc ctgcaaagaa catccactgc 22620
 attcatctca acatctgcaa cagcaagtc ttttgaagg ttttactca gtaacctaac 22680
 caatgcagca attgcagcat gctgctctct ctctaaacca gtattaagaa tctccaccaa 22740
 gggttgaaca gcttgtcgag cagtctctgc atttctaata tggtcagcag agaataaact 22800
 ttccaaagct tttgcagccc tataccttgc agctcttctt cctaaacgca agacagctac 22860
 aagttgagta acagctccaa atgctgactc atgtctccga atttctgcac tgctaaacag 22920
 aattcctaac aaatctgtag cagcttcttc cgttgcatct tgccggaccta gtgaaagata 22980
 cttggaaagt gcctctaggg ccctgcctc aaccattaaa atcttatttg atggacaatc 23040
 tatagaaagc tgagtcaaaa gcccaagtc taaaaatggg gtcctggggc gttctggaat 23100
 tggtttgagc agatcaacta gagcaggtat tgccttccga gaagtggcac caactcttat 23160
 gtcatcaact ctaaacaacc tctcaagagc aacttgatca ggataatgca ccaaagaaaa 23220
 ttcatctgac aattccagaa gatcctgtat atcagaatca gcacagccaa gcaaggagat 23280
 aagtcacact gctgccccag aatttgccac agacagaagt gttcccctgc taccattaca 23340
 gactaggcta gctattgatt gtgcagcaaa atatctgttc gctgattcct ctgacttcaa 23400
 taagttggca agggctggta tagatttcat ggttgcatgc gctcgtatga tatocctatc 23460
 ttgaaataat actgccaaca acaaagcaca aatccacata ctgctatctt ctttataatc 23520
 aatctgcata tcatatcacc ataaaggagc aaagatttac acacagaaat aatagttata 23580
 tactaatctg ctatctaact actatgtcaa tgaggagggg tgtatttgta aacaactttg 23640

aaagatatgg atgcgtctat gcaaataagt aaatatattac tatggaaaga atcagatacc 23700
 actgtctatt tcaaattgac tgaaaacatg cactagaata cctgactata ttgtgagaaa 23760
 caatctgcaa tcctgtcagt gagaacctca attgctccag cctccattat tgcaatttta 23820
 cttttttcat catggcaagc aagaacagac agtaaccata tagctaagtt ggccactggaa 23880
 ataagagcgg tgccagtgc tgaattacaa tcattggcctt cttttgtatg cctgcaaagt 23940
 ctgataactt ccctgctgtc atcacctga ttatccaatg tagcctgtga aaaaataagc 24000
 atatcgacca gagactgaac aagattagca cacaagtttg ataaattgag gtccctccacc 24060
 agcttctgat gatttacttt agcagcacia ataagaacag cagctcctcc aattttgacc 24120
 ttacatttt tagaagtga attgattatc cttttagcta tagaagatat acatccagag 24180
 gcagtaacaa cagtgtctcc cagaacaaaa ggctgatcct tacataatcg agataatatt 24240
 tcaatagctt tatcctgcaa cactggcggtt gaatcagcaa tagacaaaac tattgggatt 24300
 atgcttttag gaaattcagc taaaactgcc caagcagggtt tactgtgtgc actgggtcaaa 24360
 tctgacctgg aaagcatggc aagtgcctca agagcttctg atgtggaact atgttcatca 24420
 atagcaaagt ctaagaaaga aactaatgca agaacagtgc cagctcgatt cacacaatca 24480
 gttacagaat aatcaacttg cctcttagaa tgtaagaggc gagcaattgc tgcagcagca 24540
 tgtgtttttc cagaaattgt gccttcacgt aatactctgg tagcagccaa gatgacttct 24600
 tctgcaacag ctttctcagc aatttcacta tccaaaataa gatctgcccac agcacatggt 24660
 gccagctctg ccacttctaa aactgaagag ttagctagtg cagctagggg gggtaatgca 24720
 tctctagcaa tagcagccat atccttggtc tctttgatgg aaagaaatat agcagccaag 24780
 cagcgcgagg actccattaa gatactttca gattcaacat taagcaactt cattgctgac 24840
 caaagagttt taacagcaat gctgctttca cgcacatctt tcctcgtttc aaaaattccc 24900
 gccagagcag atgcagactt tgcctgagtt tcttccttgg ttgagctcaa tagttttatc 24960
 attgtaacaa ttgcatcact agcagcacta ccttcacgta gaagatcagt aagagcaaca 25020
 actgaaagca tacttctcaa agcatctaaa acataaacct tagattcagg taaatcacta 25080
 gtcaataatg ctgtaagctg actgatagtt gctgtatcag atttatgaat taagtgattc 25140
 aaagtctttg ctgcaatctc cttcccattt gggcttccat tcttcaacag ccacagcaat 25200
 gcaggaacga cttcagcact ttcaacacaa gcacgtatat cctcactgtg atcgcatagg 25260
 ttccctaagga ttgttgctga gtcttctttt gcttttgag atcctgactc caaaatttga 25320
 acaagaggag gtataccacc agcagcagta atggcccat tactttcatc attttcatta 25380

gataaaaggc aaaggagggc aacagcacat tcttgctgct gttctgatga aagccccaga 25440
 agagatatca acagctgaac tccttcacgg ccttgaagtg cagccatag actgcattca 25500
 gtattgcaca atgtcaagag agactttaga agctcctctt gcacttcatt ggcagccatc 25560
 gttattaaac caacaagcaa acgctttgca tcagagtttg taagtttaat tgacaatata 25620
 ggattgctat acaaactagc tagggcttca atgggtccgtt cctgcacaag gaatggcaag 25680
 tgagggttaa attgttcaag taatgtctgc tcaactacca aaggatctga tgcccaggta 25740
 gattctgcct tgtcatcata tatcataaga gctgaagcta aagccccaa tgtgtcagca 25800
 gcttgagtag gagaggagca tgattcaagg ctttgaccaa gactggagat gacatacgac 25860
 aaccaccag agatgtttgc taaagcacac atagcatttt cctgtaacgc ttgagcatac 25920
 tcaccctgca tgaactcttt ggaaggagct atggtagcat taatcaaagc aggaatgcca 25980
 ttggaattgg ctatctcttt ccttgcatct ttgcactggg cagatagaga tttaagagca 26040
 ccagctgcct cagccctgac aggggcatca ttaccagggc ctaaaagttt gaggagtgtg 26100
 tttgttgtct ctgctgtcaa caactttgaa caaacagatg catcctccat catcatacaa 26160
 gcaagtaaaa agcacacatt ggctaaagtg ctagactgcc cagttgtcag taacttaatt 26220
 aatatgtcca ctctccagc ttgtattgtg gcattccaga atctctcagt gctgctggag 26280
 agatttttca atgccccagt caataaatta tcaactacat ttccagtctt caggcccttt 26340
 tgcagctgct cccatagcac tggaacaact ccttcagttg aaaaaatttt tgatccaaca 26400
 tgatcttttg caccaccttg agagacagca aaaatagtct ttgcagcagc tacttgacct 26460
 tcagcagaac tggactttag tagaccaagc aaaggaggaa tgcaacctcc aagcaagact 26520
 ttcacctca gctcattttc ttacaaaagt gagcccaaga cagttgctgc ctgtattttc 26580
 acattcaatg accctgaccg gagaaggga acaagtactg gaactgcctg agaatgagat 26640
 ccaacagcac tgaaagcatt ttctctcata tctataagct ccaataactg cttcaaagaa 26700
 tactctttct cttgcataga agatgagctc tgacgcagct gctcaatgca ttgggcaaca 26760
 cttgctaattg tcccatctgg atcctccatg ctgctgctgt tgctacgttc tctgcaaaca 26820
 attaggaacg taagatacaa aagtttgac attagatttt atgctcaaac tcaaatttcc 26880
 atagaccata tatcaattat caaacatca agttagatag ttctcattat cttctatgta 26940
 tgagactatc tgaggggggtg agaggggaac attttttttc tgcccttagaa cttttgacat 27000
 ggataacaca ataagaggga ttcagaagtc ttagcttagc tgcaaacaga agtactaatg 27060
 taacagcatg gatttttagct gagcattata agcaattgat ttggtgattt tttaagccat 27120

aaaatattct ttttgacat aattaaaagg catatcctaa gctgtaacca acctcaatcc 27180
 catcttcaga actgaatgag gaggtagagg ctctgaatct tgagccttcc catcaccatt 27240
 tctttcctgc aatcaaaaaga atcacagtga gcaagtttaa acggaatgtc tgtacatctg 27300
 taaatgatga aagtaacaaa agttaacata aacatagaaa caatatatta gattcggtag 27360
 aatatggata aagatcaacc ttgaagttct ataagaggag aaatggaaaa tgaagttgaa 27420
 aaggaaaata gccaaaccat atatcaaacc ttgacttcat tttgtatcaa gtaattgaag 27480
 attttcaaag tattaaacac acatgattgt tgcttccgtt acagttgact aattatcatt 27540
 aaggatagca tcttattgca caaacagag gggagatata aaatgaaata aaaactatac 27600
 agcattaagt aatgcaacaa agcattttgta cattacacta gtgtagaaca attaccataa 27660
 ctaaccatt aagatagatg gtcatgaatg ctatatTTTT aagagaatct aataatgcc 27720
 ccttttattt ttcatTTTTt agcattacc tgtactcaat cctagtgcc aggatatgta 27780
 taagcatata ccaaatgatg gtagagtga tgactaaaat aatgcttgct acctaaaata 27840
 gaatatttct catcaacttc ataattttta taaaaccatg agcatctcaa ttcaaagaat 27900
 ggcaacagat atgttccaat gggatataag aaacagataa cgaaatgaaa tcacagagcc 27960
 tcttttagatt tccatggttc tcatcggtac tttctagaat tatttgatac aaaaaaaaaa 28020
 aaaaagtgtt taatacaaat caagggttgt tgggctagt ttagaagtct ccacaaccac 28080
 aactgccgtt gcatctccct tccactgtct gcaatttcta aaatcacagc ataacctcga 28140
 ccgaaattta aaaacataaa tgaccagcaa gcaatctgaa gcgataatat atccaatgtg 28200
 tacaggccga gttaaggatt cataacagtc aaaactaatt gtttatacta attctcaaac 28260
 acttttcctc caccagtaat gatgatgtga tgacataaaa tgaataaata aaaaaggaga 28320
 aataatggaa aaacatgaag aagtaccata tcattagcag caagggtgct gccattattg 28380
 gcagcaaacc tccaagtcag tgtagtcgcc agcttcgctc cgcgtcactc gaattctcct 28440
 ccaagcagat caatccagga cactgctccc tctccagatc tacactggag agttcgtcag 28500
 cacatcaaag cctccctgtc cacaccacac ggtaattcag atcagaaacc aaacagcaat 28560
 tgcacagaaa tcgcaaatgc aagttcaaca agttaaaaac tacacagtga cctaaccaaa 28620
 aactgtaaa aaaaaaatc aagctaaca tggaaatcgt taaaattgaa tcgcgcgaga 28680
 gacagtcaga gagattggag gtagcagatc aacagctact accgaggaat gggagtggaa 28740
 agcgtgcagc ggggtcaacg aaaaagtcaa agcggttacg acggaatgca ggaatcgaat 28800
 gaatgctagt gaaaattgaa gaattgaaaa aaaaaacgaa gaggtgagag agaccttgag 28860

ggagtgagaa gcgaagcagg tttgttggtg tgagaatgac gcatggattg gtttagcggg 28920
 ggcgggtgggtg gtagtgggag acagatttga ttattgatta ttagagggtga ggcttcgtta 28980
 agaaaagagt gcgttatgtg atttttcggg tttgaattga cggagaaggg agtgtttgtg 29040
 acaatgagca ccgacaacag ctccagcctg caagctcata gcctcgccgc gtcatttaac 29100
 ggctaggctc agccttcagg ttgcgttgag ccacccgttt ggaatagaat cacgtggaaa 29160
 taaaataatg tacctctttt tacattttta tatcatttct cgcattggaca aatttgtatc 29220
 tcatcatttt tcttttttaa attttttct catcagtaca cttatcattt ttattattat 29280
 tttctcttct aattccaccc caatctattt catttcagag tagataataa tcaataactta 29340
 taatcttttg tatgcatatt tttattagtt ttaatacgtg tgcagacatg tacaaaattg 29400
 attaataagt attataaata ttatattaat atcgctgatt aatatttact aacataaata 29460
 ttataagtat tatagggtat cgttatattc atattcata tttgtatttt ttatatatat 29520
 atatatatat atatatatat atatatgtat acatattata gtaaaccac ctcatactaa 29580
 tgataggaca caaatcattt tttgtgtttt atgtattttt ttaatatata ttaatttcta 29640
 ttaaacttta atgtaaaaat taaaaaaaa tgactttttt acaattttta agatttttga 29700
 taccatgtga aaatcactat taatttacat gtttcataaa ttgtaagttt gttgaaaatc 29760
 actctcttaa aattttcagt gattgaattt tctctttgaa gatttttttt ctctctctaa 29820
 attataaatt agatgggtga ggttattaat tttggaatac acgtaattgt cctttggaat 29880
 taccgaatgt catttttgta ttcattgttt tcaatctcaa atacaaataa atagttgctt 29940
 atatttttag tatttttaaat tttaaatttg cgtaaagaaa aatagattct ttgaaatgat 30000
 ggttctttga aagtatatat attttttata tggcttgcat aacattgcga attttaactt 30060
 gtgaagaaat taatgtatac aataaataat gtttgcctaa gaatatattt tattaataac 30120
 gttaaccaac tacttcaatt aaagttttta tgttccaact aagttcgtat atattaacga 30180
 tacgaagaac tcgagaattt tattgaccat tttttttttt gctgagatta ttgaccatat 30240
 gtttatgaaa taaaaaatga taccagtgc aacattattt tcaccaattt cttacagaaa 30300
 aacgtgggtat atatatactg gccattggaa aatagatgac taactgttta tacagagttt 30360
 gttagtatta agttttgtca aaataaagtt aatgcaaata ttatttcttt atttacagta 30420
 gtttttgaca tatacaatat tattatatat ttttttagga aagaatatta ttatacttaa 30480
 gtactaacta ttattttctg gcaaataat taactagtgt tattttattt tgagtacact 30540
 cgattttaat agaaacatta attattaatt accttttctt tgtacagagt taattaacat 30600

ttgatatata cttatatgag attttaattt gaatttaata tattttatat tcagatat 30660
tattttaatt taaaaattga gatttagacat tcacatttac aaaagataat cattttcata 30720
atagtttttt taatatatat atatatatat atatatatat atatatatta ttaagaaaat 30780
ttaaacttta tgcatacaatt acatatcagc cctgctcttc ccactaataa aaagcatata 30840
tgcattcggt attggaagta attaaagatt tttgtgattt attttttcca aatttgagaa 30900
ttttagattt cttttaataa ttttttttag gttaaattaa tttttccctt tatttattta 30960
gttagatcaa ttcaatcctt ttaatttttt aaattgggtg aatattgtcg tttttatccg 31020
atttagttaa aatcaatagc tttgtaattt agtcccttag ttttgaaagc attgtaattt 31080
acatgacaac aataatttag taaataaatt atttatccaa ctggaataaa attatcttaa 31140
ataatatata ttagaaaaaa atgttgattt actattataa tatttttcac ttgtatttac 31200
attttttttt actagtaaac tgtttactta aaagtgattt tatcaccatt tacagataat 31260
aatatttttt actgaaaaaa ctttacttta atctcatttt taattaaaga caaatttata 31320
aaattaaaat gatttgaaat catatataca aaatattgat ctgatccaaa ctcaattgat 31380
tttttcataa aaaaacacat tatatatatt tttgacccaa taattaacaa gaaccaaact 31440
ccaataattc gacttaaaaa aaaaacttca attattcggt gcatatgacc acatggtttt 31500
catttttagct gagcttgagc tcttgattgt ggccaagcca tagcctacat ccaaaaaaat 31560
ggaaagtcac ctcaattata tcccattttt ttgtgcttag ttggcaaagg tatattttct 31620
ctctcactct attgcacagt ggagcgtttg atggcaatgg aatcctttga tttttcaaag 31680
gtagtaataa aggcatataa gaaaatagtc ttttattata agctgtgaga ggtgggtgca 31740
gaagttaaag acaagctacc aagcattcat gttattacta gcatatatta tatgcaccag 31800
ctggcaagtc atgaggctag attattatgc aataaaatca atgtgggtca tgttattcgc 31860
acttgcaccc tgtaagcatt tgcgtttatc atgcaatcat agggaccctg tacagtacca 31920
gctagctaaa ccaccatta cttgttttat tattctagtc ttaaattaaa ctaacagcaa 31980
ttaggttgca tattaatggt aatttccttc gatcgatttg tctaattccc tatactgtct 32040
tgccccctgt tcatttgcac acatccttat tttttttttt tttcttaagc agatccagat 32100
gaccaagtgg cttttgttat ttcatccat ttctcaaaat actgattcaa agtcgagttt 32160
ggctctctc gtttttttagg ctctgtttgt ttgcgaccac attggtaatt tgggtgcata 32220
gaaattgagt tgggcttggt tgggtataact aatgcatgtg agaaataatt tacgaccaac 32280
ctaagcggtc aataattatc attataacac taaattattg ataaacattg tattgggctt 32340

tcattttaaga gtgaatatgt gatgaattgg gtcattcatt gtgtagctcg ttgaaaaaat 32400
 ccttacttgc tactagttag ttaaaagact aacatcattt ttattttcag ttccataccc 32460
 atgtaaaagc tctctagaaa atgggcaatt tactctcaat acaataattg agttctctca 32520
 tgagttgaag agccatgaac ctaataataa atctaggtag tcaggtagac gtttattatc 32580
 ccctctttgt cgtaattaat atattgtaat ttgtaccctt gtgtgatttg gacattctac 32640
 acacttgctt taaaattcat caattggtag caaaacaact tagatacaaa ttatggctat 32700
 tgtttttcat tgttctttca tcaaaacatt gtcaaaacgt gggttttttt ggcttatttg 32760
 ttatttttct aagattatta aaaaacttgt taatttttca tacattaaat ctataattgt 32820
 ttgaggggtt ttgggtttatt tgcttatttg tttgtgttcc ttatcatgct cgcgacaaca 32880
 tattaaaagt gtgatttagt aaactaatta taaagaattt gatggttggg tttgcaaata 32940
 tccttccacg aaccctaaac atttcaaacc aaattactca cagatatagt ttttttcaaa 33000
 aattgattga gagatcgtgt agaaaaagta aatttcaagc aaaactcatc ctcaatatcc 33060
 tttttgtatt ggtttataaa catgagagaa ttgggaaaac gcttttgttt tttgatccat 33120
 tctcacatct gcgattttgc ttctttttct ttctttcttc catgtatgtg tttccaacct 33180
 ttcttctgaa attgattggg gattctctat attgatagtt ttcaaacaaa atttctcaag 33240
 ttttactatg tatagggaca ttttatcaaa tccataacct ataaaatttt attttgttgt 33300
 catttttgtg aaaaatatgt actaaatagt ttatctgatt acatgtctta gtgagtgtct 33360
 gatttctgatt aaaaaacata tgtatttgat atttttcaca acaatttcag actaaagaca 33420
 caaaagccta atatacttag tttagtgtga tgcgcatcac cttagggtgt catacatcca 33480
 aacacttaca cacttgtttt agtaaataat gttatattct atctcaaata aatccaatgt 33540
 ttagaataaa tccttgattg acttattatt attaatatgc tcatttataa attattgtca 33600
 aagataattt tgttgaacaa atttttttaa tatttacaac atatacgttt cttgcgttgt 33660
 atatgaatca tattgattta tagttggagt ttttagttga tatcacatta catactttta 33720
 gtgtgtgatt ggatagctcc aaaatcatgg ttgatcatga tgaggtaagt caatcttaat 33780
 ttttatcaaa ttacatggt tagattattt ttaaaattat ggtagaatca attatgatgg 33840
 aaaaaaaaaat catggtagaa ttgaaacaaa taggagtaat ttcaacttct atcaaaatca 33900
 gttatgtaaa atcatcatca atctaaacac acacttatca tgttatcaaa gctaactgat 33960
 acaaaaaaat tataaggtag ttttaaatc tatggccgcg actaattttt ataggatttt 34020
 gctaactaat atccttaaaa cattagttaa aaaactaaaa gaaaaaaat acttatgatg 34080

gagattataa gaaagcataa aaaagtcata aatgataatt ttgtacatct caataatttt 34140
taattcttta atctttttaa taatattcta agaacactag ttaacatttg atatttttat 34200
agatatatta agtggtatta atattttaca tgtggtatgc ttaggcctag taagcccttc 34260
aagatattat gcatattaag gactttcttt tcaaaagaaa agtaataatt atatctataa 34320
aaatatcaaa tgttaactcc gaaaatatca aatgcttagg cctagtaagc ccttcaagat 34380
attattcaat ccgatgtttg tctctctgt atggtaacta ggggtgggaa taggccagac 34440
cgacctacat ggacctacga cctgccctac ataaagtctg gtctgaactg acccatttaa 34500
ttaagagggt aggttcaagc ttttttaaaa agcttattaa attaaataga tcagacttag 34560
gcttggttaa aagccttata agtctgatag gtcggcctat atatataat atatatatgt 34620
atatgtatat atatataat atgtatatat atttatatta tttgttgata ccaatttata 34680
cttatattat tttttgggta caattaattt ttttttgaaa ccagcagact ttgattatac 34740
attactgctc cataacttcc attcctataa tcaagtaaga ctttaattac catttaggtg 34800
tgaattatgt acccctttat attaccatg atttttattg gcttttttgt taacgtttcc 34860
ttttccatta actttcctat tacgttccta cgtcaaagca aacaaatata aaaaggctat 34920
caggccaggc taggttttta aaaaggctag gccgagcaa aataaaagct tttgataggc 34980
tataggccag attcaggcct caaaaattaa tcgtaggcta ggctcagggt ttttaaagtt 35040
tggcttagcc tggcctattc ccaccctaa tggcaactca ttgagagcgt aattgggcca 35100
agccacgcgg attgttattg tgagtggcaa tttgggggca attgcttcct acacctctaa 35160
attacttaat gcaatcccat aattttaaat atatccaaat tgaccttatt ataacttcat 35220
ttctaccttc tttctcattt ctcttcgtt gacgcattat tgagggtgtc agaaggagtg 35280
gttcgtatac attttaggca aaggagtggt gaagtgggta ttttaactat ttttttccaa 35340
tttgcataa ttttccaaat agctgaattc ctaagataca aaaagaaaaa aaaccacttc 35400
caaaaaaaca tttccaaat catgttaaca ttattcctaa attgaatttt tggaatgcat 35460
tttttctgga aaaggtaacc atgaattatg ttagcataat ttcataaatg cttttttgga 35520
agtgtttttt ttttgttttt ttgtatctaa caagctcaac tatctgaaag gtattagaga 35580
tttttttggga ttacatattt tggagaatgc ttaaaatcaa caaccatacc agtcaattca 35640
ccaacaacat gccattgcta tcttcgtcag gtgcaaaaag aaaataaaga agaaaggggt 35700
tgaggaaggt ctgggtccc aaaggaaaag gaatgaggt taagagacac tcaagggcat 35760
tttgaaccat tcaaatgtt ttaaaattcc tatgggatgc aggaagcaaa ttaaggggtc 35820

taggaagtaa ttgtccaatt tggttttcca acaaaatcat gcttatggtg aatccactca 35880
ataaatagat gcactagcta aattttgttt gtctcaatgt gttccttttc atctctttca 35940
ttttgtttct catttttcat ccttaccata tgtttgctaa agtgtctctt tttctagaaa 36000
cttttagttt gggctaaggc cctgtcatga ataaaaatag aatgctcttg ggggtgttgc 36060
agtgggccca acctctctat ggaaaagtat attttgcccc tccttcttcc tacttctttt 36120
tctctacca tctcatccac tccccccca cctattatca cctaataccg accagatcta 36180
gaatccctat ccattttcct ccatgccgca caccactacc agccttacca tcactattgc 36240
acaaaagtcc ctactcgtgt atgatctcca cttttgaggc tccatgggcg caactcctcc 36300
ccatcataac tatgccgcca tgaacattca cagttgtgca ctctttgtc ataataatgaat 36360
cacatttttg catggatatt tggctgcata aaatcgtgat ttcgttggat taagtggggg 36420
tgttgcaaaa tataacaatg aaatcatgat ttgttgttat atttagcgtg gaaatttttt 36480
tacgataaaa ttgtgattct attgtgttag ggggggtgaa aactaataaa gaaaagaatc 36540
acaatttcat tatacatttt attcaataaa atcacaattt catataaagg atattcttgy 36600
aataaaaaaa cttcagcccc ttgataggag tcaagaagca attttaatag ggcaatagta 36660
acttccctcc tgtgttgggt attagaactt ttatatgtcg gcccaaataa gaaacagaag 36720
cccagctcag gcacggggag atgaaattct cgattatctt tcagccacgt gttaggggca 36780
ttatcggaat cacaacgaga aaatcttaat gttagcaacc gctgtggaac cgagaccac 36840
ttggtattac ttcagggttc cctcacggaa cggaacaaaa ggcgcacaca atcgccaaag 36900
agaaaaagaa ccctcaacca aacaacaaca acaacaaaaa aaaagcccta gaaaagattt 36960
tggaagaagca atttctcact cctgaaaatc tcatcctctt ctctcttaca tttgttttgg 37020
ataaaacatt ttgctgatac tgaattttat tttctcttgt tttcgtttct tttcgacctt 37080
tttttttttc tgcttcgttg ttttcaggga gaaagggata ggagtaataa aagagagtgc 37140
attcggtttg gttcttcgcc tcgggactcg aatcttcgat gcctctctgt ttttcttct 37200
ctggcgccctc tttttctatt ctcaaattag ggtttccgtg agogttcctt tttctcgatt 37260
ctccgcaaac tattatcatt gtgagtaatt ctccgttctc tttctttcgc ttagtaattc 37320
atatatgaat gtatttttat atataagtta ttttttgttt gaaatttcat ggtttcctta 37380
gatcttgccg ttatcaattt gatgtccagt tctctttctg caccaaattc tttcagtggtg 37440
gtttaaattt taataaatag tttgtatgtg ttagtatttt tttttcatcc gcacccagtt 37500
cagtgtagag tgattttagg atgaacctg tgattgttgg aattgattgt tgtttgtttc 37560

ttgggtttttg tgaatttgat tgttggcttc aggttaggga aggtgatttg cgttttgaca 37620
 taatgtcgtc aaaatatcag attcttgaca accgccctat taatcagtgg aagggttacag 37680
 agctaaaaga tgagctgaag aggaggaagt taagtatcaa gggtttgaag gatgatttgg 37740
 tcaagcgttt ggatgaagtc cttcgtcttg aaagggaggc tgacgaggct tctgagaagg 37800
 atgaggccaa tggtttcgat ggtcatgtag atggggaaaa agattcagag gcggttactg 37860
 tggatgctga aatggttgat tcaactgaca gggacaatgc caaaacattt gagactgctg 37920
 aaaagggcaa gagcgggtga gttgatcctg ttgaaataga aaatgtggaa aagattccgg 37980
 aggttgtgga tcacgacagc aataagaatg acaagcagga tgggtgttacc aaccaagttg 38040
 acattaataa tagtgtgtca gccatagatc aagaggttga acctaagggc ttgccagctg 38100
 gtggagattc tgcaaatgtg ggacaggagg caattgccca tggttctact gtggagaaga 38160
 ctaccattac agttaatgag agtgtagtaa cagaagtagt ggccagtgcg gaggattcct 38220
 atcgtgcaga aaagaataat gaggattcag cagcaaagct ggagaatgag gagtcaaagg 38280
 cgcagctgga tggtgaggac tcaaagcccc agctggattg tgacatcaag cccttgcag 38340
 aggatcctgt gcccgactct tctgttccag aaaaccaggc atctgaggtc aaccctagtt 38400
 tagggctctca agtaaaatct gattctatct ctactgattc tctgtcaatt aatcaaaaga 38460
 atgaactaaa ggatactata attactgata atgtcaaatt agaacaagat attgttaagc 38520
 cagagatggg ggaagaacca tcatccagaa atgatgtacc tgtttcttat gatgaatcac 38580
 attcaatgga tgttgagggg ctgcatgaga aaaaggcatc tgttgaagaa aatttcaata 38640
 atgttttaag tccagacatg aacaagacca atagcagcga tgatgtgggg tatcccgaag 38700
 agttgaactt ggacagaagt tctggtgatg attctatgga agaggatttg cctgagacta 38760
 agcaaattga ttctaagttt aatgttgatg aacttaaaga caaaatagag attgaagagc 38820
 ctattgtgaa ggaggaaagt agtactatag ctgttgagga tggctctgtc gcaggagaaa 38880
 gtgatatcca ccaagatatt gacattagtc cagttgctcc aacagagaaa cgaaaattta 38940
 atggtaagca atatatgtc tgaaattgac actttttttt ttattgggtg tactcctgaa 39000
 gggcaagaaa gaattatagg cactatatgt tgctttactg gcatgctgtt attatttctt 39060
 ctttgtatct tttaccatcc agtattgttt ggaacatttt gtcacagaac aagcatcagt 39120
 tgggaacaat gagcctgcaa aaaggcaacg cagggtggaac actgaaacag ttaaagggtcc 39180
 agatgcacaa agcactactc ccaggcctgc tactacacct agagatgagc caattgcttt 39240
 gaaacgcaac ttctctaggt ctgattcctc tgcaactgat gatacaccta aagaacgcat 39300

tggtaagtca acattgtttgt gattagggta aatctattaa gaactaatgc tcctgtttgt 39360
 tgtgtaatgg tgggtgttaat ggagatcaaa tttcaattcc tagctttgtg gctcaaataa 39420
 ataaattcct ggcaccttca gattttaatc ctggacactt cttgaagcac aagttgcata 39480
 tatcttatcc tctaaaatgt atttgtggag gtttttattt taagatggac aactacctgc 39540
 tggttgattt tttcatgcac ttgtgcattt actgagataa gacttagttg ttgacttggt 39600
 ggttgtcatg cgctttttta catgggtgta ttttgtctat gttgtacagc atgttttttt 39660
 atggattact ttgttgtcat agtggcatgt gttgtattgt ctgtctctgt ttttcaagtt 39720
 aaatagtctt tttttaatct ttggcagttc caccaccaca aagggtcccca actaatccc 39780
 tcaggattga tcgttttctc cgtccattta ccctaaaagc agtgcaagaa cttcttggtta 39840
 agactgggaa tgtcagcagc ttctggatgg accaaataaa gaccattgc tatgtgactg 39900
 taagataact cttattgctg tcttccttca actgtaaatt ttcatgtgat gttgttata 39960
 tatgacacgg ttctgacatc taagtaatct tttgttgatt tcttggtgaa tcagtactcg 40020
 tctgtggatg aagccattga gacacggaat gctgtatata atttgcaatg gccaccaa 40080
 ggtggggcgtc tcttagttgc tgagtatgtt gatcctgaag aagtgaaaat gaagttagaa 40140
 cctcctccta ctcaggctgc atctgtcagc actgtcccag cagttcctcc tgcacctccc 40200
 tcacagccag agccttcccc tcgtctgcac agggagccgc atccagttcc agctactctc 40260
 ccacctccac caccattgtc aaaaccccca ccagtagcaa gagaacggct tccatctcca 40320
 ccacctcttc ctgagaaagt tgaccacccc attgtcactc tggatgatct ctttcgcaaa 40380
 accacagcca ctctcggat ctactatcta ctttgtctg aagagcaagt tgcctcaaaa 40440
 cttacagcac agggtaaaag cgcgaggcag tagataggcc attagcctgc aaatcttctt 40500
 cccttgacgc ctttactgat ttggatattt taattagtgg tatgggatta ttttgaatgt 40560
 cttggcagat ctggtggtgt tttgtctcgg gaagaaattg cattgcttga gacttaaatt 40620
 tatttagttt tagaagtcgt gaactaagag ctaccggggt tggatagatt tccccactg 40680
 tttgaactag gcttgagcga acctttacct aaaattttat ggaaaaattt gacgttagaa 40740
 tatgtttata ttcttagcca cgaattttgt tttcggtagc tggttttttc ttgatccgtg 40800
 tattttctta tgctgagtgt cgattgattt tagtctgttg attgagcata gtagatttct 40860
 tctagccacg tggtttgttt gacatcaagt ctagcaccgt aggaagggtt atttgtatgg 40920
 gttgactcgc caatttatcc accgtttggg agaatgtatc gcaagtttgt tgttattttg 40980
 ggtacagtat ggcattggatg tttattgtga tttggttttg atatgactta tataagtttt 41040

tcatccataa aaaatatggt gttttcaaat tactacttaa tcacgtcact gaaatgtgac 41100
 taatggtata acttgaaaca aaaaattttg aggtaattat ttgataaaaa attttttttt 41160
 agataataat ttaaaaaataa tttattttttg aggtatgaaa aatttatbta aaccttttga 41220
 ttttggttgt tattgtgaaa atctaactaa attgcatatt aaatttatat taattttctt 41280
 ttacattctt atttaaatta tcttttctat aacttaagct ggaactcatt ttttataatg 41340
 atagtatgtg gttttttttg tattgaaatc ttagttatat tgcattatbt atatataata 41400
 ttgatactgc ataattagtt aactaatgat ttgtaatgta tttttttatg aagtttataa 41460
 taatttaatt gttgtcaaaa accacttaag ctgaatgaaa actaaacggt gaaaactaaa 41520
 aaaaaaaga acaacacggt gaacatccct actactaagg acgttgtatt tgtttgttga 41580
 gagttgtggg cctgtggctc cctaggtaaa tcagtaaaga aagactaact attcatttcc 41640
 ctcttataaa gtgttaaaag tctttcaag atagaaaatt aatttttagt ctctcaatgt 41700
 ttaaaaagtg taataaaatc attctataac tttttctggt aactatcacg attttaccta 41760
 acacttttctg attaaattgt gataaagaat gtacatatgt gttgtttggt tagcaaaatg 41820
 agtaagagac ttatttgtca gccaaaagtg gatggattat tttgtctctc tcggagattt 41880
 ctctattttt ttctcccccc atttctttat cgttacaatc ccagcttccc ttccaatttg 41940
 ttttcacgca gttcatcttt ttacactgga tgctagcaaa tagatctggt tgaccctgga 42000
 actgaaccgc acgctgcaac catttttggc gaccaaattg agtggaagg gatgcatttt 42060
 aatcatcttg tgaagggggg aaaaccata accaattttg caaaaggttt gataaaaaaa 42120
 ggaaaaaaa aacacaaaag aacaaacatc atttgcacaa caatacgtg gatcactttt 42180
 ttttgcaaaa ttctttcatt tttgaacaaa taatcaagtt ctaatatatg acttgctaag 42240
 aattggttta tctacaaaag cccttgattg atttaaaaa atcattgagc aatgagcgag 42300
 aaatttgaag aaaatgaaag aggaacacgt ttggtttgag caacaatttc ataaatgagt 42360
 gttttttgca attactcaag ttttaagtat gggtttgctt gaaattgatt gaactacaag 42420
 aacactcaat caattttaca aaaaagaatt caatggagca aaatcaagcg caaaaaggga 42480
 aaaaaaaatc ccttttaacc ttatatgtta ggagtatgct tttgggatcc aatttttaac 42540
 ctgtttcaac cttaattgca ataagcccat tggtgagaga agaagatata gggaagagga 42600
 gaaaagagat gatggggagg aagttgggat agcaacagta aaaaaatggg aaaagaaaaa 42660
 aatacaagaa atcttcaagg gtaacaaaat agttcaactt ttgggtgata aaaagttcat 42720
 cctactcatt cccccgacta agcaacacac atgtacattc ctatttggtc aaaagatgtc 42780

gtgtatacaa aattgtgaga gttaaaagta aaatcatttt gtcacacttt ttcaatatta 42840
 agggactaaa aaataatttt tcatctttca ataattgaaa tgtcagaatt tgacactttc 42900
 aaagactgaa atgagtatTT atgataaaaa aaaactaatg tcacccattt agaatacaaa 42960
 tttgagcatg aacatgaata ttcttaataa aatattgttg caaagtgtgt agattgaatt 43020
 tgagaacatc acagggtttac accacaagaa aggatcaggg aatttttagg aaaaaattct 43080
 tgagtaacca aaaaatgaaa aaccaatagg tgtagggata gtttgggttc caacaataga 43140
 gtgtcaaaac ctgatagtgt ctcaagtcaa tgaatcttta aagcatctcc aataactttt 43200
 cttacaatct aatctttcat gcaagatctg atcttgtaa gatttattac tagagtaaaa 43260
 ggattgattt ccaccgtgga gatctgttct tctacaagaa taagcaagat ctgcatgtgt 43320
 tttcaaaaaa tgatattata atgtctctct tcataaaaag tgtaaataaa tattagaagg 43380
 tgaattcatt gtaggaccta caaaaagtgg tttaaatca caaagcttga ttttctattg 43440
 aagcaaaaaa ttggaaagat ctctagaatg atatagtatt gcaagggtgca ccaaaaagtt 43500
 gacttagatc acaaagtttg atcttctatt aaaaatgtct ttagcgtgtg tttggattat 43560
 aatttataaaa gttaagttta aggtaacata actttttaac ttaagtttat agataaaagt 43620
 aagttgaaag taacttgttt tatgtttgga tactttgttg taaaagtact tttgacagaa 43680
 tgaaacttat ttggattatt tggatgaaaa gtacatttga tattgttgca aaggaacaaa 43740
 tggatgttga ggggttataa taaaggtcag atatggcttc tttaaatttt ggcaggtaag 43800
 gaataatgaa aataattatg ggtttaatgc tggttgttta gaggtaatg ctggaaggag 43860
 ttattgaaat ttttaaaaaa aaccttatct ttctaacgga tccaacgaac gttaacggaa 43920
 aagtaaccta tagttgcttc ccattaaaag tcggatcatg tgcaattcaa gtttagttga 43980
 accctcgttt gtaatggtct cacagtaagt tcagtgaac ttctactccc gtttagagac 44040
 tcaaacgaaa aaacaaacac aactttattt tttttttcat tacgtgcggt tgtacaacta 44100
 ctatgaaaca aacatgaaaa atgcacaatt tactcgtaga aataataata ataataaaaa 44160
 taaataaata aataaaataa agtatttttt gaaaaataaa agattgttag tactagttac 44220
 tacggagtat cgtattcgta tcatccaccc tgcggcggtg aaacaatttt catggttttg 44280
 cgccaaataa aataggcgaa gaaccctaac ttaaaaaacc tcttctcttc aagtaacgag 44340
 tctttctttc ttcttcaact aatttgcatt aaaagtatcc tcaagtaact aagaaagcaa 44400
 tcaagaaaga aagcttcttg tattcattca ttcattcatt atgtgtgtgt gtgcgagtac 44460
 aaaatttatt tctggaatct gaggtgtttc atatagccat gttgcttact tgcttttagta 44520

tgttaattcg gttaacaatt ttttgggtaa gtagcatagc tttgttttac tattctttta 44580
 gcatattagt tcttcgggtc aatggaagac ccattacacc cttcaacaga aaattgacac 44640
 accgagatgg tggaacagca agtaaagtga aacttatgtt ataagaataa gccactgaag 44700
 ctagataatc agccaccaca ttagcttctc tgaaagcacg aatttattaa ttgttaacag 44760
 aatacaatga cattatttga tccatgtagc tggctctacc tagtggaataa ggcttctgtt 44820
 tgtttttgtt gagtgtatta gtcattaatg caacgtaagt tgttgctctt aacgtttgat 44880
 atagctttat cacattgggtg tataatttcac cggagcaaag aagaactggg tgttgccact 44940
 tggaaaaaac aatttgacaa atcagagatg attcaaaggg tctccttct gtatcttgca 45000
 aatgacattc tgcagaactg taagcgtaaa gggaaatgaat ttgtgacaga gttttggaag 45060
 gttcttctctg cagcacttaa agatgttatc aagaaagggt atgatcatgg aaagcgtgtg 45120
 gtatctacat tggtaagccc tttttacact atgtgatgca agtatttcaa ctgaatactt 45180
 aaatgggaaa ggggtgtaaaa gaattgaata taaaatcata gcagatagtt cttcatgcat 45240
 ggctgaaact ctagatatgg tgtataaatg ctgatcatat gatttggtta ccatgatatt 45300
 gatctgttaa cttagtctct tactaacttt agattgaaat atgggagcaa aggagagtgt 45360
 ttggatccca ggctaggaac cttaaagatt tgatgcttgg agaagatgca cctccaccat 45420
 tggaaatttg caaaaagcga tcacgttctg taagaattgc gaaaagggt tctcactcca 45480
 tcaaactcggg gagactgagt tactgagggc ctttgcaact acatccttcc tctccccatt 45540
 tcatacttaa atcattgatg ttagatagtt acatccttca tagagggttg ctatgggtct 45600
 ttcatatctc acttccttga tattgtcttg atgccagaaa ctgtccatag gaggtacagc 45660
 agaaaaata gtgtctgcat ttcatttggg gtcagtgag caatccgctg aagatgcaga 45720
 gatgagtaag tgcaaatctt ctgttcagcg tgtgaggaag ttggaaaaag atgttgatac 45780
 cgcgtgctct gttggtgaagc atacagcaga acagagttac agaagtaaca ccttaattat 45840
 ggaagttaga gttctaatat tgtttctttt ttcagacaaa gatcctaaga gaaatacttt 45900
 agcaaaggaa ctagaggagg aggaaaatgt tttgaaacaa tgcatagaaa acttaaatta 45960
 gttgaagcaa gcagagtagc ccttgatatc cagttaaaag aagctttgca tgagcaggta 46020
 agttatacac ttgtattcaa tattttcagt attttattga gttttcgggt gttcctaact 46080
 gtgtctttca attgtttgtg gatttttgta ttaggaatct gaactagaga atgttcgtac 46140
 acagatgcag gtacgtactt ttcattgattc tttccacag aagggttgca tattttgttc 46200
 atttatcttg gttgttgcc atttaattac ttctctaatt gtacctcttc tgcataatc 46260

cctaggaagt aattctgaat attctccttg tagtttattt tcatgcatat gaagagttaa 46320
ttttcatgaa ggtgttcatg taggtttaat tatttctctt atggtacctc ttctgcatat 46380
aaagagttgt gtctggaaga tgtttaaata ggaggagatg ctttgccctga tgaaatttaa 46440
atggggaaga tcagtgtaat ttctgaaaca agatagggtg tttgcgttaa gtttcataaa 46500
ccttgacgga ggttagtgta ataactctga tttatgaaga ataaacagtt ttgggttaaag 46560
aattgcttag tgaaagcacc gtacacaatt tgagagtaaa aaatctcttg ttaatatattt 46620
aatgccgcgt attacttggt gagtctgttt tcattattgg catttggaaca tgtttgcggc 46680
tttttagcta atcgcaacga caaatttgaa ctttattatg cttaaagtgt tgtttaagga 46740
tatttaggtt gcacaggcac aagtagaaga ggcttgcaac atgcggaaga tacttgacaa 46800
tgaagattcc tctcagaaaa catccactgg aaagtccgct gcagtaattg ctgccgaggt 46860
tgcagataag cttgcatggt cctgcgcaaa aagattgggt atcgtaaaaa ccattcaaaa 46920
ttaagatcgt gtagtggttg tttgagttgt ctaaaatata atgatgtgaa agttttttaa 46980
aaaatcgatg gaaacattga cttgggttcag aattttcttt tctatttgag agccaaacta 47040
aatacgacta atttaatttg aaataaaaag aatcaattaa tcaaattatt tgatgaaccc 47100
ctctataaag aataactttc tgtgattatt actatttaag tcataagatg acggggggga 47160
taaaaagtac tcgcagtatt ttataaatgg gctgaaactc caacatcaac tagactgtcg 47220
atacagtttc atactaaact aaatctgtac atatatgtc atcgttatcc agtttgagaa 47280
ttgaaggatt gcaatttgca aagagggtcat aatccaccct cgaagtctcg gaaagaggaa 47340
gcaagcaata agcagaactg cacaactctg cattgtgcat tactgttttg gaacagtggc 47400
aggaactgta ccagatttgt gcttttaata actgaagggg acatgaggct gtctgtctct 47460
gtcacgctcc aaattaggat tcaagttaag aagtttttga ggatgtaatt caattccatt 47520
cctatcataa gagccgtgta agtcaaaact atgagggtgg caaccataca aacatgaaaa 47580
aacacattta taatgttgag aaaaactaac aaatgcagaa aaaaagtata gctgggtctat 47640
gttcaaagaa tgggaaagtt tcagacacat tctcaagaaa ctatgtcctc agtttggta 47700
agttttattc aaaaactttg ttcactaaaa tatgataaaa tggaactaaa tagaaaatat 47760
ctcttctgtt gctaaaggta aagtaaatgc tttataaggt gtccatgtgg aaagatagat 47820
gcaccaccta actatagctc agcctttcat tgctttcttc aaaacaaaat ctctaacaga 47880
gatcggtaaa tgatacatga tagccatgac agtagagtaa tgcccatagg tgaacatgc 47940
aggtggtttc tccttaagga cagcagctac agtgcttata gcaaacatcat ctgtaggggt 48000

tgttttggac ttctgcgaaa aataagctct atctcggatt gctgcttcaa aaggcttgaa 48060
 taatttccat tctggcatgc ggttgtagct ggctatggca gaatctccaa tgtttgattt 48120
 gatagctccg gggacaatat tgacaacatc aattccaaaa tgtccaagtt ccagtctgta 48180
 taccacatgc tcgtgtttaa gatgagaaca attagataaa atgtaaataa ttggcacaaa 48240
 ggccagccac cgaatcccta attgttgcat ttgcatccac tagattttga ctttgaagtg 48300
 catatataga gttttacaaa ctccactata ttgcagtttc catgaaatca acacattgat 48360
 ctggaccaac caaagcctaa aagcttgttc ataccaaacc aacaatttct atagaaacaa 48420
 ggtggatttc tgtagccaat tactgttgcc tctagttgat ttgatgcaga aatgaagcac 48480
 aggtgtagag taacgcaagt ttgaagaaga aaaatacctt aatgtatctg tcaaagcatg 48540
 aagagcagct ttagaagctg tataagctcc tgaccaaggt ccagaggcca aggcagcaac 48600
 actaccaata ttgacaatct tccccTTTTT cttagttgcc atatgaggaa caaccgcctg 48660
 aaccattctc aaggaacctg catgcgatg cccgatgaaa catagcatca agtttaacaa 48720
 gcaattcatg gttttgtaca ccaaggcaat ttttggataa aaattgtgaa tgtgattttg 48780
 gaaaatccaa tgtacattct tgaatttcaa cacacaaaat aaagaaataa gaatttgtgc 48840
 atgcttgaat gaaagttaaa aatatttgtgt gtgcgtttca aaaaacagat aaaaataaaa 48900
 tagaaacaaa agcaaagatc ctgacaaaat tacttttttg tctcaaataa tttttaacct 48960
 aaaaatcaaa cattatagtt tgaggagtaa aagtactttt tgagttccaa aacatgtact 49020
 aattcagttt gcgcataacc tttgaggcca caattgacaa ataagaatga aaacaggcaa 49080
 cagcaactta aatagagtgg ctggttccaa aatgcattat ttatctagct aggagtaact 49140
 gtagtgaaca gaagccatct gcagaatgat taaaatcaat ctaaaacaaa ctcatTTTggt 49200
 taatctaata caacatggca gattaacaac aaatcccatc caacaaatag catcaaaatt 49260
 ccaattaaga taaagaatac tgaccgaaga cattggtgtc gaaagtgttt tggatggcag 49320
 agagagggagc ctcggcgagt gggccacac actgaacacc ggcgttggtta acgagcacgt 49380
 cgatgcgacc gtacttgtcg acaacagcat caaccacctt acgcacgctc tcatcggact 49440
 gaacatccaa ctcttccaaa aagaaccttt ggtcgtgttc cagctccgcc atgctcgacc 49500
 gcgacctgct ggtggccacc accctgcact tcttctcagc gaaggcgctg gcaagcgctg 49560
 ggcctatccc tcccgtggaa catcctgtga tcagaaccac aggtttcggg ggctcctcct 49620
 catcgtggcc gcgcgtgtcc atcgtagaat acaaagagag gcagaggagg tgattagatt 49680
 agtgtcaact tgttgctatg ccaacaatga caaccaacc caacctatct agagtacaaa 49740

acaaaggcaa gacttttatg ccagcttttc ctatatctag agtagtactc ctacaatcaa 49800
 atgacaagca gctacaacca attttctctg tcattcattt attacggctt atacatttat 49860
 catttatgac aactattaat taataacatt atttttcatc gtcaaaaata agaaaaagaa 49920
 aaactttatt ttgagttta tattagatga taatatattt gtttttttta gaaaaaaat 49980
 gtctttttta tttttatttt tggatacaca tactatatcc attcccttac ccacatctaa 50040
 aactcgggtg gaacgggtacc tcgagtgcac gttgggttgt catgcttatg gacaactaat 50100
 cttatatctt cttttaactg aaatagtagc ttaagaaata aaatactact ttttttggtta 50160
 aatagagaaa ataagactca gaagacgtca cacttaaaaa tcttcttaac aggtttcaat 50220
 ttattcaagt ttgtaaaata gattttcaat acttcagaaa tgtttgtctc atctcgatcc 50280
 gttaagaccg taatttgggt agattatgtt atttctttac tgtaagcacg gtaaataattg 50340
 aaggcaaact tgactacatt actactatag aaaagggtaca aagtatgttt gataaccgag 50400
 gtttcaaaac aaaattaaca caatctctg aaatgacatt aagcctactg gctaccggaa 50460
 agcaatctac tcagcagcat cttttttctt cttgggcatt ctgtatccac caaccacaca 50520
 ggcattggtc ctctcaaag gttcaagggt gacttgctcg aatgggttga attgatctgc 50580
 cttcaacttg ttcacttcgc tttcaaacac tgccctcgga gggactgtgg agtctatgca 50640
 gttagcctaa acatacaaat gaattcaagt gagaacaatt tagcagatag ttaagacata 50700
 gtaatacata agagaagaaa ctaaacact taattcaagg taatcataaa catttctctt 50760
 tccaatgttt tcaatagagg gcaagcctcg acacctccat atgtttgttg tttggaggcc 50820
 tgaaagtccc aagttcaaat tctaaaaaca gccttagagg gtaaaagcct gattccttct 50880
 actctcctta gacctcacta ggtggggacc atgtgcactg ggtcaccctt ttttaaatg 50940
 tttaccatat tgattactca ataaagtatt ataaaaacat gattagatgt ctgaacatac 51000
 cttgattgaa ataacaaaat gacctcctgc tttcagataa tatgaagcat tcagcccca 51060
 aatccttgcc tgcaatgggt accaaaaatc ataaacgaaa ctgatacata gaatataact 51120
 ggtgtttcaa aaatagtggt ttgataatgt ttttaaggagc ttttatcttc aaatagaata 51180
 taattcattt ccagaaaatg taaaaaggaa tccacaaata taaaacctat gcaccactcc 51240
 aaccacagcc acactttcct cttaaaccag ctgcagatat aaactatcat aacacatcat 51300
 cacactctct ggaccataat ccaattgagg ctgcttataa tatctgacgg cccaccccaa 51360
 tacctgtaac accttgctaa tttgcagccc ctgagaccagc cgggggattt aaaaacaaag 51420
 acagtgtata aacaaaatcc tttctctttg cttcatcca ctccaagaat tgaagttaac 51480

catctccact atatcacatt ctcatacata aaattgaaaa aaaaaaagta cttatagatt 51540
caaaatgggg ccataaacag gctaagaaaa gataatccag cactgctgtc aatttataaaa 51600
attaaagcaa taaaataata gcaaaaagga aaagaaaatt atgcgcatca gaaactcggg 51660
tctgcatcat ccatgatgtc ttgaagggga atccgagtaa ctcatcatat gcacagatta 51720
ttccaattta acagaatata tgcaagtaaa aaaataatat tgaaaattgt aaaatacaaa 51780
tttgagaaac taaaagaaaa acaacaaaat gaactctaaa ctgagatttt aaaaattctt 51840
tcattttgaa aatcgaaagt tatacacaaa tgtaaaagag aaaatgcaac aaaaatatac 51900
acgtgtagat ggctgggctaa tatttggcaa ccaaacgaaa tagtagatga attgaaatta 51960
aacaacaat aatcatatgg cactgccgat taagtacatc agtattatgg aaaggtagta 52020
tgtattgtct gtaaaaacga gactgaaacc aaactcgaga tatgttgtaa gaaattaaaa 52080
ccaaacctga tcgggctgag caacatcaga aaatatgaca tcaaccattc cgaccagcat 52140
cctatactta gctggatgtc tagcatcttc aataatggga ataacattag ttcgcttctt 52200
tgccatatta accaggtcac gtccacttct atgggaaaaat tctactgcat agacaactcc 52260
agtcttcata caagaacaat aacacattat aatcagcact tctattccac aaatctaaga 52320
ttatgcaatt ctaaattcta aattttactt acagggccaa caacgtctga tacatgagaa 52380
acagtgggtc cagaagcagc tcctaggtaa aggactctgg ctocagggtt cttcataaga 52440
cacaagacaa ataattttaa aaaatgaagt gtgatttgaa gaacttcgcc taaacatagc 52500
acatgttgta aagacacaat cttacaatcc atatgttgtc aactccacca aggatggcag 52560
cagccaactt ggatcgaaaa ggattccaaa ctctgtactc atctttggaa ccatcttcgt 52620
tctgcaaaat gaaactatca attcatgcat ccatggttca gtacttaaga agaaaaaaca 52680
aataatggtg agaaagaaaa gaaacctgaa cagtaatcct tttctcattg taaacagctt 52740
caccaggaac aagattctta gtaacaagag cgtcttcttt acccttggca atgaaaatac 52800
catcatgtct atggggctga accacaacct tgctacctcc cttoattcca cctctgccac 52860
caccacgggc accaccctg cctccgcac gccaccacc acctctgcca cctcctctag 52920
ctttgaaggg agtgccctg tctcctctc ttctccacc gcccttcct ctgcctctgt 52980
caccctacc accaccctg aaccaccgc caccaccaa accaccacga cctgaacaaa 53040
ttcaaacact tgtcaacaac aaaaaaaaaa aaactattac cacaacattc ttacgtcacc 53100
aaagaccata tcatctagtt caaatgcaa atgccaaatg caaaaaccaa aatcatcaaa 53160
ccacattttc ttattaaaag gaaaattacc tcttgaggga gccattttcg ggagctgtaa 53220

actgaagtgc aacgcagcag caacaactgg ttaagaggat tttatagcca gccgaacaac 53280
 tgaaatagtt aggggtttaat agagggtagg gttttgattt tatagaaaaa gaaaaagaaa 53340
 gtgtcttgca tcatccacta acctaaccct agcggtcggc ccattttcct taccctgctc 53400
 acttgttcgt gggcttttat ttgggttcat cagtcttcct aacaagcatt tattgctttg 53460
 ggccactagc aaggatttct ctttcctttc tcagctctct acggattaat taagcttttg 53520
 atattttcaa caaaaaataa ttaattaaaa tcaatgaact cataatatat ttttaaaaga 53580
 actaaggagg gtatcaagaa tatgatgttc ttcttgatat attcagcaac aatttttagaa 53640
 tttgctcgag attgatgttc ttctttactc aacctcttat ttgactccat gatttggttc 53700
 tcatacaaat aaattatttc ttcatattgt gtaaccttca attcaactcc tccatttggtg 53760
 acaacaaatg attcacatcc acattacttc cacaaccac atattacccc gccaccatta 53820
 ctttcaaagt ccttgtttaa tgattttctc acatcgtcac cccaaacca aaatctatag 53880
 ttcttaactt tctacaatca caaacaaca aaagcaattt aaaaccatag aatagaacac 53940
 aacacccaat aaagagcata aatccttaca ttccaccaag cacatcacca aaataacttg 54000
 tttggatgct agttggtttg tgatattaat taaattgttg gcttctcata gagacaatga 54060
 acaacaccac caaatccaat tgacgaagac aatgctcaa atgatgccat ccacgatgaa 54120
 cacgaacacc atgaacccta cccgaccctc ataaaaccac taagagccac ccctaactca 54180
 aatttgctct ctttgacaat aaaaacatag attatgctac tctactcgtc ctagtctcaa 54240
 gtagttcacc taaaaaacca tagataatct aaaacaaaac gataacattt acacaattta 54300
 ctatatgatg cgtatgggca tgtccaccga gacgaaccac atggatctcc cacaaaactt 54360
 ttgataagaa ttcagtgaga aataaaaaaa tttcaaggat cggtcacgga attcgtatat 54420
 attttaagga tctccaacat gtttaagtct tgcataattt ttttgattgt tataaaagga 54480
 aaagggaaaa atattttaat tcttaagaaa ataagtgatt atttttattt aattttttat 54540
 atttctttat acagtttggt ttaaaagata aaataggaaa actactttca acttctcctt 54600
 agatatacca atattatact attctccctc ctccaattta aattaccaat catgtatgga 54660
 gtgagaaaac ctcgagcata tgagaaaggg gtatatgaat atactactat tcgtattatt 54720
 atcaaataat aatatgttcc atagaaattt acaaattatt tatattctat tattattatt 54780
 tagtaatagt agtatagtat tagtaatgac attggatcgt aaatgtaaat taaatattat 54840
 atcattagta tttgtaggaa tgtaaaattt aatttaaatg aaaaatatta tatgacaaaa 54900
 gttatggtgc aatattgtgc ctggtgtgta tcagccattt ttttggtgtg cttataacat 54960

acttttctaa tagatttttt ttttattgac tgaattttat taaaaaata tattatttct 55020
 ctccaatttt atatactttt taaattaata ttaactaata ataaatcgaa cacgtgttaa 55080
 atagtgtttt gtttgctctt ctattgttaa aaatttactt ttttattggt aaaaaaatac 55140
 tactaaattt acttttcattc taattcaaat taattaaaaa ttatgcccta tagcatatta 55200
 tataaaaaat ttaaaaaatt aaatgtttca atttttttaa aatagtttca aatcaagtct 55260
 tactcaaata aatgtttttc ccatctttaa aagatgcaaa atgcagtttt aatttaatga 55320
 aaactgaaga atgcatgaga gctaaggatg cattattcat acgtatgaaa tgacagaaag 55380
 tcttatctgt tttcttggtt atgagaaaag tatgacgaaa cgacctttag gagtaatttt 55440
 tttaaaatta taaaatttaa ataatatcta aaaaaaata agttatagaa tatttaataa 55500
 tttctgagtt cataaattat ttgataactt ttgttttttt ttattgaaga tataaaaaat 55560
 tatgattttt taattttttt aaaattcaat tttaaaattc taaataattt tattttaaatt 55620
 aatattttta ttttaatttc attttatatt tttatatatt attttattta atgtttttat 55680
 atcattttat ttaatatataa taatatataa atattaaata aaaaatagac aaaaatatta 55740
 aataaaacta aaaataaaaa tataggactt tgtatatattt tttttttcag tgagtatttc 55800
 ttacgagtac ttactgagga aataattagt taaagaaatg ggttttgggc attttgggag 55860
 gcaagcaagc ccatcttcca acaagcaaat tgtttccctt acagcagcac ttggcacaaa 55920
 gtgattgatt aatcgctgtg gttgtggctg tgaccgtcga aggcagcgac ggagtgaagc 55980
 tccgtacaag ggtgttcaag ccacagaaga agcagatggg aacttgggga ttgttctgct 56040
 gcaccogtat tctatttttg gtggctgccg ggctctctc aatgggttaca ccgctttcac 56100
 ctttgacatg agaggcggtg ccaagtcac ccgcttctcc caagttaagg atgttggtgc 56160
 tgtctgcaac tgcctttcca acactttctc tcttcccagg attttggtgc ttggttcttc 56220
 cgcaggatat cttcattctc agatctctca cttttcttat actgtttaac atcaccccat 56280
 ccgctttttc tacctacaaa tcttacacgt atcattaaat ttctagagta ttctttttaa 56340
 tttttactgt gaaaaatgtt gtcttttttt ttttttttaa taatctttga actgggcttg 56400
 ttgtttcagt atatcaaag tctgaattgc ttgattagct cctagctgta tgtttcataa 56460
 acaaatttcg agctttctgt ctccctgatt acattttggg tattccggcc agccttatgt 56520
 caaatttgga aaggatgcct tagttacttg ttgcattgct gataagttta gtttgagagt 56580
 tttaatctta atgccttcca agtttgaaag ttgtttgatg tttggataaa cactccatgt 56640
 gaattaaaaa atgcaatgac agctctatcg actctcagtc tcaggtttta agcttgtagg 56700

agttgaaagg aagtatatat cttttgctct tggattcgat atagactgat ttgcagatca 56760
 acttgtttcc cattttaagt gttggaatga tatccaacta attatgcatg cttgagttta 56820
 catggactgt tagttagact tgtggtgtta atccacatgc ttcttgtctg tgacaatttc 56880
 cccagttca ttcacgagct gctttaggag atgtagtaat tcgcgccatg tgttgcacatca 56940
 atgttgaagc ctgaaagagt tgtcatatat ttgagttatt tcttttatta caggtgcacc 57000
 tatagcaggg tctgccgttg atcagattga acaagtcatt gggtatgtaa gcatagggtta 57060
 tccattggga atgactgcct caatcctttt tggatgacac cataaagcca tcctacagtc 57120
 accaaaacca cttcattatg ggaacacaag atggattcac cagtgtaaag cagctgagga 57180
 acaagcttaa ttctgcagca ggacgtgtag aaacacattt aatcgatggg gtagggcatt 57240
 tccagatgga agggcctggt tatgatgctg agatggtgga tctcatcatc aagtttattg 57300
 catcactata aagacaaata actgattgtg ctgagtgtga tttgactctg ctattgggaa 57360
 ttgggattag tttgtgtaca aaatcttgtc agaatctgcg atttgcactg tttatttgtg 57420
 tcccctaagc ccatgccacc ttctaaaatg aaagaaatca gttaccaca tagtaaccat 57480
 ttctgctgat tggataatga gagagaatgg gaattgcaag cataagaacc atgcttttca 57540
 taatttataa tttacaaata acatatctgt tgtctctcta gattgaagct accctagatt 57600
 gaagctaccc gctacactac ttaatagata caaaaagaaa ctacaattat acaataatta 57660
 tatcatatta caatagtcac gccttggtgc caacttcgtg cggataactca gatggagcac 57720
 tagtttctct tggtaattta tcaccatttg aacogtctgg tactctaaca ccaactgaat 57780
 tatactggtg tttcttccag tgtttttcct gatccattga ctggtcttgc gaaaaggag 57840
 gttctacatc tggctaaagc aagagagttc aaggaacata aagaatgaaa gagtcttgtta 57900
 atcaataatc taaaatatca aggaagttat atactagcaa aagaacaaag aaaagaacgt 57960
 ccaaacgtcc acgctttatt cacagccttg catttcataa aaaagttcat tagatcccc 58020
 gagttgctgg cctactagca atatccaaaa attaagatac aattcaacag aatttgggtga 58080
 aatttcaatt aattatacat gaacaatttt ctagttactt agttattacc actttcacc 58140
 tcagacacat ctccgagcct ggtaattgca ttaacaagag cctgttcac 58200
 tcaaaggag agccatcatc attttatttt attttttgat atagagagcc atcattattg 58260
 ttgaaactaa agattttctca taacataaag ttgtatacta agaaaatgat tgatattcac 58320
 ttttagcatt ttctttgctt tctccatttc catgggatca ggatggcttg cagtaaacac 58380
 cttttcaacc tgttttgggt ccattctatt aggtaatatg aaggagccaa atatttgtat 58440

catacagaga agtagccaaa tttaacacac aaatttggaa atttctgttc cagatgcttg 58500
 tacctccttg ataaggggat ctgtatggag tatctcaata tcattttag ccttcttcct 58560
 gccccttttt gtgacaaagt gaaatctttc ttaggctgca ccttcatcat tcccctacct 58620
 cttccagaac cagtaactgc accaccgtga ggcatagact tottcaatcc tctacctgga 58680
 ccggggccggc cacctttacc agatattcca ggatcttgac cctcccaacg aatatcttct 58740
 ggagatatct accatatcga atagatagta actaggattt catcactgat tgagttgatt 58800
 gttagcagca acaacacaaa ctttagtcta attgataaag aataatgaat gtgaagagac 58860
 actaagcatg taactatgta tctttgaagt agagggtgtg tctgattttt aaagacaatc 58920
 atcccgtata tgcttgaagt ttcatgtttt gcattaatta tagatacaca aaaaagaaat 58980
 caccaaagca aatgttgatc caagatagca aaaggacatt gactatatgc caatcccttc 59040
 agccacaaaa acatactaga ttttagtttt aggcagaaaa atgttcattt catcaaaatc 59100
 atgagatact taatacccat ttcaaggat gggattcaaa gtatgagaca caaggtcacc 59160
 atgggaaagg taagatatgt gaaaacaaaa gggtctagct atgcttgta ggagagaaat 59220
 gttgcttaaa aagaaaagaa aagaatgaac gacgtaaaa ctagattgta tgtgaatgat 59280
 agacagaaga atattaatat tgtaaaattg acctctttaa gattgacca ctcccatggt 59340
 tcatttgctg aattcatatc ataaacaaa gcatgtagtc cctacaaaat atgtaaatag 59400
 aaatattaaa ggagtccatg cattcctcag tttctaatag tatactataa acacacctca 59460
 gcagcattgt tgtagagga acaagcttat gagactggat togaggccag cacctccaga 59520
 aggataagaa aaggcaagt taagaaggaa gcttgataat tttcatatat tccatttgaa 59580
 ttacaattgc tttatttata ctagttcctg gcaaacagaa tttgtcattt tgtaccaaga 59640
 aatatttagg aaatcattgg cctagtgatt acggttgta tgctgtccc ccaagaccaa 59700
 ccagccacgc ttagcaattc cagagcaaat tccttcattc gaaccttctt catacgtagt 59760
 cactaagggtg agagggcctt gtgatgacct tctttgcctt tcttgctatc tgaaccctc 59820
 tgttctgtgc ctgcacctct gtttgatgtt ctttgctagc tgatgatcct cttttcgtat 59880
 caattataat ccgttataac agcttcatag aagtgggtgt cttcaggcca ctttgctcaa 59940
 actttccttc caatccaggg atcataagaa gtccttcag caggctcctt tctgtcaaag 60000
 gcacctgaag aacccctga tcctggcttt ggcttgtaag tcctgtagaa gggaactgta 60060
 tggacatcat tgaggatgca caaatcaatg ggttttttct ttagaacggg atagaatgac 60120
 catagaggaa gtgtaactca gtattttgtt atcttgatat tccaaaacaa aaaggattac 60180

tgatTTTTgc tttgtggtct tagttcctga tggaggttca tgcttcaatg cggatgatga 60240
 tggttgcata gatggatgaa ctgcaggaga tgggtgcaccc aaggataatg aagccacaga 60300
 ttgtgatgtc ttttttttct tacgagatgc caaaacggta gagctggtat tgtgatcatg 60360
 aacctgttga gcagtatgta ctgttccaga ttggagccca tttcccttcc tccactccct 60420
 aacagcacaa ttggatacac cccactttaa aatgcagaaa aaaccactgt ttgctcaatg 60480
 ctatacagaa actgctcact agaataatgat aaaatatagt atgaccttat cctgtggatg 60540
 atgtcatcag cattgactct tgatagaagt tctgtgttct tcatctgata ctcttagctc 60600
 cttoctaagc tctgtaatta aactttcttt ttcctaaagt acataggaac aaaaaactc 60660
 attgccaatc ctatcgacat acttaataga aagacaaacc aatgaattaa ggcaaagggtg 60720
 cccaagtgat tgcacagat tgagctttaa aagccttcag gacagagggtg tatgcttctt 60780
 gctcaatgtt atggatttgt gtttccatgt cgttctgcat ccgaggatat ggaccagagc 60840
 ctacaattgc agatcttccg tttccagttc cagtggcatg atcagggcgt tgaaatctat 60900
 ttcgacattg atgggaagga ggaagatcat catctgttcc tgtggttatt tcagattatg 60960
 gaaattaatt gcaagcaacc ttttgaaacg ttcactcata taatttccac atctgaaatg 61020
 ttcactcatc attctatgag atttatcttt atcaaagaaa atttaggaca gtcggacaga 61080
 tcactatcat ggtctgtact taacattgtg cacaacaatt atgcctgtgt gatagatatc 61140
 ttgtgttcta taacgatgat aataattaga aaggagcgac atagatatatt tgtacgaaaa 61200
 aaattgctgc cttgattgat ttgtgtgaat ttggtattgg ggagctggta gtggtactta 61260
 ttttgattat ttatgggtatt cccctgctt caaatgcttg acaaaaaag acaaacctga 61320
 gaatatgctc atttcagtta tgaatcagac atgactcatt tccacttttt ggcaatatat 61380
 tctgttcttt tcatctgat tttacagcaa gtgttcatta tcaatgacat ggtctgcgtt 61440
 tggactaaga tgacagatca cgaggaaaaa tgcagctagt tcatgtcttt tgttcttgct 61500
 attttctga cttgttctca gttagaaccg ttttctttga aacactataa ctgctccatt 61560
 atttagaatt aaaagtaata agaaaattac aaaatcagcc ttgactgtgt tcatttctag 61620
 gatttaggat ataaataagt gacaccaaag ttcaagtctt ttaagtgaag acctcaatct 61680
 atgcataata aaaaaattag gattagcata aaggagaggt caaacgaagt tattcaagtc 61740
 agttgctcaa cacctgcata attttgaac catacatata atataagcct gcgaagaatc 61800
 accagtacat tatcaaaca ttcctaactt gaagttaact aagcaatttg ataaagaaaa 61860
 ccaaaatcct aatttccaaa ttaagggtcca aactcattct agtcattatc tattcaaaca 61920

ccttctccaa catcacaag cagctacaat tattctcaat attgagtcaa catctcaaat 61980
 gaaaagttca caaagttgca gtttcaggca acaaagtttc aacttacaac aataacagca 62040
 gcagccaaac ggtttggtga ggaataagaa tagcaaaagg gctatttcag acaatttcct 62100
 caattttggt cacacggtca ttttaatat ttgaaattata atttattaga ggccgggtct 62160
 agccaaaaat attagtcccc ggtacatccg catttaaacc ttgaataaga ttgtcttttg 62220
 aagaataata cttataagac actcaacgaa attattttaa atcatttgat tttattatta 62280
 tgtatttatt aattttacac aaatagtgcc aactaatgta taccgaagaa tctgcttgga 62340
 aaaagttaaa tgtatactca attttatttt gtatgcatag agagaaatag acgaggaaaa 62400
 atataaaaga aaagaaaaaa attataaata aaacaaacaa cataataaaa atgaaaaga 62460
 agaatagaag gaaaaataga ctcaaatga gattttgaaa ttatataatt aataatccaa 62520
 ttaatctcat gagatattat tctataacta taacttatgg accgtttgga agagataaaa 62580
 aaagaaaaga aaatattgat tacaatatat ttttctttgt ttaattgaag aaaaataaag 62640
 aaacaattga cttctaagaa taaaaattca aaacttttct tatgttttaa ctttttttta 62700
 atttcaaatt ttcttttct tgattttctt tcccactac aattgactga gtcagactga 62760
 acgtgatact tagatacata catgcaactc tcagtactac tcctcacctc tatataatct 62820
 tcactctttg ctctctcttt tcttcatccc tcagaattaa cctcttctct tctttgtgcc 62880
 gaggtattgc tctctgtctc ccccatctt ttcttaataa atgcactatt actccataca 62940
 tttgtctctc atctctcccc actctttaac taataagatt tttctccgt tgtgtatgtg 63000
 tatgtgtgca taactcgatc tcttgatgat ttctaccaat tggcctcggc cttatatata 63060
 tatattctca ttctcatata tatatatatg tgcgtgtagt ttacatgaat tttgcagggtg 63120
 attattattt gaaagcaaat ttatttatgc tgtagtaaa gattgcagca agattttgcc 63180
 ataattaaaa atctacttta accccattgc cctgcatgta cattttatta ttagtttggt 63240
 tgatgatattt ggaattttgt ggtttaattt attaatatat atatatatat atatatatat 63300
 atatatatat atgtatatat tttgaaggaa ttgaggagcg gagtatatac gatgcagttc 63360
 ggattaagat cccagaagt accagatgag aacacaatct cgcgtggaag catcactata 63420
 cagtttagct tccatctgag tgcaactgagc atgatggagt atgagaacca tcggagagtg 63480
 agaacactga gcacagggtc cttcacactg aaaatgataa tgcaaataaa ctgtccatt 63540
 cttgtcata tctgttgtgt agataaattt aagtggcctc taacaaagga cactgttggt 63600
 ctccgagtca ccactgcac ctatgtcatt gccctccctg gcctcttata tgccctccag 63660

ttcccaagac ttgtctctcg agaacgtctt cgaatcctct caaatgtctt taggaaatat 63720
 ggtcacttcc aggatcttag accccaaaag ctaggtatct ctcttctcat taatttcaac 63780
 tttattttaa ttttcgttac cattgacttt tattgattac tatttgatta ttgtattgac 63840
 tacttttaat aacattatct cttttgacta cagggttatat ctatccataa cgcttgactg 63900
 ttacttagac cttcaacttt ggattaaaat tttaaaaata atttttgaat ttttaaaaaa 63960
 tctaatttat taataagaac tgctacacat ttttttgcgt gaatgcaagg ggcaaaagcc 64020
 cctagaacta gattaatacc ctctcgggaa aaccgtggaa ttacattag atataacagc 64080
 tgcagcaaag aaaggtaata gaatacataa ctctcggatt ctcaacaaga gacatttcat 64140
 ggtagactaa ctctcagtta cctgattccc ttcctcaag acaccatgat tgaaggcact 64200
 ggactatact aaagaactgc tacacatgcg tttttttatt tttttaaatg acctaattac 64260
 aaataaattt gtactaattt tcttcccttt tgcgattggg tgcaaaatta aatttattta 64320
 gacatacgat cgaccatttg ttgtcctac atcctattat ttattttgag aggatatgtc 64380
 cttgtcctaa ttatatatat gaatgaatga tgacattgat tataattaat aattaattac 64440
 attacatgca ggtgggtgct caatgcagtt cgatgaccca gaaatggttg aagtgttacg 64500
 tcctgatttt gagcccatag cacatgaaac ccttttggag ttaggggaata tcccagggat 64560
 ttcccgtttc tgcattggaag agcagaactc gagcttccta agggcggtgc gcatgtcggc 64620
 gatgacaaag atgataatgg aaagcatgcg tgtgaagaca atgacaagta gtcttgtgga 64680
 gatcaaaggc accaaccac ctagggcaca ccaaggaaga gcctatgctg tgatgagtac 64740
 ctacactcgc cttgttgatt ctgctgaata cgcttcctc gtttctgtg gcttagttga 64800
 ggaattggag aatgttgtgt ctctctctcg ctttgggtcg gttgatgttg ggtaccaggt 64860
 ttggaatctc aatcacttg gccttttgc tttcatgtct ctcttgggac cccatgttga 64920
 agaggaagtg aaatatgtga gtgctagaga agagtgttg aatgccatgg ctgaaactga 64980
 acaggaagaa gaagctgat aggccctctga tcatgatgaa gataagggcg aggaacaaca 65040
 ttaaataatca atacataagt ctggctagat catgtatgag gtcttggatt ctcacattta 65100
 tgttcgtgta ataatttctc ttttaacaaga gatcgagggg aaaacatatg tcttaattaa 65160
 tttttcattt tgatattatt atatatctc tactattata atatgatgaa gaactaaatc 65220
 atatgaattg attgattttt taaagagtac aatcgatat atatggagag agaataggga 65280
 agtgaccata tgggatgacc atcacctagt aataataagg caagctaaag aaatattatc 65340
 atgataactg ttgggaaaat ggaatcggtc ggaagcatgc atgtggaaca gatgaaatta 65400

aagctagctt ctcaggaata atatgaaaat ctatgtcaat atgctagctt ttgcgaatca 65460
 tgaaaattaa ttagtatttg atatattttc gatatgtcac aatacaataa tgcaggagtg 65520
 aagaatggaa taaataatct tgtagaaggt aagtcagtca ttgaaactca catgtggtag 65580
 agagggctga aaggctaaag cacgatatta tatacacgat ttcagacgag gagcaagaca 65640
 gtacatatat aatagtattc tgtttcttga atttccagaa aatcaaagag ccatcgagga 65700
 acacacagaa tccggtgttg tatgactaga tgccaaattt gaattactaa atgcacgttt 65760
 agtattgaag cgaatattcc tcttagctgc cccgaaatga tgaatgggtg gaacctggtt 65820
 gaaatggcta agatgctaaa catcatatag gttattatat ctgggtcttat gtttgtcaaa 65880
 tgaagaagac gtccaatata tttaactttt cccagctagc tgctgtaaca tatattgttt 65940
 ttctcgatat atcttgaaag gtttttaaaa attcaaagtg attatttcta taaaaaaaaa 66000
 gtttctaaaa ctacaaaaat gttgtataca ttaatataat taataatttc agtggttagat 66060
 tgattaaagt tcgctgatat aacttttatt taatgaaaat taaattgtta gtacaaatat 66120
 tgcaagtctt tattaataat acaatacatc atactaacat atccaaaata tttatactaa 66180
 ttaacagttc aatcctgcta gataaatgct tttctatata tacactgaca gaacagtttt 66240
 aatgcttttt taattttttc ctgtttgtaa taatgatttt ttgtttgttt gttagaaatt 66300
 gacatttttt tcactttaat catgggctaa atcttttata gtaaacaaag aatataaaaa 66360
 taaggaagtt taacttagtt tgtttcaaca atataagtaa attattgtaa attctcttat 66420
 atctgaattc ctacatatta aaaagaatat tacaaaaata agatgtatat taatttgatt 66480
 tgataaaaat aagattatgc aagatttaat taataaagca aaataataaa aacaattaag 66540
 tcttttataaa ctatataaag tcgtctattt gaactaaagt tatcataaca ttttatgggtg 66600
 aatcatgtgc ataaataaat tattgatctt ttaataatta tttttaatgg attcatcaat 66660
 agtttttctc agtatccttc tacctctagt aatatggcca tcatcatcat ccttttgatc 66720
 tactctctta attggtattt tactagtttt tacatagatg tcatgtctac ataactttat 66780
 ctttactatg atttttctaa caatatatta tcttgtatat tcaactcattt agtgcatcca 66840
 tatttgtaat atttgttttt attaatgttc aagacactcc ttttttgttt tttaaagtta 66900
 attaagatac tcattcattt catctatcat gcttaaatcc tctagttaat ttacatttct 66960
 ttctcattct atttgattga tggatccaat acttcagcat gatgcatcgt attattgggtg 67020
 acaacttata atagtcatac tactattaac aaaagataaa cttaacgcct tgtgcaaaag 67080
 aagattacta tcttaggtgt agtgtatatt ttgtgttggt ttgtcattcg gaagataata 67140

ataacttatt tttatcttac ttgtcgacaa ttcaaaatct ggtatgtaat ttgtgtatgt 67200
 caggatatttt gagatgttgc ataataatat ttccgcccac tatatacaat ttaactctct 67260
 ttttggaaga aaaaaagttg aggattaatt gcaacaacta tatgggtgatc cttttaactt 67320
 caatacgttt tcgacttgat cgataaaagt tagatcataa acataattta aggtcatggt 67380
 cttttttcta atgggtgtatt gatatcttta tttatccctt taattttact ttaattgtaa 67440
 gtttagacttt acttttcattt taataaaatt ttactattaa aaaaatataa acttatccct 67500
 taataagtga catttgtttt tgtacaataa ttaatgtgtc ttattttaag tgggtggtag 67560
 atccaatttc atgttgaatt taatattgtg gaacaaaaag gcgggtgttat atatatatat 67620
 atgatggtcg atgggtgcaag aggggatcgg aagattatac ttaaagaagc agaagcatac 67680
 ttgtactcca atctaataaa aatgttctat atataataga aaatacggat acgtgctgta 67740
 caggaaaaga aaatgaatat gtaagtatga ttcggaatac atatgcacca tgacgctttt 67800
 aatcatggat acaaagcagc aaagccctct ttgacataa caacacattc aattttgaga 67860
 catgcatggt acaaacgact aaaagcccac gccattaata acatcaacag tcttttatca 67920
 cttctatata gtaactaaac aagggttttt ttcggtgagc ttaggggagc tagtcaaaca 67980
 atcatttaaa acttaatcac acaaaacatg tagagggtata gaaaaaatac aaaaggtaat 68040
 ggtgggcaag tgaaaatcca tagttttggg gagttatttg tatcccaaag tcgaaaacca 68100
 ttatgccta aaggcattat cggatgtgac tccttgttca ctacctggat gcacctgtt 68160
 ctttcccaca ctagaactag ccacctttct ctcttcagta ctcacctcac ctcttcgtac 68220
 tctttccact tccattctct tcaacttctc tttctgcctc ttctccataa cataaatttc 68280
 agctgaacgt gcccgaatgg aagacatggt gttctctgca aaaacaaca actagctaata 68340
 attgcaaaaa agtttactaa ttattagact tggctactaa gaaatgcttt atgaaattag 68400
 cattgccaaa gatggatatt ataggagtgt gaatttgatg agagcgtgtg gaataagcag 68460
 ccacgttcat ttctccaatg cccttgtggt ttgtggcttt gctttacaac caaccataat 68520
 taacattaat tatcttaatt gcactcacac aaaaaataa aatgccatgt tgtcatcata 68580
 ctttgcatgg aaaattaagt ttgggtccgc gcaccatctt tatgtgtttt aaactttcta 68640
 aatatataag atagacaatc ctaaggctcc aaatgcaaca atttgtatta atatattaca 68700
 taagtattta aaatacacat ggtttggatc acacaggaag tggattaaat ataaaatgac 68760
 cgaagtgggc ttcttagttt aattatgtgt catccaaaca ttaaccacta ttgccacaca 68820
 gatgacatgt cagcttgaga tgataatata ttctgtggga ggagttggag gctgcacaat 68880

ggcagatata ttgcatgccg ctgactactg gtaagttacc tccaaaataa ttgacctata 68940
 atattgcaaa ggccattaag ttataagatt caagtgtttc aagcatatgc agtaacctaa 69000
 aacgggttta tatataacga atatataatt tctcatcgcc gagtaacaga cgtacaagaa 69060
 tgagacagag aggggaatgta agaattcattg gtacttaaat ctttgattac atcgatgaac 69120
 aagcgaatth cagggttttag acgggatgct ttaattttgt ttattattaa tattagttca 69180
 tacacgggac actttaattg atgaccacta atcgtggaaa ctgcagcttc tgtattagcg 69240
 ttttaggtag gattttaata ttatgcacag caccaactaa gcttttagac gtatattatt 69300
 aaatttatat cttaaaagca taagccatta actgacagct aggttatcat aaaaccagga 69360
 gagcttatct ttcaatctaa cactttgatt gcatgggtatt tctcttcgat ctaatttaag 69420
 ttcttctttt tcttcagtga ctattaaata aattgtatta aataattata actcactctc 69480
 tcgatcaggt caacttagcg aaaataagat tggatgatag taatatatat gttagtagtg 69540
 tacatcgatc tactctaaga ctaaagagcg tgtaataata taactaacca gttgataaga 69600
 ttcatattht acaagaggtg aattttaaatt cgaatgtgta aatgtaaaaa ctctgttggg 69660
 gagtaattta aaaatactta tgtaagtact ttgagtttta agatctgtta tgatccatgt 69720
 aaactttcat tactcaactt acttcttttt tttagtgaia aaaaacatta tattaatagc 69780
 atattttcaa ggaaaatatt tatcatgaat ccacttactt tctctttcat ctcatthtcta 69840
 ctttcattht cttaatctca gtttttttta ttggattacc tattatatct atcatthtct 69900
 ccctttatth tttttttctt cttaattctt tttctttctt ccctaacaca ccccatthta 69960
 ggatgtaagt ttatgattac tttatthtca gatacatctt acaataaaga aaaaaaagg 70020
 gataaaaaaa accatatatt actagaaaaa acataaataa agatggaact tagagagga 70080
 tcctcatccg tcttttagtag agaccaaacc agtgacaaaa tgcaatatac agaaatgaaa 70140
 caaaaatatt ctacctaga gacaacataa ggatatatcc gactctataa tattccatcg 70200
 tctctatatg ttttaataata tttggacaca gatttttagtg acaacattag ttagtttggg 70260
 ataattgtca acatagccca tctctaaact cgtttctatg tatctattht aatattthta 70320
 aaattataat tcattagaga ctgaaatgat tccgtctcta agattthttht tattaccatt 70380
 tttatctatt caactagagt taaagtatat gctgtattat agtttgatta aaaataagta 70440
 ctcaatatta attataatat tatataatta attgggaact gtacacatgc cttaatataa 70500
 tattatthta ttatattata tatgagtatt tatatthttht taatgtgatg gaaaaagaa 70560
 gataagaaga aaaatcaggt gagatgatac aagaatatat atatataata attccaaatg 70620

aaataccaca aacattatat tagatacatg ttgacatgaa acaagtcact ccaaaaaataa 70680
tatatatat ttaatttaagc ttattgttgt aaataataaa aacttgagca gaagaattat 70740
agagatgcaa gttgctacat atgggtcgata accatctcaa agaaatcctt ttgggtcagtc 70800
tggtggcaac ccaacatatac attgggtgatt tgggtgcctg tctagtaatt tgagattgtc 70860
tatccgctct accactttct aaacaaaaat aaaaaataaa aactacctca acaaaatcaa 70920
tgcattaagc ggtagattct gcatacagta gtatagcact accaagaaaa aacttcatat 70980
agcaacgttg ctctcgtaat atcacccgat attatttata ataagaagag aaatagaaag 71040
aaaaaaaatt ggtgatgtaa taatataaaa agaaacaaaa aatgaataat gaaaaaata 71100
taatttactc tttctcgcat agaattggaa gcaaggacct ccagaaaaat tttgaaacgt 71160
taaatatgag tggacatggg aagatgtgat aaagatcgat ccgaatagcg tattaggagg 71220
ataattttta taacttttta atttataatt gttacgaggg ctaggtagtg actttttctt 71280
cttttttttc aattcagggg acttgtgctg ttgtgcagtg tgctgcaaaa actggagttt 71340
tttgggtgtca aaggaaaaga atcagaccag aatgaatttg tgcttagcta ccctgtattg 71400
acgaagctac tgtatgcgtt ggggaatagc gcaataaaaa tgattttttt gcaacttcga 71460
gtcattccag tcgcagtaac gaaaagaaga atatatagga aggttcatga tatatatata 71520
tatataatca tatcgtataa ctttcataac tattatatta ttttttaact tttaattaaa 71580
tatttaatat tttcttaaaa tttatcatta aattcaaaat tcattttata taaattatat 71640
atacaaaatc taatattaat ctaaaattat ttattttttt gtttatatag attaaaattg 71700
atctatatga atatttttaa atataaatta ttgattattt ttttatgtt gttcaatttt 71760
aataaaattt gattcaaag atagtaataa tatatagata taatttaacg attagattaa 71820
taaaaaaat atattatata tatatatata attataaaaa ttatatgtt ataatttaat 71880
ccgactttgt ggctatatat gtgtgtgttt ttgttcatgt tgtatttctt tctttctgca 71940
aaccatatag cagtataagt gttttgtaat gtacatcggg cacaacttgt gcttcttatt 72000
ctttttaata aatttgatcc attagctgtt ttttaaaaaa aaaattgttg aagataagta 72060
cgtatcaaat tttcttatat aaattatgta tcaaacgaca taaaaaatat gaagcagtaa 72120
aattacaaat actttatggc aaatgataaa cgatatctta aaagtattat taaaaactt 72180
aaagtaaaaa tatttttatt agaaggaaaa aattatatta ttacaatat tttttttatc 72240
attcttttag aatttacaaa ataaatttta atttcttaaa cagatcactg gtatgcaaaa 72300
tccatactat atatatatat atatatatat atatatatat atatatatat atatatatat 72360

atatatatat atatatatat atatgataag aacctcctcc cttactactc cctatgcatt 72420
 agttgttgac taacgccact taccaccaat ctcaagtgtc tctgactaag tccaattaat 72480
 aaaggcacia agcgccatcg tgccccgcac aatttatgtt aaaaatgaat acaaatcgaa 72540
 aattagggtg aactgatgta attttttagtt tgtggctgct caaagactgc gagttatata 72600
 taaggatgaa gaatgtgcaa tgcaacttcc caagtcagaa aaattccatg caatcagtct 72660
 tcttctttga ttttattttt cttttgcttc tttataacgt ttttgacttc cgtgaagtgg 72720
 caaaggcaac atattttgtg tattttattt tttctagtca gaattgagat actttttctt 72780
 caacaaaaaa tgccattcta gtattattcc aatatttata ctgtagtaat tcttaccatt 72840
 tcgtccactt aatttgaccg gctaccatt cctgttctaa tttggctcaa ccaccgttcc 72900
 gttttaagaa ttttgatcca aacgcgcacg tcattccaat aattttataa tcttaattta 72960
 attgttttcc tccttctcga ctgcgaccaa agtattcaat tcttaaagga ttgataagac 73020
 aaaaagagta ttacccaaac aataatgcac ataaatagtg cttagcacct aagtcaacac 73080
 tgtacaccta atcacttggt tttaaatcaa aaaatatttt ttttatactt aaaaaatac 73140
 cgtacattgc acgggtttgg atggtagttt gtatcaaaca aattaagcaa agataagtct 73200
 aaccgcttca cggggcagaa cgagaaattt ttgtattaaa gtcattgtgt tatatgtaaa 73260
 aaagcaaaaa aagtattagt gcattagttt agttgcattt agttagcatc aatatgaaac 73320
 ctctctctaa gctcttaaac aagctttgtg ggaaaatgat aatgctatta gcatcccttc 73380
 taatagagct tatcattctc attcagaagc taagggaatc acgtcccatc agcaccgcc 73440
 aatacatcaa actcatcgag aagaagaacc ccacaatttg ctacaccaa agatttaact 73500
 tgaaggcaga gcacgctaca gagtgcaggg tatgcttgct cgaattcgag caaggggaga 73560
 agctgaggaa gctcaaatgc caacacacgt ttcattagga ttgtttggac aagtgggtgc 73620
 aacagtactg ggctacgtgc ccactttgtc ggaaacaggt gttgcctgat gatgttgtgt 73680
 tcaagcaccg tcagcatcag aatcaaccag aggetgcttc taatgggaat catgacaatc 73740
 ttctctatct tttttcagca tttcgtggtg gcaacactta atttgcacag ataactctct 73800
 ctctctctct ctctgaatta cccaatgtct tcaacatatt tatagtagta ctatatagtt 73860
 aaaacaaaac cacctaatta ttttttcttt ttagaaaagg gtttaatttg ttattcttcc 73920
 cctgccagga ttctacggag gaatattaat attgaagtac accctataga tatagatatt 73980
 attaaagcat cgatgctacc ttttttgtat ttcactcttc ttctgcttat tatttggatt 74040
 aaggtttgac tgatctagaa attcatattc atatgtctgt gtaagtggac attttaattt 74100

tgggggttaga aacatccggc aattgtgatg gaggaacccc aacttcctac tgacggtaga 74160
 gttgggttggc caaatgaggt agtggagtct ctcagacaca tattattcat attctactca 74220
 tattctacga agaccctttc ttagtatact gataaattgg taggtgaata agttgaaaaa 74280
 agatttttttt acatccgttg acgccttttag agagaaacag agacaagaag aaaaatatag 74340
 atatattaag tgatatgatt taataggaaa aaaagagata tatagaaaaa aaataagagg 74400
 gtcaactagg tattttaaaat ttataggtat aaaaaaatca ggactcgaat aagtttatgg 74460
 tttgatgtcc agaagcaatt cttttggatt ttcataaaag ttgctttaat gttaatatgg 74520
 attaaaaaca aatattaatt aacgatatat taaaatgaaa gaaagttagt gaattttctc 74580
 aaaagtgaag aacatagaat tatacagtta cacatgcaac ataaaaaaaa taaaacaat 74640
 atagggttag gttgtaattt gttgaaaaag attatgtttg gatcttctat gactatgagc 74700
 acataaattg tgcttagcac caaagtcag taaaatttgc ttaaaaaagt atttcaaaaa 74760
 tagcaaaatg atacttaaat ctattttaatt gcataaatcc aataaaaaagg gttaaagaaa 74820
 ttaacatcct aagttaaata tatgcttaaa aggtaagcgt aaatggtaat gataattatt 74880
 gataagttgt ctttcttcgt tccaccagct taaattaact taggtcatgt ttgtcttcac 74940
 atagctagga aagacataag tcctcatcgg tgatctcaac ttaacagact tgacttagaa 75000
 atagacgttg ccatcgcttt cgatcatttg ctaatcatgt ggcagaacca aattaaggag 75060
 aatatgtagc ctaggacatt aattattcaa tatggttgag aggtagatgg acaaattcaa 75120
 tatcatagga cacaggggat gcatcaaact gacacttttt gggatcaatg aatcctcaat 75180
 tggtttttcg atttctgtag cagtaaagtg cgataagaat taatttgtca atcttcatat 75240
 tttcataaat aaatttgatt atttattctt atattatgat ttgtttgtca atgaaacaat 75300
 ataagaatgc atcaaacagt gttgaaagtc gtaggtttta atgggtgcact cctatcatac 75360
 tgcaattagc taggttttta actagtctct gacatttttc aacacatttg cttggacagt 75420
 tgggcaataa accaatgggt tttgatgtaa aaaaccaatg acaacaactt gaagtagggt 75480
 tactcttcac atgcatgttg tcgatgttgt attattgatt atatcaaag ctattacaat 75540
 tttctataag ttttcctttg cgtattggca gaagaataat caagaagggt tctcagttat 75600
 gaactttgca agtacatatg atgcgtgttc cctaatacctt gattacagac atttcccctc 75660
 aaattgttca tccaaaatga attatttgct ccttcttttt ttgagttgaa agagacataa 75720
 gttcaacgtt gacttatctc ctctacatgt attcacatca catacgtgat aaatgaattg 75780
 tagtacttac acaatttttt tataatatta tttttatttt tttctattac atacattaac 75840

tatattatca cacgtcccaa tctcgctctt ttctttcttg gtctctttat tatacatatt 75900
 ctgttatgaa aaattgtata aacataattt gtcgtaataa atttcaaatt acaaattgta 75960
 actgttatat atttagatga ataattataa tttctcatct ttttttttaa ataatttttc 76020
 ttataattaa ggagctaaaa atcactctta gaatgaataa tgtgagatgc ctacccaacc 76080
 tcaaaagcta gttttgatac gatgttaaag tgcagcaaag acatctaaaa gattttttta 76140
 aaaatcaatt aataaaggga tgacctatcc aattatataa acacttatca tattcattaa 76200
 ccacccgata cggctctcaa cattcatctt agaaataaaa gcttcttgta tatcaccaaa 76260
 agtttaaaca aattttgtgg acaatgaagg atcattggat aatcactgta agcaactggg 76320
 tcgtagtaga gtcagtacta gtttttattc atctactcga ttatactagc aatttctatt 76380
 tcattccatt gcatgtatta aaatactact agattatatg aaaatgaaag tcaactgggtt 76440
 ttattatcat agtgggagtg gattagtggg tgaaatggta gctcaaccga tcgatgtgac 76500
 ggtaagaag tgcgggtcaa gtagtgaaca caataattga tttacaaaag catatgtact 76560
 ccacccacta actcttgctg gctccttggt tcaaacaaatt aaattaatat aaggggtattt 76620
 gttagtgttt aggatattgg ttaagaaatc aatatatata tatatatata tatattgtat 76680
 aaattataag agaataataa aaaattatga atagtataat tttttgtttt tcaattttta 76740
 aaattttaat taaaggaaaa ttggttatat ttaaaattat tctttatgta gaagaaaaat 76800
 tgataaatga ttttgatcca gtatatgtcc caggggcaag ggggggaaata acagaggcta 76860
 tagctcttca agtactgatt ttcagggtact ttgttgagtg gtgattctaa aatcgtgggtt 76920
 cagtttgta accatgcgtc aacacagtac tcttcatctt tattagtcta tcgttacctc 76980
 tattcgtcat tgggtggaca agaactgtga ggttcatatt gtgcaagttt ttagaaaaac 77040
 aaccatgaac catggatgct gattttttta gcatcagaag ctcaatttta ggagatatag 77100
 gagttcatat ttattcctaa accatcagaa cttgattgac gcaatattaa tgagacttcc 77160
 ctaggcctgg tctgttcaat ttgagatact ttctttctca attttttttag aagaaatagt 77220
 agaaaaataa ataaattatg agtctctgga agaagccgta ggaatataaa cttgtagatg 77280
 catccacact ccaatctcaa taataacaaa tattccaagt gaagtaatta ttgaaattat 77340
 gtctcatittg ttggtgaagt cgctcctcca attgagatat gaaattttca tgactgtgag 77400
 aagcgtagcc aagtgtccag gttatgtgtg actacgatgt cactgacatg aactatctca 77460
 aacaatgcaa aaattgtccc cttaaaggca atacccctt tccccctt aaaatttggc 77520
 tttcaaaaag tacttttttc aaaatacatt aatttttaac atggctagaa agtatttttg 77580

aaatattaaa attttaacac ttccagaaaa tattttctga aatgtgttga aatttttttaa 77640
 tctgttttga aaagtagttt ccaaaaaaga gatacttgta gaagaagaag aatatatata 77700
 tatagtatta gtaaatctgg gaggtgtaaa taacagttgt taccacctaa tcttaggctg 77760
 taacttgggtc cacgatggat tggattttta tctcaaaggc ctagtacagt cgacagatat 77820
 atggcaagaa ttttttaggtg agcacactta agactatggt gaatatatgg aataaaattt 77880
 tccaacttca aattttcaaac aataacaaat aatccatgaa acaaacgact cctatactct 77940
 tattgagtggt tgatcattga ttttaagtact tacaattaat aatacatatg aaaagaatat 78000
 atatactatc gaagaagtga ccagccataa aagtgttgga tttccataag cctctctttt 78060
 aggcccaata tcataaaaga acgggtcgca cagggtccaa taaaacaata gtgtcccaag 78120
 aggtggccca gcagtacaca aagagacaac aaggctttgt tattctattc tcccatccaa 78180
 gttcacaccc catattttct tttatttttt taacaaaaat atccttgaca gacacatttt 78240
 tattatgtat tgtacaaaaa aatataatat aaaaaaaca agtattttatt gtgttaaatt 78300
 ttcattaaaa aaaattaaca tgactgaaac ttattataac ttttttaca aaaagtaaaa 78360
 tgacactatt attgtgagtg aaaaagggtg tgttgttgta attgtgagaa agtaagtga 78420
 gaatgtggcg tgagaagaaa gtgatgtagg aaaatggact tggtgagtga gaaagtatgt 78480
 gttactgtaa atgtaattgt gagaaagtga gtgtgggtgtg agaagatat gatgtgagaa 78540
 gatgggtgtg gtgagtgaga aagagtgtgt ggtgctgtaa taattgtgag aatgtgagtg 78600
 tgggttttga agagagcgac ctgggttgtt gagaacataa acttcttttt gtgtgttttag 78660
 tttaaaataa tagcaataca acggaaacat ttatgttttt gttgggttaa atatttttta 78720
 aaaaaaata ataaaacaaa aactagtctt attttgttca atcaaaatat atttttgttg 78780
 tgtattaata agggttatca tacattataa tagaaatata ttttcattat aatagaaata 78840
 tattttgatt ataatgaatt cacaacacaa cctagttttt aaaataataa taaaaaaaag 78900
 ctgtgttaag aggtggaggc aatgggaccc atagggggcca tggcccccct cctacagat 78960
 ttttaaacct tcctaataatt atgtataatt aattaatact acttttgatg atattatttt 79020
 tcctttgggt ttggtcaaga tgtgaaatgg tgggtgcatga gtgtaggatg tgcaacacca 79080
 accaggtttt acaattataa gtcttttaggc atttgatggt ttcagactct gtttaattgg 79140
 tctacactac ttgagttgtc aagttgtaat cattgccatc ttaataaaat tcactttgct 79200
 ttaaaaaaaaa ttaatggctc tgcaaattgt aattatttac acctcacata tgttctcatt 79260
 cctttttctt tctaattgtg gtaaagggtt ttgcattgca tttcattaac ttgtagaaaa 79320

actagtttttg aacacataaa acaactagtt tctttttaata ataatgctta ttagatttat 79380
agttttttggtt ttactaaca atacatttat attttagctaa catgtctaac tgtttttctgc 79440
caattttttat aatacctata ttcatgtaat gaaactcctt ttccactaaa ttaattttaa 79500
tttggttggtg ttaatttttt cttttttttg gttgagagat gtttaagaag aaaactatac 79560
atatagtaat ttataagag aaaagaaaga gatgatgaaa aaacacatat ggtgtctaata 79620
gcattttactt caaattttaga tactatgttt ttattgacat tattggattg aaacattata 79680
ctttgataat aatgagatga gtgacttatt gttgattgta tttttgaagt ttcatctcta 79740
ttttgaagat aagagatgct atctttttgtc acactttttt taggatattg ttgtcagttc 79800
tttattctct tctatttttt ttgttattca tcattgtgtg catgtgtatt gttggcactt 79860
attgggttaat ctcttttact caatataatt atatatttct tctgcttata agaaaatatg 79920
ttaaatttct tgcataatatt atgcatgtga aaatttaatt gttttttttt tctaaatcaa 79980
gatttttttat tagccctta ataaaatcct ggctccacc ctggctgtgg tgtaattgtg 80040
taaactttaga gaaaatgtgt tgagaataac acgggttcagg ggacagtaat gcaaacatg 80100
tacgcccact ctgctaaaaa agggcatact aaaacaggtc tgccatatat ttacttctgt 80160
ttttcatgtc ctgctaattt cttgttttaat caaaatatct atactaattt cctatagagt 80220
ttacactaaa atttatttat atcaatacat atccctcaa ctccaagagt acatgtatgc 80280
atgtacgtgt gagtaatgag tttctttata accttctaga atcccagaca atctaataca 80340
tagtttaaaa attacaaaac ataagatcag atatgtcaaa gtatatatat aaaaaggggc 80400
accggagatg ttaaacgggg aacacatttg cctttaattc aaaacataac tatgcacagt 80460
aacacagaga aacatagatt acaaaaggaa aaaataataa aacaacaagg tgccaacaac 80520
agccaactat tgcaaccagc aagctgaagt tgttcaagca gaaaagaaac tgttagaagc 80580
agcaattgca aattgggttt tgggttccaa aaccacttg acaagctcct tcttctgcac 80640
ctcaatcttc tccttcagaa ccaacaaaga agcacaagaa accacgttca agttcctctc 80700
ttgtacagcg ccagccttct taaaattcat tgtcctcctc tcataattct ctgctaccaa 80760
catagcaata tcagacatgg ttgatggtag attctctcac tcaactatata tgaaacgatg 80820
ttgtttggtg tggttaaggg ttgctcttac taaaaccttg ttcaaagcaa aagctattta 80880
tagcgacgga ttctacgtct ctacgcgtgg ccgggtcaaca gtttcggata aggctcaagc 80940
cgtgttaggt ttcgattatt aaattattac tcattactat acttttttag ttgggggtggg 81000
tcatatccat taatgtgtcc ttcgttaaaa aattctgaag actttccgac gaaatataga 81060

ggactaacta atgtttcttc aacctaccca tgttggtcac atgccctgaa tatgatagga 81120
 caatttggac agatctaattg tgggagaatt ataaaaaggg gactgaaaat aagaaaatgt 81180
 tttcatatat aaatgttgta caaaaaattg tccaataagg aaaataagat gatcgatgca 81240
 ataaaaagaa aataataata ttataaaatt attgtttcaa tcaatttgta aataatagaa 81300
 ctaaaaagga gtttaacttt taaagccaaa gatggtaaat gtaattcact ttttaaatta 81360
 acaattataa ttcccttttc aaaaagtata tttttacttt ttttcatcat taattatatt 81420
 tttactttta agaagttaaa ttttaaaaag tgaaatgtgg tggtaataat ccaaacaaga 81480
 gttttgcatg atttgtaaaa tattccattc tctgtgatcg gtcacaaat tggaaaatga 81540
 caaaatattg aaacgtggga cacgtgtaac ggtttctcac tgtatacgta gtatagagac 81600
 aataagcaat aatgtccgac atgcacatgc ccaagcctgt ccctatcctt tttttttttc 81660
 agaagggatc attaactttg gaatcctaatt tcttaaaaat gagatacaga tatacgtttt 81720
 taaaactacg gattgggtccg atgggttagtc atattgaatt caccttatgg agaagatata 81780
 ttttagcaca aattttgtat ttatgtgtga aaatcttcca gataagtga agatacaata 81840
 tgataagtgg aattagtttt gggtttagta gactgaagga tacccttgac aatatcaaaa 81900
 aacatatttt aaagtagaaa aaaatgaaaa gaatttaaaa aataataaaa gtaatgtatt 81960
 ttttggtata gactacatgt ttaggattta atatgcatat tcagaaatta aacttgagat 82020
 atctaattaa attgaaataa tatcatacta gttgatctaa gcgctcataa taataaacgt 82080
 gatgtaactt cttcttactt tgatgtttta ttcaaagcta aaaataattt taataattgt 82140
 cttcatatca tcaataaaaat ttctccatgt gtttcagcta atgataatga ctccctctta 82200
 gtgtctttct ctattgatga atttagatct acactctttg aaatggattc agataaatat 82260
 acatgaccaa ctggtttgaa accaaccttt ttaaagaaat tttggcatct ttgtggatct 82320
 gagctcttta attctagagt ctcattggctt gaaactagcc aattcccacc tcaggtaaat 82380
 aaaacaacaa tttttctcat ccctaaaaaa tctaatacca ccaccatgaa agatttttga 82440
 ctcatagtcc ttgcaatgt tatatacaaa attatgtcca aagtcctagc caatggcctt 82500
 aagcttattc ttccaaaatg tatctctcct aaacattctg cttttatcca agatcgttcc 82560
 attttgata atgtccttat agtctctgaa attattcacc acataagatg caaacaacaaa 82620
 ggaaaactat gagaaattgc tttcaaaatt gatatcagca aaaaaattta ttgagttgac 82680
 tcgaactatc tttttggcat catgggtaag atgggattta acaaaaaatg gataaactga 82740
 atgagaatth gtttcccatc aatccaattc taggtggttg ttaatgggga taatgtgggg 82800

gaaatttttc gagggagaag acgaaagata gaatgactca ctaccatcct acctattcat 82860
 tatttgcact ggggtctttc aactattctt aaaacacggg gaggtgagag gtgacataca 82920
 tgggtgtgaag gtgtgcaaag ggactccctt cccccctctc acttattatt gctaattgatt 82980
 gttttctttt ttgtcggcct aaaaataatg aaattttcac cctttaggag atcctagaca 83040
 cttatggaaa agtatcaaga caacttatca attttcaaaa gtctgaaatc tttttgagtt 83100
 cgattattca acaacaacaa agacacaaaa tctcttccta ggtgtcacta aaagcattgg 83160
 atccaacaaa tatttaggac ttccctcaat cattggcaag agggaaaagc tatttttggg 83220
 ttcatcaaag atcgtctttg gaattggctc aatcattgga ctagtaaaca actctcaaaa 83280
 gcgggtaaag aaatcctatc aaatatgctg ctcaatctat acccttttgc tgcattgagt 83340
 cttttttgct ccattccact ttaaagatg attttgaaga aaatgatgaa gtgttttttg 83400
 tggggcaata acaacaaagg aaatgaatca attggctcag ttggataaaa ttattataaa 83460
 aaaagaattt ggaggaatga aattaagaca cttgtacgcc tttaatctta ccatgttagg 83520
 aaagcaagg tgaatttca ctaccaacca agatactata atgttcaaaa tcttcaacgc 83580
 taaatatttt tcatcaatgg atttcttggg tgtccacctt gggcacaatc ccatttttgt 83640
 atgatttagt attcacgctt cacaggtaat ggtaaagcaa ggtgttattg gaggattggc 83700
 aatggtgatt ctactcatgt ctggactcaa ccttggctct aacaataatc ttaatccttt 83760
 tgtctcaacc accccaataa tggatatctt cctcttaaag tttctgacct tattgatcat 83820
 gctaattgcc tttgaaggaa tgatattcta gattcaaact tcaaccaaga ggatgctcaa 83880
 aaaattcgtt ccctaacact attgaatatc acggagagag atcaactaag ccggaaatat 83940
 tcaacgaatg gtgagtacac tgttaagagc gcataatcat ccattatgga tcatttgcta 84000
 gacaatagcc acctcaagg taaagggaat tggaagacca tttggaatct tgttgtgcct 84060
 caaagaataa agcacttcac ttgaaggctt cttcgaaaat gcattccaac aagatccaac 84120
 ctgcgcaaga aaaatatcct ctatccctta cattgtgttt gctgtgattc aaatattgaa 84180
 aatgagtggc atctcttctt tgcttgtgat catgccagac tcatttggca agctgctgac 84240
 ttatggaatc tcgctgagca tagatgggac aatgcagata atttccatga ttttatgttt 84300
 gattttctat aggaaagcca tcttttatgg cctctctctt tgctatgcag catttggcag 84360
 aatggaagca tgcccgctgc ttgcacaacc aataacgtcc acctacaact cataatggca 84420
 cagcatcata aattcctcct caccaaagac atatcaaag taatttggat gctgccctac 84480
 tcaaggattc tcaaaccctt ggcataggaa tgtgcttgcg ggattctcag ggaaatttta 84540

tcaaagcaaa atctgctaca attcaagaac atccaaaacc tgaagttgca gaggcacggg 84600
 ctctacacca gtccatcaat tggataaaaa gatctacaac tccagaacgt gattttttgag 84660
 ttggattaca agacggtggg tgataatttg atcagttggt ctacaggaaa atcagactta 84720
 tttaaaaaga tgtagagcct ccatctcttc tatcccaaac tcaaactcaa gggtagtggt 84780
 tataaagaga cgaggaaatc aagcaactca taacttagca agagtttctc gatttttatgt 84840
 tagctttggg gtcttcaatt acatcccaac ttgtattggt tctcatgtta tgaatgaaat 84900
 gtaataacct atgaagtacc gataccaaca cggacaccgg acacggacac gtgaacacct 84960
 gtaatgttaa aaatatagaa cgtagtatgg gtgttggaca ctggcacgga cgcgtgtcga 85020
 aactagaca cgacaagagg ttagaatatt catgcttcat agataataac tatgtttttc 85080
 atttaaaaaa aacatgatat ataaaatatg ataaaaata aatatagggt tgatagtgtc 85140
 ttcagttaca tcccaacttg tattatttct catattatga atgaaatgca ataactatat 85200
 ttttcatttt aaaaaaacat gatataataa tgtgataaaa aaataaatat aagtttgata 85260
 tatttttatt ttgtcaaact actttcttag tgtacaggat aaaacaacag aaaaatacaa 85320
 gaaagtaaaa taatagtgag aaataataaa ataatggaag atatataata gatcatacaa 85380
 acatccgggc aaaaacaaaa gatgaaacaa aagagagaaa aaaaatgtaa taaaataaaa 85440
 gctagaataa aaaaaaagtt acatgtatga atatcaacat cctttggcct taatacgtgt 85500
 cacaaatttt caatttgatt cttacagtaa aaaaattact aaattttatt tgccaaaaat 85560
 tatcaattta attcttatca tcatatgtca atcaataacc attgatctcc ttacctattc 85620
 ttaatttagt ttttataata tagagcattt ctaattgtat cgctatatat atatatatat 85680
 ataaataatt gtatcgctat aatttattct taatttggt cccgtaaata gaaaccaa 85740
 ttagaataca ctattcccat ataaaatcat aaaaaacaat tcacacaagt gataaaaatt 85800
 tatgtctctt aattaaataa ttcaagattt aaatccta atcacctttta agtatgaaat 85860
 aaagataaaa atatacaaat tttagtagt ctactagtcg tacaacact aaattatata 85920
 tttaaacgca aaaaatgtac accttatcgt tatattatag ccttgattta taacaataat 85980
 aattacgtgt cattgtaagt cggtagtgaa tgatgatata ccatatatgc aacattatac 86040
 acgtggctat tttcgtaaaa ctccaatcca aataaaaatc cgtgttctga atcagtttct 86100
 gactcgatca caaatccgtt attttttttag gaaccacaac tccgatttat ccataacaa 86160
 taagtaaaata ataagtaaaa tggacatgag ttttagcaaa aaaaaataga aaaactaagc 86220
 atactaaaac attatcattt taagaaagaa agaaaaaga ctatcataac tgattaggat 86280

cataaaatctt cctgaaactc caaatttctt ctttgtgcaa aattatcaat ataactctct 86340
 ttgttaaaat caacagcgtt atgggatgct taattatcaa ctcaagactc agttaatgac 86400
 gttaaagcca agaagattca cttccattat gcgggacaac aaatttaatt taacagaagc 86460
 aacatcatca taactaaaaa aaaaaaaaaa taaactgatg agaaagagaa tgaaaacaaa 86520
 actacgacct agaacaaaca caggaccaa catatatctt tcctcactct aaacaatatg 86580
 ctttttaaac ggggcaactg tacgaatgaa attctaccgc tagaattctt tgattagtaa 86640
 agtaatccaa atcaaaacca aaatttataa caaatgggac aagcaatgaa taaaacctga 86700
 ttaccaagc agaatcttat caaggaaaag aatgatgta cctgtaacct gttactggtc 86760
 attaaaagaa tcctcttcca ttttctttac ataagtagac cgtgtcagac attcacaat 86820
 ttccacatat cagcgggttca gcacaagcgt acaactctag ccacaatgaa ttgaatggct 86880
 attacacaat tatcaattaa ctgcgggtct tcatgaaaag gaccagctta ccaaacatg 86940
 gggagggcca atgtatatct acttccattc aagtcacaa gtagatgact gatgactctt 87000
 tcaaactcgg actcatagta ggcctaattg tttcaactgt tgaatatgct cgggtggaag 87060
 agccggggga gaccaatccg atcctgtcaa ctctccatca acatcttcaa ccacatactc 87120
 ctatgatgag aagcaataat agtttcacaa tcaacaattc aagacgacgt cagaattttt 87180
 cagggcatca tgatgttctc ataaaacatg cagttaacac atgggattat cagtactgat 87240
 aactaatctc aaactgcttg tgttccatgt caaatgtaat ccagaaagag gccgccccaa 87300
 agccagcctt aaggcatcaa aataccagac tcaagtctaa gctcaattac tatcacacc 87360
 ggataagcga acgagagttg caaaatcaaa tctaaaacac ttgtcatatc agacagacaa 87420
 aaagactaag gagagagaat acatccaaca aaactcttca aataagttga tgcagacatt 87480
 gttagcaatg aataaaaaac tcagatggta aacttcaact acaaattgaa tgcaactcca 87540
 aacggtgaag acccatcaaa tccaaatctc gaaactgtgg gtcaaatac atcctctcca 87600
 gccaatcttg tctgcagcca aatcataacc gttgattggg tattgcacat taattcatgc 87660
 agagagaaaa tattgataaa tggtcagat tttggctgca cagaacatcc tgctgcagag 87720
 gcaagagagg atcctgatcc acagtgcac atctgacaac cgtatggcag ctttctgtt 87780
 acatcagtgc ttcctagcac cacagcccca ccctagctaa attatacagg caatggaaga 87840
 gcaggagggg attgcataat gcatactcat gtacttggga tgggtgtgtg agtgaggata 87900
 aacttgagga attgatttgt aacacagctg cacatgcagc aggtgggacg aaggagtttt 87960
 gctttgagaa cagaatcagg ggaaggggga gggaggagga agtgaggcaa gcatgtactg 88020

agcaagagac agagaagaag aaaagtagac ccatcaaaga gtctgacata tttctgtatt 88080
 tactttctttt ggctgagctt ttatacaatt aaagatcctc atctatataa tgggtatcata 88140
 ttcatatcag tagcaaagat gcatattatt acgagagttt ggaagtactt tccacattat 88200
 aattccagtt ctctgccaaa tgtcaataat ttattatact agaaaatcct tttgaagtca 88260
 atcaaaacag ctacatcaaa agcaatgcat gttatataat ggtaagctag tagctgaaat 88320
 acatttactt tcgcaaaacc atcaggcatc ataaaaatcc tcagtcaata tggctctaata 88380
 gcaagagaat ctaaaaaaca agtcaattac aaaagcagaa aaaattatgg ttgagattct 88440
 tggctattcc ttccctggta aatgtttctg tgaagatatt atataggact taaatgctaa 88500
 aaaaaaccca agtgatggct aaatgggcta attgcatata tcagtttaga atttagcatg 88560
 acttgacagc tgaattgcaa caagaattga cagctcatag caatgcacca aaagcacaaa 88620
 agatgagaaa gtaaaccaac cacacctttg ttaacatcct ttttgcaagt atgtgataat 88680
 gacgttgcca tatccgttga cctaccatgg tagcaaccaa tacactgtag aatatcccaa 88740
 ttacagtaaa aagtcccaga acaatcaaag ccataatgaa taataatggg agccctgctt 88800
 cccagcacc ccccaaaca ccaccacatt cagttgccat gggtccacaa ctctcaaagc 88860
 atgtggtgca atcagtcac atacaaagag tgcttgcaa atgacagtct gcacaaactc 88920
 tgcaacaaca taaaaaaca aaatcaaact tagtcacgaa tcaactgccat tctgagtcac 88980
 aaacttgctg ctaatatatac ctaattcatt aataacacga cacagccttc tttctctgtt 89040
 tagcataagc aagcatgaat aatttaacaa cggaatatta tgtctttcaa aaaaaagtta 89100
 ttaaaagaag ggtctgtgat atagtgtaaa ttaaatcttt atctttatat attacactcc 89160
 aagcatagtt tctggcatcc tacaattaag caagaaaaca agcattataa cgatgcctca 89220
 tgcagatgct cggagtttca tcatgtgttc tgacaatata agaggcttgt gaatttgtaa 89280
 aatcaagggtt attaccaggt ttgacagcaa caaagacata gttctctaca aggctgagct 89340
 aaatcattgc gtactcttcg atcatagcag gtaatgaagc acccagaaag gccaaagcaag 89400
 gcgaaaaaca atagagctcc tgcattaaaa aataccaaca aaacatcaac acaaaaacca 89460
 gtatctttttt aaatgtggaa caaggaaact atgaactcaa ggtgatggag gaaaaaaga 89520
 atttgagaaa aataatgttg tataagcaat ttgatgacac cgtttaagct aaacgcaatt 89580
 taccacatat atagtaaaag ctcatctcac tatcaaaacc ccagagaaga cgaagccaat 89640
 attgctggta accatctatt agataaacca aatatgccag tgaagcaatg acctgcatat 89700
 aaaggtaatt aaggggataa attggatcac ctatatgcat tcataaagta aaaatggata 89760

agtagatgga aagattaatg gaaacatatc acctacaagc tggacagaca gaaaaataaa 89820
 caaaatatct ctggtgacaa aaaaccgaaa ttccagggta cgccatttcc tatcagcggc 89880
 aacatgaaca cgcaaagat aaggagcctt gcacgtagt cagtgaagcaa aggcaaacc 89940
 ttccctgcaat aaaaaattaa gtattatcca tatatttctt aggtcaagca ccgcaaagta 90000
 catcatttta cacattgtta tttaatatgg aatatccagg tgtttctcca tcaatgggta 90060
 tttactcagt accttacacc ccacaatgca ccatatacat tagaggattt tttttccaaa 90120
 gaaaaattag ctgtgtgtct acagttcttt tcatcactag actaagtcac aacaattcat 90180
 tttaaagata attaatgtt acagtatcat actatcatta aaaaaaagg aagaatagaa 90240
 tggaagacta aagatagtta ctaaacaaaa atgtgtcaat ggcaagagat acaagagcaa 90300
 ggaaaacatg ttaaaagcca tggagagtaa atcaaaactg caaacacaaa ttgcctaaaa 90360
 taaaattgac aaacatgtaa actcttttca tcaccgaata gggtaatggg tagccaagag 90420
 agagagataa ctgaagggtta agaatacagca gaaatcatca gaaaggatat gaaatgttac 90480
 caagtcaagt acaggctacc aggggtggat caagagatgt atgaaagggg ggccaaattt 90540
 tttttatata attatttaaa tatttaactt aataaatgat tatttaataa attatgaatt 90600
 tcacaaaatt atttattatc aatttcatgc gtaaaaccag agatatgatt caatacaaag 90660
 gaaattaagt aaacactaac tcaacattct aaattttctt tacttttctc tattaatatt 90720
 tttttaaaaa gaaaattctt ctacatatata caaagagtct tgagggaggg agggagggca 90780
 atgccccccc ttgaatccgt taccacaggg taatagacac aggttagaaa aaatatcatg 90840
 agatcaacaa atgaaaacat aacatagatc atttgattaa ttgattaacc aaacaaaagg 90900
 tttaccgacc accaaaaaat agccttgggt cagttttgca taaaagatac agcttgccat 90960
 ccttactatc aatcacgaat catcatcact tataaagttg tgttggttatg taataaatca 91020
 ctaatcatta ccttaattgc tcgcaatga tccaaacatt ctcgatgcac atattttgat 91080
 gtacctttgc acttacaagg ggctatgaaa tctctacctg ggtaaaaaaa aacaaggaag 91140
 ccaactgaaa aaaaatatga tgacacatcc aagcgttgag gataaacatt caacaacgaa 91200
 gcttacatag ctgcaatacc caacacgtgg aacaataaca gtcccaatag caactataca 91260
 cataattgca aaagaaaacg caattcaaatt tccaatcaaa tgatccagac gttatcgaat 91320
 tattcgaata caataattca tttactttgc aacaaaaaat cagctgagct tgaccaataa 91380
 ccgtgcttct taacttaacg cgattcaagt tgttataaaa tgaattgaat aaaccgaaca 91440
 ggtaaaattc gaaatcacga cttattttat ttagtatata gaattaagaa tagattgttc 91500

tcaccacatc gaagtgcagc ttgccctaac ctgaaaagtg aaactgaaaa atttaaaaag 91560
 aaaaagagga tgaaagtgaa attaccgtca gtttcgagac aaattcggca ctggatttgt 91620
 tcggagggac cggcttcgag gtcgatctcg gaagggctcag cgaggggaag gggaggaaca 91680
 agaggagaag aatctgagtg atcggccatt gaaattcggg ggggtacaagt gtcaaaatga 91740
 attctaattc ttcacatca tcgttagctt agattaaatt tagaatagag gagaagaaga 91800
 atctttcact gatgatcctt ctctttctct ctctagaact gccattgcg aattgatttt 91860
 tcaagttttt gttatcacag acacaaaagt tgcgagacta cagtgaacc ggtgaattcc 91920
 caaaactaac cgcgaataac aatcaaatct gcgttgata ataaaatcta atgaaaaagg 91980
 ttaataaaaa ttaatatttt aacaataatt gtaatcattc tgatttaatc acattcaaaa 92040
 caacttttta tcaatttcaa aagtaaatta tataagaatt gaatttattt ttttaaaaaa 92100
 aaaattagcg tatattattt agttatata cttaacattc taacaaatta accttccgtt 92160
 aattttttta cattttaaca attgttgata aacaaaattt aattttaaag tattactagc 92220
 ttaattgtag cttttcactc ttaattataa ttttatgaaa tttttcatta attttttttt 92280
 ttacttttct gtgcattact acattctgtc ttttattttt aaaatttcac gaattttatt 92340
 catcggtttt tgactattta tttgcattag ttgactttat taactgctga ggtaaatttc 92400
 attgaacgac actgatatgc tggcgtccaa ttaaagataa aaatactcga tttttttaaa 92460
 gtaaagaaca aaaggtatga ttaagccttt agataatagt aaacgtatag gagatagggg 92520
 ttaaattctt aaaaaagact ctttcttctc actaccatta aagtaactaa atcattcggg 92580
 ttgcttgatt tatagataaa aaaatttata tataatatta atttttatta ttctaattta 92640
 aaaaataaaa atttatataa atattaataa aacaaaaata ataaaaataa tgtcacaatt 92700
 agacatagaa gttgttatgg aagttcttta ttgaagcttc aacttgaatt ctcatataa 92760
 tctccaatac aaaatactca attgtcctaa taaaaatttt aaacaacttt tagattaaga 92820
 gaaattgaga aaatttacta aaaaaaactg ataaaaataa ctaaaaaata gtagtatttt 92880
 ttaagtaaaa aaaaaaactt aaattaacat ttggatcact aaaattatca ataactaagg 92940
 tgaaacaaat aaaaatacat caaaaatatt acattgatat gtgtatggtc aaaataattt 93000
 gtttttctaa tcacgatatt ggcatgaaat aattcttata aaaaataatg attaatcttt 93060
 gttggaaagg caataaatac atataagata agaaaaaaat ttaatataat ttatttcata 93120
 cccaaaatca taattatttt attatatagt aaatatacac ccatagacaa taagtacca 93180
 aaaataaaag tagacatagg caataagtaa atttaaaaag ccagtactcc acgagttttt 93240

ttttttgttt tttttaccgg aaaaccgaac caaaatatcc cccaaactaa actacaaata 93300
 ttatcgggtta gtaaaactgt aaacgtgcc aagattgtatc tttttggtag tttttgtagc 93360
 atttacttcc aaggaatgaa gaaaagatta ttcgtagaga ttttgggctt cggccatcaa 93420
 ttcaagtttt tgggctcatt accagtccat ttatcatacc tttccaagga gggaacaatt 93480
 attgttattg aactatgct aatagcaatt ttatcattct acattccttt ctttttccta 93540
 catcctcaac cttttctcct tctctctca ctttccctt cttatttcat aatacaccct 93600
 acccttctcc ctctctctct cacttcttat ttcttcatta ctttttccaa ctcttgtctt 93660
 cactctcgtc tccctcacat cacctaagt tgtatttttt tttaatacaa cagaatcgtg 93720
 tttttgttgt gttttttaca caatgaaaac atgcatgatt tgcttttttt ttatttttta 93780
 gaattgtaaa ttttttaatt gttctaaaat atacatattg tatagcaagt catttaatga 93840
 ggtccttaac aagtgaataa tgagacaaaa cataacaatg gaaattattt ttcgacaaaa 93900
 aaattataaa acagaaacat gtttctatcg tgcattgtata taatagaaac atgtttccat 93960
 tttatgaagt gcatcagata aaaatataac aacaaaaaca tatttttcat gtacattaat 94020
 agttatacaa tggacgcatg ttttcatagc gcaattgggg gtggcaaata aaaaaacaca 94080
 acataaacat gtttacattg tgtaactatc aatatacaat gaaagtatgt taccattatg 94140
 catatgggga taaaaaaatt taacaacgaa atcataattc cattgttaaa ttttttttaa 94200
 tcccatttgc aaaacaaaac catgtttcta ttttggttta tgtcaggggg caattttggg 94260
 ataccataaa aagggtactca cactggtagt gccataaca aaagtaggca gtgataatag 94320
 caattccctt taaaagaaag catggatgtg atggaactct atttagtatt ggggctgcta 94380
 ttctcaccgg caattttgca aaattacttg cctgcccctc ctccctttcc tgcacccac 94440
 catctttcct tcttcccttg ttgcacttga atctgcatg aggtagggtt tttttttctt 94500
 catactttta actgaactga gttataattt tgttgtattt ccaacacaac agaatcatag 94560
 aattttttat ttataaaaaa acaacaaaat tataattctg ttagcgtgtg tctgggttga 94620
 gatagtaact taattcgaga gattattatt cacgcttata gtgatatgat gccatcacgt 94680
 catatatcat tcaaacctat atcacgtcgt cattattgtt ttcaattaat catgtgccaa 94740
 taatgctcaa tttaaaattt atttatttaa cgtaaaaaaa tggcaaaaaa taattatata 94800
 cagaaagaaa attaagttac tctaagataa tctattgata acattactac ttttaataat 94860
 tatttttcaa tattaatttt attattttta ccattaaatt aagggtttaa tattttttta 94920
 gttcttatta tttaatgttt tttttagtct taaaaatta tttttatttt attttttagta 94980

cttataatat tttaaataat attttgaaca gtaaaaaaat attataaaat atcatatgaa 95040
 tcaaaaataa aataaacata attaataagg actaaaaata aaaaaaaaat ataataataa 95100
 aaagaaaaaa agtactaaat tacagcacta agaaatatt aaatcttaaa ttaaagttgg 95160
 gttgaaaatt cattaaatta aggttaattt ttagcaaata aaatatacat ttttatttaa 95220
 aactaaattt atttaatact tcatttgacc aatttaatat aatataattt aaagtatgtt 95280
 tctcttcatt ataaaattag aaaagtttga tttttgaccc aacgaaactt gttgtatgtt 95340
 ttcaattctt ctaaaattaa aatcttataa tatgtttcaa agttaagggtt gattaaaatt 95400
 gaacatatat gtttaatgaa tataagttca attttacacg tatttagtcc ttaagtggag 95460
 attcatggta tatgtatgtg ctttttaaat aattgacctt aactctagat caaattatga 95520
 tatatttttaa ttttacaagg attaaaaaca taaaaaata gtatggacaa aaatcaaact 95580
 cttttaattt tataaagatg aaaaatatat tttactttat aatatgtata tatatatata 95640
 tataatagtt tttttaagaa aggtataata aatattaact ataagttttt ataattatta 95700
 agctaagtgt aatatattca agaattcaaa taattaatat ttacatata ttggctaata 95760
 aaaattacat atataattga ttgcatagtt aaaatgagta attgatccaa aaccgatcaa 95820
 aacctttgat tataaagggg aaaaaaacc ttgttgatgt tgatagggaa acttctcagt 95880
 tctcattgtc aatcagaact tgcaagttgc atttccacaa actgagttga taatttttgc 95940
 tttcaacttt aatccggcca gtttcgtgac cgtgtttgag gagcacagca acaccaaaaca 96000
 tacttgccct tgaggtcttt accctcaagc caatgatagt aactccaaag tcaaaaagtt 96060
 cagtattttt ttttttttct attttttcgt cagcttgaat gacacttgga tttagacaaa 96120
 ggttttttca taataattat aataataata attttcacgt aaggttgagc ataggacgag 96180
 ttaattcaaa caattttatg tcattatttg acctgaaatt ttaataaacc tattttattg 96240
 agtcaaaacc atccaactac ttgccttgca cccaataaa aatgagaaaa aaaatttact 96300
 aagaaaaagg tgaggaaaaa gtatcagaaa tcataattaa ataacaaaaa aaagtataatt 96360
 aacaaaaaaa gtataagaat tttatccttg aggtttgaat attttttcta ggtgttttca 96420
 tactttcaaa tcattcttga agaactcttg catgacttca gggtaaaata atatagtatt 96480
 aataaaaaaa agtataagaa ttttatcctt ttgaaacaa ttaacttgat ccaacttaaa 96540
 ttaattgaag tataaaatac ttttaaatat ggttcatctt ttattttaag taaaagataa 96600
 cgtataagac tcaacgtggt gtcaactaac caatgttttt ttcttttaca aaataaaatg 96660
 ttcaagttat cgtatcatat caaatcagga aagataaaag gctcacaatg gattaacata 96720

aaaagaaggg gacaagagat aaggtgggggt tgtattgaaa cccttgcgca tgtgagaaat 96780
 taccattga ggcaaccata taatcagtaa gtgaactgtt atttatggag aaaaaagta 96840
 gagtaattgc ttatagtgtc ttaatatttc gaaacgtgtc atgtagagta attgttataa 96900
 atttttataa ttaaaaaaaa tgttttattg gttataaaac caaacaaaa atgattccat 96960
 taaactgtat tattatattt gtattagata aatgattatt ctccctaaaa acattaaatg 97020
 ctctttatta atattttttc atttaaaata aataaataat ctcaacaagt tatagttatt 97080
 ctaattaatt taccaataaa tcaaatgaaa ttatatagat attttaatat ttatccaatt 97140
 ataaatataa ttattttttt atagatcaca attatttttt caccctttga gtattcgata 97200
 tacagttaca tactcgagat ttgaattaga aattactaat taagttaaac taattttgat 97260
 gtagttgatt tatgcactcg attgtacaaa tataattgtt tttaaatatt gtgcaaatgg 97320
 gttttgggga tttcacttac ttaatatgat ttagaaacat tattattatt atttctgtaa 97380
 aaaaaagaa atattattat tattacaatt tcttcacctt tcttatatac ttttttaaaa 97440
 acgaaaaaaaa aaaatattga gtttcgttta tgattaagaa aaatgtttca taattaaaaa 97500
 ttaaaaacta gtgtctgcat catcacatta ctaaactagg ttgcctgatg tcaactactga 97560
 taaaatcaaa ggaagattca ctgacgcaag aggaagtcac catagaagca gctataaaaa 97620
 cacattttag tttccagcat gaaaaacttt tgattacgag agacatatct ccatttataa 97680
 gtgtcttgaa caaattatga aagtagttag caacttagca tcctcttctt ctttttttct 97740
 ttcttaatat gcaatgttga tgtcccttac tttccctttt cttgtttttc aaaatacaca 97800
 acttgggggt gctactgttt ggggaagctag agggagtttg gcaggaaaaa atattttaat 97860
 ttttcagaaa cttggaaaac ttaaatagta tttgatttga gtgtcttttt tgttttcatt 97920
 ttcaaagaaa acataaaata acatgttttg tttaaaattt agaaaatatt ttcaaaaaca 97980
 tgaccaattg aagacaataa attagtgtt tcagtttttc ctgaaggggt gaaaatatga 98040
 tggatatctg gaatatataa aattaaaaaa taaacattca aatcaaattg tatcttaatt 98100
 ttctgttttg tatgtatttt ttaaaaaata cattcttgag aaatgatatt tctaaaaaaa 98160
 aatttaataa attttcata aaaacttttt cgtgaaaaga ggaggtaatt ttactttttt 98220
 tattttaatt ttactacag taaatatatc atattttttt attaaattat ataatatgat 98280
 aaataattaa aataatcgat aaaaatatac ataattattt aatttttaaa aaaattattt 98340
 aaaaattttg aatggtcaga aaaaaatta tttattaaca tgaaatatga gcatgaagat 98400
 tcattatttc caaaattaaa aaaaaaaaaa aaactcctac aataccaatc gtcgggttaa 98460

ttcttccata gcttgagagg cccaatagc cattcttagt gacaaccac tttggattgt 98520
 catttggaat aaaaccagca ataggaaaag ccaattgggt gtgtttgctt gacgtatcac 98580
 ttgccattat taattattca aaccaacaca aaatagggaa tatgaaaaag aaaatcactc 98640
 ttgtgtcaac cgaccattcc aaatgcaccc accaccatca ttgtagcttt atacacatca 98700
 ttgacaccga gacctaatag cctgtaatta tttaaactta tccaatcttt ttttaaaact 98760
 atttcttaaa tgtcttcttt cctcaagcac ataatccaat ccatatccaa ttttatctat 98820
 tgcttatcgt tttggccttt tttcttttac aattacaaca atttcgcctt ttttcttatt 98880
 agccttacgc agttgggtgac gccattgtac cttgcaatcg cagaggtga aggtgtccca 98940
 atgtccctca caagtacaat ggtcgccctt tatgcttcat tcgttgtctg tgccttttcc 99000
 gatacacgta tggttccttc ctagcaaata ttttatggat taaataaagg ataatgttct 99060
 tgtaactaag tcgaatctaa ggtttaacaa atttaatcca ataacattta attgagataa 99120
 tcataatttg tcttttcagt tatatttttg ggattcttat gaatatgac tcctctttaa 99180
 ttttataatg attgtcttta tttttatctc tcaattaatc cttaatatga gtgttttata 99240
 atgacttttg aacgatttta tagtttcgga aaatattata tacaaaaata atttatcatt 99300
 attaataagg aattgattaa aattgggtga cagagattaa atcatgggag aaaaatctta 99360
 aaagagttga caaaaaata atgcaaaaca tagtccttca gtcttagtgc acaatgagat 99420
 ttgaagtcac gtaacgatca acaataaca agaataatat aatcaatcat gtaaaataat 99480
 aataataata atagaaatca agaacaagta tgtccaaaaa atttagggag ggtaatcgaa 99540
 gattcctgac tcaatgtagg ccatattgtc taaagagtgc ttccaaattt ccattgaaat 99600
 taaagctcct ttttaggcac ctagacctcc taaagggtag tgtaggtggc tcggatcttc 99660
 actccacctt gttaaatttt ctttgtggga tctcaacgta cacattcaaa gtgattgaca 99720
 agttttttct tccagaattt tagtaattgt caaaacaata ttgttggctt gataggtcct 99780
 caaataaatg gaccagagaa atttttattt gaatcataat aggtaaattt aaaataatct 99840
 attaatattt ttagtatctg ttaaaaaatt attaaaaag tttaatctat ccataattta 99900
 tttcataaaa aatataatcc attcattagc atttttttac gatatatatt cagcatatcc 99960
 ataattttat tttaaaaaat taaatattat ttgtataaat tttttgttta attcacttta 100020
 aagaagccat tattttattt ttttttaaga taatttttta aaaataaata tttatttctt 100080
 aaatttaata tattttcatt aatatataag aagatattgt atttttttta aaaaaaggaa 100140
 tccaaatatg aaaaaatatg ttggatagct ttttatctgt aaatagctta ttagatggtc 100200

catgagattt gaaaataaaa gagtataaat tgttattcat cctttcaatt atatgaacca 100260
ttcaataatg aaggctacgt tgggagagtt aatcataact tctaccatgg gaatgttttt 100320
cttgtttgca agatatcatg gttttaaaat cataacttaa agtgtaagaa attaaaagag 100380
tctaagtgag aagaaaaatg taggaagaaa tagattacaa taatatggat aagtttaatt 100440
tggattagaa aagtaaggga gaaagagact gcataaatgt aaaagattta agtttggaaga 100500
aaaaaaatag ggagaaagaa accacaaaaa tgtaaaaaga tttgagttta gaaaagaaga 100560
tattggaaaa atgtaaatgg ttggaaaata aagtgttaaa atcgcaaata caagaatgta 100620
aaagacatta atgataaaaa aaataattaa agtattgaaa taacaaaaaa attaattaac 100680
aaactaacia ttaatattta tcaataaaaa tattaaaata aaaatgttaa aattgaaaaa 100740
aattaattat tatgtagtga caatataaaa taattttctca ctgtcataca atcataattc 100800
atgatttgta tgactttaag ataattttgt taaaattaat aaacttatga taaataataa 100860
tctataattg gataataata taaaattatt ttaaatagtt attgcataat ttttttttac 100920
aattaatatg gttgaaaaca ttgtaacaac ctgtcaatat gagaacatta gaaacttagg 100980
atatgtaaga tatttacaat tcacaatcct tattacatga tgcaaactag tattttttaga 101040
cagctatttc taactataaa taacactata gacttatttc aataactttc aaactcggtc 101100
caatcagtaa ttcgatttaa gtagtgggtt actgggtcaa tgaactagta attgacttaa 101160
tatatatcaa aaaattttaa attatatatg tatttattat atataactat ataactaaca 101220
ttatttgatt aagaaaaaat catttatact tcaaaaataat aattgaagta ttaaagttga 101280
taacaagtcc acaataata atttaataac acaattacac aagtttcaga tttttttaga 101340
gcatttttga ttttttatac acgaaacagg ttttaaaaat aaaatcggct cgtcgggttt 101400
accccaaatc ggtctggtct gaccggatca tcogagacca gatgtatgac cgggtccaata 101460
actaaatcaa tccaatccaa atcgagacaa actggatttt tgaaatatgg tttgaagtgt 101520
atttaaaatt ttatatactt ttttatatct atcatgttat agatataaaa tattgataag 101580
ttttattaat aattaattat tataaaaaaa tgatgggtcta tcaatcacia tttttttttt 101640
catttacaga agttaactt gagatttaatt ttaagaaatc taagtttaatt ttactcaat 101700
ctaatacat gttagtaaaa ttttatacag agtctaataa ttatagataa attagaattt 101760
taaaatatac acaattaatt gccataaaa tatctatttt tcttctcaag aaaattacga 101820
gcatgtttgg atatttggtc aaaataggat acacaaattt caagataaat ttaatgattc 101880
agaaacttta ttttgcaaaa tgaaggattt gagtactttc gtaaactca ttttagccta 101940

aaagtctgtt tgaacaataa aacaaacatt tactacctta ttattgcctt tccttaagta 102000
gcaagttatt aattccttta ttttgcaagt gaatacgttt catattgcat gttttgactt 102060
ggactaatgg actttctccat attgacccaa ctcttaaaaa caatctcgat tgtcttcttg 102120
cgaaattgat ttccatcgat ttctctctat tttttctttt ctaaattata ttgacaacta 102180
tatatatata tatatatata tatatattat gtaacaaatt ttatgatgca gttagataac 102240
aagaatcaaa caataaaaat atataaaaat aagcttaagt aattaatatc cctaaaatta 102300
aatcagataa attaaaatgg tttgtatatatt gcttgattgt tgacttggtt gaaaaaaatt 102360
taaagtgtga ttggctctcc tatcttgtca ctaggaaaaa ttaagcaaca aagagaacaa 102420
gtaaaagaaa atgggcaag aaaaaagtg gaattgttag ttggggaatg ttgggctgtt 102480
cggctagaac agatattgct agaacaaaaa agagtaccaa agtagatttg gattccgaag 102540
ttaggaaaga agggttattt taaagtggca ggtaaagtga aacttccaat aaattaaagg 102600
aaagggaaag aaccttacta tggaaatgtc tcaccgtgac attgtatgta tttggatgaa 102660
ccttcataaa attaatctta aaagaattga ttttataaaa ttaattttga agtgagatag 102720
tttgtgttta aatgttttat tataaaatca agttaaaaat aaaattcagt acaaaaattt 102780
tatatcaaaa atagaagttg ttgaaagtta ctttaacaaa aaatcaatta tacgtttcaa 102840
acataaaaatt aaacatctat gtatctaaaa tcaattttgt attcagaatc aattttccaa 102900
agttaaatca aacatgcact atttttttta gacgttatta tataaatcta tataaccttc 102960
tgggagtagt ttaaacaaat ctaatctgga ccaacaagg actcaaatta tcttccgggt 103020
gtgaagcagt acttcatatc atcaaacaaa tgatagacat cgcatttcct ttacttttat 103080
tattagtaag aatttctatt ggcacttttt cccttttcac ctctttttta gataaagttt 103140
gtaaaagatt gttcaaacca aaatcataat gaaaacttct gtgggtgtgg gtctacaatc 103200
ctgcaaattc acggaagcaa caacattttt atcactttca actataatat ttgcatatat 103260
aagggcattt tcgcattacc caaatttctt tccttttttg ttgttgtttt ggttttgggt 103320
tacgtttggt taatacaagt atagtataca cccgatggat cttgcacaaa aaaataggaa 103380
gtcatatccc ataagaaggg aactgaaaaa tgtgtgatga tcgtcaaact cgccccaaca 103440
tcatctgaaa ggccaatatg tgacacaaaa taggtctgtg gtttgtggtg attgctaatt 103500
aaaatatcaa accagaagac aaaagggaca aagaatgaca tgtagataac aacttagcga 103560
gtcagttttg aacccttttg tctcaatggc gctgcatagc gtagcattaa ttaatgtgga 103620
ttttaatata tcctacacgc aacatcgatc atatagattc taactggttt gggatatctt 103680

acatgatttt ttgcgaaat aagattatgc aaacaaatat agatggagaa gtactatata 103740
ttgtataaga aaatatattat gagggaagtg taaggatggt tccatgaaaa aaagaagatg 103800
tgggcctgac acaaactcct catttcttat atgattatgt catttaaaaa gaatataaaa 103860
tatcatatta catttattaa caaatatttt aacacatatt aaaagtggaa ggattggttg 103920
agagggtttt tcttatttat aataagtatc atttttatac taaaatgttc tttttttttt 103980
ttttgcgtgt gcttttagtca agctctctct ctctctcaaa tttcataaaa tttgtgaatt 104040
agtcaatttc gttttaatta ttatattgcc cttttcaatt tcttataaat tcattacatt 104100
gcatgtaatt tatgtaaata tttaaataca ataataaact taattgtata aaaagtaatt 104160
gtaaatttgt atacttacat gcaaagaatg tattaataa ttaatgcaa ttaattagt 104220
attagaatga taactggatt tgagcgtaat ggatacgcaa tataattact tatacgtaag 104280
ctttttatct aatgttatag gtacggaact gtagtatagc actcatccag catctatatt 104340
agccccata cacatataat aaatataatt atagaattaa ctatttatta tattttataat 104400
tagtttaaaa atattttaga tattttttaa taaaataaaa cattttactt ttaatttttt 104460
tcagttcata aaaataattt aaatgtaaaa aacattttta ttttaataat ttataaaaaa 104520
aagacacatc gaaaagaaaa tatattacat gaataaaata ctaataatat gtttggatac 104580
atacccatct gagtataata taagtatgga ttgttttgg aaggctgaat gctaaagtta 104640
acattgcttt acgcatagat atgaagttag ataaatatct ttcttgattg cggatattcg 104700
aatggatata ttacacaaat ggctagcctt actaatgatt tgacatatta ttattaagca 104760
gtaccatttt ctactacatt ttaattactg aaagaatgat aaatgttgta agatatcaat 104820
aaacattgac gtaaaaaaac aatacgcatt taatattatg cttagggtgc acaccattta 104880
actaatctcg ttagatactt gcttagtgct ttagatgctt tgatttatta ggcacaaatg 104940
cttttggaat ttggtatatt tatcgtggag gtcagggtcaa tggttattaa agtggagagg 105000
gatgcatcga atcactagcc tagtagccca atagaagtaa tcggcatttc gaaggctctc 105060
attaatatct caattcctta gcctatcaaa catctaattc aacatagaga cgtaaggatc 105120
tgccaattct gatcataaca atcaacgcaa gtattcgatt tcaataataa taataataat 105180
aataataata agatgggaat gcataggtac aaatgttcgt attaatattg taactaataa 105240
tttaaattggc atgaaaagca atgcataaaa ccagccaaat gttaggctgt gtgtataatg 105300
taagacacga aaaaaatatt gaaatgatta ggttttgtcc aatctcgtgt gaaggatga 105360
cgcccccttc tactctaaac actccacacc accctcactt aatcatataa aactcataat 105420

ttcttgactt tctaataattg ttggtgggtgc cgtgttagtg cccgcattct atttaagtta 105480
tcattttgtaa gtaatttcgt ggatgggtgac accaataata acttatacta acaactaatt 105540
aagaactata gattaccaca aataattaaa taaataaaaa cgaccatgaa atattaaatg 105600
atgggtatgct acattattac acataatata taatactata tgatataaat gtagccttgt 105660
caacatgtga ggtgagtggtg agtgtggtaa atcttttagta ctatttgatt cttacaaaata 105720
aacaaaatgt aacaatgccg gcgttgatat attccgggtg cgttgagaca gtgaagggaa 105780
cagtgacaga gtcgtgggtct acctgggtgcg cacattagcc atagtggaaa catgacgatg 105840
actgcgacac ttggtatgtg aaatatattt gactctctgt agctcaacac gaccaagcat 105900
ttaacaacaa aaaaacaagt tccactctcc aataacaaga cacaaaagtc tcctctattc 105960
taatacgttt ttattttttt atttctatgt atttgtatat acataaataa ataatgtaac 106020
cccatttaca aatggtgggc tacgtttcca ttttttatta tataataaaa attgaagtta 106080
gaggcagtct ttgaaagcgt cgtcttctga accaacacaa tgatggaatg gaaggggtctt 106140
gcgttcttct gcggtttgat agatagctag ccatgttggc atgaagattt gagcgggaaa 106200
ataataagac aacatacata acgttttctc aaagtggttt ttttatttta ttttttttat 106260
cataaggttt ggcttttttag ttttttattt ttcagttttt gtggataatt ctattaaactg 106320
tcaagggagg aaattggtac agatcaaagt ttggtgttac tttgccaaact aaatattatg 106380
acatcaatag atacttagat agatagatgc ctttatttat ctttgttttg aactactatg 106440
attactggta ctttcttctg gcagttgtta cttaaaactt ttgttgtctt tggaaaaagg 106500
gaacaaaaaa aggtaaaagg gggtgctatt taggatttgg ttttgtgttc ctatgtttgc 106560
gaaaaatgat gaggtgggtt tgttgcccta ttaatgggaa aatcgtaact tagattctgt 106620
tgcataggcg ttgtctgtgg cgttgtcat acaaacgtgg tcgggggtgga ggaagaaact 106680
aaaacatggt ttaattaaat gaattattcg tttattttgt gcttctcttt ggcttgtgat 106740
gtctgggttt tttcttgaga tttaggttct gtttgtttat cgtggattgt tagatattaa 106800
ctaaggaatt tcactcttcg tctctctcat agtacttctt ctggtgccaa gaaggttgga 106860
acagtagcaa ttacttgatc tactctgtta cttttttctg tctttgcttc ttgctcctgc 106920
cacccttcta ttcttagttt ctctctctta tttttccctt tagttgtttc tgttattaat 106980
ttttgaagtg aatgtgtttg gcttgcaatc ttcaatgcat tttaagattg attgagcttt 107040
aattcatctt tttttgggtt ttgccagacg gcagtttgcc tgcactgatc agttctttaga 107100
gcatgaattc agcatccccg cagtttgttt cctcaagaag gatgagtggt tacgatccga 107160

tccaccagat tagtatgtgg ggagaaggct tcaaaagtaa tggaaattta agtgcagcca 107220
tgccctctaatt tgatgagaca gacatgaagt ttgatagtca ggtgcaagtc tatgaaatcc 107280
gtgctttgtt tcattggcaa ataaaaatgc ctattctgcc tactaaccaa attcgtttgt 107340
gctgtttaat acccagtcag aggatgcttc tcatgggtata ctgggagagc ctaataagta 107400
tgaccaagaa gctaacaaac ctactgataa ggtaagagca tgttatgcaa actcgtttcc 107460
tcttgctcta tctcttcccc aaacaaaaga aaagaaagaa ggcttatttc ttggtagtgt 107520
tttgtttaatt acaacaacat atatttcttt accactgaga gcggatgtaa attttgtctc 107580
ataccacat ggtttctaatt actttctgtc agtgggtttt ccctgacttc cattagaaaa 107640
aaaaaactat atatacttgg gaactcttga atgcttcctg caactgaatt gtcagctcaa 107700
cttacctgta aatgtagata tagataatth tgagcattac aatttcttgt ttctttcatt 107760
ggggcatttg tctggcatca aaatgttttt ttttccatta aatatgttgt cattttgaag 107820
cttcaagtct tattctgtag ggtgtgtgtg tataatgtaa cgaagtaatc aatccattta 107880
gaattatgga cagagttatt atttggaatg ttttggcatg gaaaatcaca gccttttcac 107940
ttttctttcc cctccatctt gagctttatg tatacaatta gggtgacaat gacaagtatg 108000
ttagtcctgc cattttggac tttgaggaat ctgtatttaa tttggatgta tggcttggt 108060
tcatactctc ttttatgcct atatatgggt gaaacaatta gggatctaatt atgggtcaaac 108120
atgcagatac aaagacgtct tgcacaaaat cgagaggctg ctcgtaagag tcgggtgagg 108180
aaaaagggtt gaatgaatat acgttgatac attgtcagac atgcaattag tgtttagata 108240
tactaatgtt catgtgggtg ctgatattgg cttacaggcc tatgtgcagc agttagaatc 108300
aagtcgtttg aagttgatgc agttggagca agagcttgaa cgtgcaagac agcagggtatg 108360
gagaagatga gttaatatat tagcagtttc tcttgtggat cacattatgt tgatcagcat 108420
cttccttctt ttcctctctt ctttaatatc ttaaggcaac aaaactgcag ggaatttata 108480
taggcgggtg gttggattct aatcatctgg gttttgctgg atcagtaaatt tcagggttgg 108540
ttgttattat gctactgctg ctatatattt gcattgcact tggagttttt gtgtcttgtt 108600
attccatgtc ttggtaactt gatgttttcg ttttttaaaa ttttcttctg tggtgaaatc 108660
agtttttcca aatgtgctta aatctcttac tattggacat ctgaagacta aagtcttctt 108720
tgtgtctgcc atctcaaaat attcagaaac attttctcta gtctgtgcc aaccttttgg 108780
tttcaaatca taatcagttt tgtaatagaa tccattattt ttcttccaaa tatccagaaa 108840
gcggcagaat gtttaaagcc ttgatatatg ccagttggag aattatttat atgtatcttt 108900

catgatcccc gctgccaaagc tagattatca ggtctcatatc attaaaattg ctattccttt 108960
tctttgttgg atgttgtaca aaaccataat taaactgttg gtaagttgag aaaatattgt 109020
gtaccataaa catatcttga tagtgtctta tattagcccc cagaaacaac ttttggaat 109080
cttattggca acacaagtat tgaattgttt agaatttttc atgggtgcat gtaagcttaa 109140
gttagtttgt tttgattgat gtaatattgt tcttggtttt ccatgagtat cttttcttct 109200
tgtgttatac tctattttcc aatttgttct tgcattataa taataccata tttgcaggaa 109260
ttacaacctt tgagatggag tatggacatt gggatgaatga gcaaaataga caaatcacag 109320
aactgagaaa tgcttttaaat gctcatattg gtgacgtaga gctcaggatt ttagtagatg 109380
gtatgatgag ccactatgcc gaaatgtttc gcatgaaatc tgctgctgca aaagcagatg 109440
tcttctatgt tatgtccggc atgtggaaaa caacagctga aagatttttc ctatggattg 109500
gaggctttcg cccctctgag cttctaaagg tgatgcctca tatttaataa acgaaagtag 109560
ttaaaaatgt tattcataga aatgtagaat gtgtagatct aaattcagtc attgtctttg 109620
aggactttct cattattatt ggattttaat caataacttc ttctactgtc ttcttgagag 109680
agagagatgg gggaaatttg aaactgcatt catttattac agttttaata cattatgcaa 109740
gatttactca aatgcttttt gtacttaaaa tggctatcac tcagtgtcag tgatagtccc 109800
agagagctgg gtccagcaag aggtgatatt ttagatttag tcttgacttc ttgctttggg 109860
aaagaattgc atcctcacac ctgaatttca aattttaaaa aagggtttta ttgagatact 109920
agattaatth gagattatth ctattgccat attcaactat ggcagtgtgt acgcttgtaa 109980
tgtagtatgg tgcttgctga caactttatt ttaagtgcag gttcttggcc ccctgattga 110040
accctgacg gagcaacaac gtttgatata ctataacctt ggacaatcat gtcaacaagc 110100
agaagatgcc ctttcacaag gtatggacaa actccggcaa acacttgctg atagtgtagc 110160
agctgggcag ttcatggaag gaacatatat tccacagatg acttctgcaa tggacaagtt 110220
gaaagctctg gtgagctttg tgaaccaggt agatatcctg ttttcttgat agacattagt 110280
tctcaattta gtaaaaaatt ctttttcaca acttgccata tcaatcaatg gattcctcct 110340
gccagttgca atttttatcc agatgttctg tgaaaaaaaa tcatgtatgt gttctggtaa 110400
atatactttc taatccacat gtgcttattt gtgtgtctgt ctctctgtct ctactcacta 110460
tagattcaaa atagaaaagc aacagtttag tgtgctttta atatcatgat tctatgtcat 110520
atgaaatagg aacagatggt tggttatttt aaatgtatag ttttttgggt taagggtatt 110580
gttgaagtta tttgaagcta ttgatcttgt aagtcaacaa atttttcata tctaaagtag 110640

ttcttataca tcattctata aattgttttg tagtgcaatt gatttttaaatt ttacttttttg 110700
gatgtgtaaa acccataatt tgatttgaag tagatgaaaa atatttcata aaataaattc 110760
cattcctaaa ttcttagcac agatactgaa actgaaatat ttttcattct aaagaatcct 110820
cagtagaaat ggaaaacaac aatttaataca atcaattcaa agtttttaaaa cataattagt 110880
ggtttatgat ctattttaag catcctctta cgatttgggg gcaagtcatt gccgtaggca 110940
tttaatttca tctattatat tagctgtgac ttgtggttca cttcaaaacc tttacccatt 111000
catcttggtc actgatagtg cttgctagcc agatttttat ttagcgttac caacttccca 111060
tttagcattt aggtagattc acttaggatg cctatatcgt gtaaatagcta aggtcataaa 111120
gtacagtgat ggtaaatgaa tgatacatta acagaatcat ttttgaagat cattaactgc 111180
tatatacact acaaatttac aacttcaaaa agttatagct tggctaataga ctattagaga 111240
tttaaccatg ctctgtgtga aacaggctga tcatcttcgg caggaaactt tgcagcaaat 111300
gtctcgaata cttacaatcc gtcaggcagc tcgatgcttg cttgcttttg gggaatattt 111360
ccaacgcctg agggccttga gctcactgtg gtctaataga cctcgtgaac ctgcttagtc 111420
tcacaacaag gttacaagag cgcaaactca taacatgaac gtgatgtgat gatgaatatg 111480
ggtcagtttc tttggccaag agcatcaaaa ccatgtatca tgtgaggtcc aggttgctca 111540
catttttctt gcagttttgc gttatggaga agttgtaaat atgactgcta gctcatttta 111600
tgcatacgag tttgtaaata aattaatttt agacgcattg tgtatatcgg attgttgcaa 111660
aaatgaaata tttagaatct gccatgagtc tgtgtggaag ttggttggtt agaattcgta 111720
taatgttatg ttgtgtgttt ttgaaaatga atcgactcta gactctctta gtggacataa 111780
tttatttttt gtgattgcta agggtagctt gttaaaaatc tgtaagttgt tattagtttg 111840
ttagaaagtt gttaactcta ataagctcta taaatagagc attcgtagtc ttattgtatc 111900
ttttattcaa tcaactgcaa catgatttta tatgatactc ttcttctcta ctctgatctt 111960
tatgggtgat ggccacaata tgttgggtgtt acttgtctct ttctcgaag ttctgatagt 112020
gatagtgtc aacaatattt atcataaatt tcatTTTTTt ttggatggata cttgagattc 112080
tgtcctagat gctgagtgag aaaatatata tgtgctgaag gttttacgtt ttcatTTTgt 112140
tttctatata tatacttata ttggtaaacc aaacatacac accaatccac ttattcacat 112200
tcaatttata ttgtcaattg ttacaggat ttactatg caatgggatg tgcagctatc 112260
aggatttgtt tccttatagc aaattgggtt gatgatccac ttgtagctag caggatatat 112320
aatcatcttg attccagaca gaatctcaca acttagatat agcacagtcc aaagcatcta 112380

caaaaaatct gcacatcagg aagccagtca gtgaacttca acaaagaatc tgaactccac 112440
aacttggttg aagagagcca ggacagaatt atttatatac ctgcatcatc tttggtgaaa 112500
cacattggtg gcttgatcct aaaaacattt ccatgcagcc ctcttttccc aactagaata 112560
ccgagctcta aaatttatag gagtaaacag ttaccatgtt ttgtagaaat tttggaaaag 112620
aaagcttcat atgcaathtt ttttattcaa ccaaatttct taccgctgaa tctttcatgc 112680
aaagctgttg tttcagcttt tgcagggtggc ttctathttc tatcggtgac aaattctatc 112740
cccaccatta agcctcttcc tcttacatct ccaatgactg gccaaatata taaaaataat 112800
caacaaattg tggcaaatgt atgctctcta taatgaagca tcatatagat acctaagaaa 112860
aggcaaatgt atcgtaaaat aaaaatatac cacaaatga aaacatgaat atttctggga 112920
tataagattc aagataacca tactgtcatg tacttgcatc atagatctta aacgctgaat 112980
cgagtggaaa ccaacatcag cacaatgaca ttgacgcctc tccttgctca gaactctgag 113040
cacagcaagt cccccagcaa aacatacagc gttctctcca aaagtattaa attgaagctt 113100
ctggggccatc acgcttgcta tttctggagt tgtaactaca gctgctaatt gcaaaccatt 113160
gccaataccg tgatgcatgt taacatgagg taaaaatcat acaatggaat tctagaaaag 113220
gtacatgaga ggcacttcaa caaaattggc cctatctgaa ggtaattgcta gaacaaaata 113280
catagtatag tgaaggaagg caaacaaaaa aaaggaagct aaaaccgata aaaggataaa 113340
cattgaagtt atgcttaaga gttatacagt gagagtgcaa caagtggaaa gaattcattt 113400
aatattcaac tatataatgt ttaagattgc tttacttaaa cctatattta taattgtatc 113460
atcaaattag ttcatctaatt gggaacatgc tctcatcgta catgcttcct atatgcataa 113520
ataataatga acctcacaac agactgatgc tgcacttcaa gtgcattatt aagggtgcat 113580
tgtatcctgc aactagttaa aacttagaaa gaagagatga gggcttagac ctttgccatg 113640
gtaactatat caggaatgac accctgtgtc tcaaatcccc aaaaatggct tcctgtgctc 113700
gcaaaccac attgcacttc atcagctatg cagactcctc cagctttgtg tataatgtca 113760
taggctagtt taaggtagcc gggtagcagt tcaactgctc ctctgtctcc tagaagaagc 113820
catgacatga ggaaaaagta caaaggaaaa ccacactatg gtgtggctat aaatattaaa 113880
taccactctg aagtttagaa attaaacatg aaggatggat tatgcatgcc tgaatagttt 113940
cagccataaa tccagcaact ctctctgaag ggccatagtc aatatgatct tgcaattctc 114000
tggcgtagct attggcatct gagccaaaaa ctccgaggta tggatcagga ttcatgacat 114060
gatgaacttc tcccttaaag agttaaatgt tgtaaaaaaa aaatacaatt agcacttccc 114120

tatcttttagt aaaaagttaa ttcacgttc acaatgatat cgttacaact agagtagcat 114180
ggattatggt acaatgatat agtacatgtt tgtgtatgtt tttggatata tatatgcacg 114240
tgtttgtgtg tgtggacaaa acctctggta ttgggtatct ctacgtgttc atagccgtgc 114300
gtccaattgt actagaactc tctccatgat atgcattcct taaggaaatc ataccatata 114360
taccagtgtg taaacggggc atcagcatcg ccaagtcatt tgcctctgaa ccagaattta 114420
aaaaataaac aacctgtaat ataaattgct tagttgaaca ccatgttcca tattgaatga 114480
atgaaatcta gcacactata aaactgaaca ttgcttttca gcaatctcaa atttggcatg 114540
tcacagtttt acacactgtc atataatcac aaattgatta tttgaattat tctaaaataa 114600
ttatttttaa agtcaacaaa cttaccatata atgatgaatt atgattgaat gtctaagtaa 114660
aatTTTTtag tgttagtgtt taacctatct ctcttacatt atttatcatt cttcatagca 114720
ttaaattggc agagggttta ttaaaatttg taaatattta tgtaaagaga aatagatata 114780
aaatattaca aaatTTTcat gggactagat catgtgaaaa attaattgtag gaggatcatt 114840
cccttgTTTT gatatgctaa ctgaaacaca aattatgatg ataaaattga ccttaagggt 114900
tccaggcatt ttggatgcca aggcctcggc aaaatcagct attgcatggt gtagatata 114960
ggttgTTgta tgctgcaaga gtttactttg ctccattata gcattcaaaa ctgcaggatg 115020
gcaatgtcca caagaaatag taactattcc agcaaaagca tcaagataac gcctgccatt 115080
ctcatcaaat agatgttgca tcatgccctc tacaatgtta agctatataa aaaaaaaaaa 115140
ttgttaaaaa ttacaaaaat atgtggcact cttttcatat ttaataaatt ttatTTataa 115200
ttttgtaatt ctcaataaat tttaattggag tgtcagacaa aatatattaa agaagatgtg 115260
agctataact cctccttact tatcgggtatc gatgatggga ttaacatatg acagttcttg 115320
tgagagacca ttttcaaata acgtaactat ttttacttca tttctttgac tcaatTTtca 115380
gagaaaaata aactaagaaa acatagagaa aagggttagca acttatcata atatagtaac 115440
tgataaaaga ttgattaatt tgggagactc acaagTTTT gatagaagtg gaacaaggaa 115500
ggaccaagga actTTTTccg tttggcaaaa acttcatcag ccaaaggctc tttgtatggt 115560
cgtggcttgt aatcaaatgg tggagctga agcctccgag caatatcatg atcacttgtt 115620
gcagttgaag tgctcaaaca agaagaagaa caaaaagcc tcttacaac accaatgctt 115680
ctcttcacca tcgcatgtc taaaccacct ttactaaac actacctata cttttatctc 115740
aaactogatc atccattttg taatgctttg catgccatgt ctcacgaata attgacatgg 115800
aatcttgTTa atttggatta tctaacattc aaaatatatt atgcggtaat tcattttatt 115860

caagtaatgt aataaatgat aatataaagt ttaatttttc aagtcaccta ttagatatat 115920
attgctttcc atgattgagc tagagcaaaa aagaaaaaag tagactgaat aatgtgggtt 115980
tattgccttt tattccccac ttgtttgctt ggtgtaatta caccgtccat catcgcat 116040
tataatgaaa agaacttaaa tacgatagta tatgatcata tatatcatat aatgagtata 116100
agtgcattg aaattgatcg cccaactaca accatcgccc tgatcatggc agacatataa 116160
atgtacatcg attgagtcac caagagataa atcctctttt attttgattg agtttatagg 116220
aattaatcat ttattacttc tttttgtgta ataccactc cagtataaag taattcagac 116280
cttcatcatt ttcatgtaa ttgtattggt gtaggaagct ttcaagggaa gaagagagag 116340
caaagtgatg gaattaacta ctggaatagg aaagtgtgta catcaagcaa gctatgcacg 116400
tacagcaaaa ctacatgaaa acaagagggg tagttgtaga gacttgagat aaccagaaga 116460
aaattgtgta gatTTTTTcat tccattatt taatttcaat acaattagca tttagcagta 116520
cgagaatcat gtaaaggaaa acttgaatag acgagaacaa gcagggtagt agttgtactt 116580
gtagatactt gagataacca gaagccaaat tgtgtagatt ttttatcccc attaatataa 116640
tacagcaagc agtataagaa tcatgcaaag gagaaaactt gcatagatga gatgaagata 116700
tcacaacatc aatgaattat ctcaaaagcc tgcaggaaaa ccacccttc ttgggtcact 116760
cactgccaca agctttccat ttccaatccc tttattttgt ctggacggca cagaattgtc 116820
tagaacaata aattggcaaa tagtcccacc ggcaaggccc tttaggacat gacccttact 116880
tttaagggtc tccctgatat cagcaggaag ttcaaagtgt tcacctaaag tgggtccaatt 116940
ctcataatta accacgttag gtagtagctg cataaaacaa catggcgagt ttctaaatta 117000
attagtgatg gacaagttga gataagtatg cagtcacaat cacaaaagag aaaaatatca 117060
gaataacagt agcaacataa agacaaaatt cttattactt aaaatgaacc aggagaaaca 117120
gtttctgggg acaaaaatat ggattcaagt tagaagtttt aaattctgat aagttataac 117180
atTTTTcctt ggttttaatg ctgtcattca ttatatatct ataactgtct ctgtgtttgg 117240
aagtatttat tacagtttat cttgtgacat aagtatttgt gcaagtattt gggaaaactt 117300
atcaaaatag cgtatgattt tgtctataag ttgtttttag cttaattcaa tttgttctct 117360
agtataatTT atgaaaacaa tttacaactt gtgaaaacag tttaatcata tttcctcttg 117420
aattatagaa acaacttata cataatcact taaatggcaa acacttgttc aataagcaca 117480
taattaagtt gtttattagt ttgtgcatc cagagcttac caatcagagg cagaaaaaac 117540
aagcaacccc ccaaaaaatt taaatacaat acctgatgat agacccttgg agctgttaca 117600

gaagaaaaag gatccattcc tttaacgaag tgattcaaaa gaacttctgc agttccacca 117660
atgatgaaag cacctccact tgcacctact acagctttta gcttcccatc ctgtataggc 117720
atggtaggaa atcattgcaa gtaaagaata tgagtacctt gaattaataa tagtgaaagg 117780
atttcataac cattgcaatc aagatttggt cttttgtatg cttgacaaga gtgatttgtt 117840
catttaataa aggttaaatt actcagttgg tccctagaat atctgaacat tttcaagtag 117900
gtctctaaac tatttgtttt ttaattaagt ccctaaacta aaatttggat ccttggatta 117960
ttttatggca gcttgaaatg gccagaaaat gataatttat gacggtttta aaaccctagt 118020
gactcactta aaaaatcaaa tgatcaagaa cccaattaat aaattttagt ttaaagacct 118080
acttgaaatt tctcaaatag ttcagggacc aattgactaa tttcaccttt tottaataaa 118140
ttaaaattct tataatctta tctcttgatg aagctcaact tgagcagtag tgggtgacat 118200
ggatgataat gtggaagagg atagccacat ttaagaaagt caaatcttga taaaggattg 118260
attaccttaa gggcaatagt gggtgacatg gatgatagtg gccgctttcc tggcatgatg 118320
aaattggcag gagctgggtg tggaacatcc ttggtaacat ttctaggcat ggaaaaatca 118380
tccatttcat tgttcagtac tattcctgta cttggtgaaa ggatctttga accaaaatat 118440
gcattcacag tgctagtcac ggaaatggca tttctctcag gatctattat acttaaatga 118500
cttgtaccat gatcatggat ctgattccac ctgaaaacac aattcagcac aactgagaat 118560
tctgtattgc cacaaactta attttagttt agaacttatt tttacttaga tctttatata 118620
tatatatata tacaacttag cgccataca tacaatcatt ttaaacttcc ttcttatcat 118680
ctgttgatcat gttaacacag agtaacacag aatgtaatgt gaggtgcta ctatacgctg 118740
gtttgtgaag attgaattca ttacttcaact tgacgggtta atgacattgg taggtctaac 118800
tgaataagcc tagacaatag atagttattc tgttgtaaac agtacatagc tgcatcacct 118860
ctcagtttct gttagtttag ccaaatgcat gtatatagga caaatatata tatatatata 118920
ttagctaaat tgaaatcagg gctacattta aggacaaata tatatatata tatatatata 118980
tatatatata tatatatata gatagataga tagatagata gatagataga tagatagata 119040
gatagacatg tacagcataa tcaagttgac caaatgccta gaacacctaa agtcaacctt 119100
tatatacaag ttgcagacac ttctcaatc aagatatatc tttctatggt tcaagttgac 119160
tatatcatga aaccaattgg tcaagaaatt gatatctttc aactctagct tatggagatg 119220
cgcaagttat gatgcattaa ttgtcaatat tttctgcatt ttattcttgt cattcacacc 119280
aaaagctgca tattgcaagt gtgtgaggta gaagacaaac atggaatcta aagaacctca 119340

ttacttgc cagggcatgaa gctacgtgaa aattagtgt aactcaaaga acttaggagc 119400
ttacctgctg ccgtaatgac tggggccaaa agttttatta tcatttatgt catttttcaa 119460
cacgttagca aacctatgag aaagcatatc agaaagaacc ccagttatat ttacaaaatc 119520
agggtcacca agattcattc tcacggcaaa tacatgcttc aaagcttcaa tttctcgatg 119580
gaaaccaagg gcaccagaaa ggccagaagg gagtttatat tgatctagaa tgttcagcag 119640
ctgtaacaaa agacagcatt ggctaaatcc cttaatttgc taattataag atagatataa 119700
agaagaaaaa aaattattaa caagaacaca aaggtagtga atcagataga cttactagca 119760
tcattggatg cccacctgaa gggggaggca tgccaaggag ctttagacca agaacatcat 119820
tagatatggg ttcccttctgt ttaacagtgt aacttttgag gtctttcatg ctcaatatcc 119880
ctccagcatt ctggacatct ttaactaaat taagaccaat caatccttca taaaaggctt 119940
ttggaccaga ctctgatatt gttctgagag tcttggttag tttcttattg tagcaaatgc 120000
cacctatctt taagagtttt ccatttgggg caaatatgct acgaagacc ttgtcttcca 120060
atatatctga ctctgtttct tccatctgct tgtggaggta tgggtgatact ttaaaccctc 120120
tacgtgctag aatctcagct ggctttacaa gtcttttcca tggaagcttc ccattgttgtt 120180
tccacgcctc atgaaggcca gcaagttctc caggaactgc tacagatagg ccacctttgg 120240
ccttcaaagt agtatttcca gcatacatat cctgaaaaaa atggataaat catgtttaat 120300
acaccttctc aattgtttat aattacttta aaaaaattaa gtactacata ctttttatgg 120360
tttaaaatct agttttgtta acatgggtgc tgattctaaa catccaaaag taacaggatt 120420
ttattaagaa agaaaacatt tatcacactt atgtttctaa tgcaatacaa actgtctttc 120480
ctaataaaat tagtctcaga aactattcct cgagataaaa agattgattt aaggggttca 120540
catcttccaa tatgtgttct agcatacaca aagatcgtag gatcaaactc ctaaccacat 120600
aatcaagggg tatggttatt taccaaccat gttgggttaa cattttcttt ttaatacaac 120660
aagtacttat ttacttctgc attaatcttc tgttttattt tatgttttta cttttaatct 120720
ataaaactat aacattatct taaatccatt ttctgttttc aaatgtttgt acagaaaaaa 120780
gaaaaaagt tgttttcatg gttcccttcc ttaaaaatct ctgaaacaag aaccaatct 120840
aaaacaatgt atcagttttg taaactaaaa gtgaaagcag aaaatgaaaa cacagaaata 120900
aacatgcctt tgtattttta tcatatactt tttattttat ttctttaatc attgagtgtc 120960
taaagatacc attagtcttt gtgttgaaaa tatcaatgca aggatatgtg atgatgaaag 121020
aaaatgaaat aaacaaggag caaaatcttc agttattttt ggttttctct ctttttctc 121080

tgagtctcga tcatacaaca aatttatcaa ttgaaactac agtaagcaga ggaataatcc 121140
ataattgaaa aggaattaat gattcagatg gttaaagagt taaaagggtg ccttgagggc 121200
aagagcagga gcagtttctc tcatatcaaa agcctttgcc accccattat tcaacctgag 121260
aagcaaaaag gctccaccac caaggccact tgaagcagga ctcacaaccc ccaaacaag 121320
ggaagaagcc actgctgcat ccactgcatg ccttccttct ctaagaacat ccttcccaat 121380
ccttgagcat ctacgggtcat cagtggcaac agctccattg tgggcataga tcacctcacc 121440
tttgtgtttt ggggtgtccat ttgtttcctc aaggcttgaa gcaaaggcca aatttgaaac 121500
caaaagcaca gcaatgacat gccacaataa cacagatata acaacacttg acatgtatgg 121560
ggacagaatt tgggtgtaggg aatgaaacat ttgctgctga cctgttgact tttgaagccg 121620
agacatggat ggaacttgct tcagttcagt ttgctgtaat aacataaagc aaaagaatgg 121680
atggcacttg gcagtggtcaa aagtggaaag gactaaggca acctcggttc ttatgttact 121740
tttgcttttt aagcactgat gtctataaga tcctgctatt aataggggta tttgtacctt 121800
aagtggaagg gtttgctgt gtctgatcc gggttaaaat tttaataagg tcaattttga 121860
ctcgacagat atagaataga taagattagg tgaatctgat ttattgatat aatgtatat 121920
aatgttacct ataattaaat ggtagtatta aaaaagtata ctaattatgt tatgttttat 121980
aacatatttt aatataaata atattaacat aaatatcata atattatgtt agaaaaata 122040
ttactttttc tctcccaaaa ttaatgttgt attttaaaaa aattatccca aaataaatgt 122100
catgttaatt tattcaatgt agaactaatt attttttcta gtaatacctc tattaatatt 122160
ctttttaatt tttcaatgta atactaatat tatttccttt catttattta attgggcta 122220
tttggttaaat tactattttt ttattttttt tattttttta ttagttgtta tctaaaacaa 122280
cactttgaga taaaaaaaa agtatattat aagttaagag tatgtattat taatagaaat 122340
tatttaagaa atatactttt taaaataaaa atgtatagga ctatgcaaaa tataatatga 122400
attcaagcct ggtcaaatca attgaacggg ttacaccagg aacactctca cttattaagc 122460
atcccttaaa aagtaagtgt ttatttaaga catgtttaag ttacttaata aattggcctc 122520
caacttacat ttccaaagat ctctttttgt aacttatatg ttgaacttgc attggaatgt 122580
tcgttaccac actttcaatg atcatgcgct tatacgttga taatgcatcg gaatgaacgc 122640
taacaaactt ctaacgatga acaaacatg cacttaagca tcttgttctt aagtttttta 122700
acccaattaa tatttaaaaa ctaaaaaaat taatgttaca taaattttta gaatgtaggg 122760
ttatttatga gattcggtca gaaatattgt attagaaaaa attgtttaaa tcatataaga 122820

taaaaattag tgatgcataa tgataccatc cacttaaaat atgcaaagta aaatgctaaa 122880
acaaagatac tccaatcatg tgatatgatt ctttgtaatt taaaaaatat tctttgtaat 122940
tgtaagtaat ctctcacgta cctataaagg ttttagaaac tacaagttta cgattatttt 123000
tgtctattta aaatttgtat taataattaa taatcaagtt tgagtgagaa aaaaataaat 123060
atggaacgtc tgaataaata gcgtcaaaag acaaagtgtc gaagtagcac gaggggaattc 123120
tgaagagtta aggaccactc caccaatcat gttaatgggt gagagatgct ataggaccga 123180
actcagcctc aaccattcaa atgatgacag ttctcaatga atttcttatt taattaaaca 123240
ttttacatgg cacccaaggg ttgttcaaaa attaaacaaa atcatttata aatcgtcaaa 123300
ttaatctaaa aaaattgcaa ttggcttaaa ttgaaaatta caaaaattga aaattgcata 123360
ttttttaccg tttagttcgc ttttcaaatt ttgttaaaaa aaaatcaaac caaaccacca 123420
gcgtattata attatattaa tttttattgt gataattaat aataagtata aaataattat 123480
gtacttttta gttgctttat aatcaaaata tatattttac tttcaaattg taaaaggaat 123540
ttaccaatat tatgaggtag aagacagcca gttggacata agcaataaaa agataaataa 123600
aacttaacta aaaatcattt ttatcaaata tccaattcat catatattat tcaattatat 123660
aatatttgat tgtgaataac tcatctttca aattgcaaac caagtcatac gcggacaaat 123720
taattgctag agcatttgag tggctgcttt aagtcaaatt atggcaaaca tactggaagg 123780
tcaacacgca actgcagtca acgtgtctgt ttttaattttt tcttcttcta aaaaatacat 123840
taaacctgat ttttagaact cgtttaggtc aaatggcttt gggttcgtca agttatgatc 123900
agattgtatg ttgttaagtc tttactcttc ttaaataagac tttttcaggc ataaaacagt 123960
tattttaaaag acaaattata accctctcaa gtctcaaact tttgacaatt tttttttttt 124020
cattttgtta caagcaaact attaatcttt tgaaaataaa agttgacctg ggaagtgggt 124080
gcacacagca tctaggaaaa aagtcaaaaa gcaacgctgg attagaacaa aatataatta 124140
ttgtttattt ttctttcttt ctttcttttt cattttttta tgacatcttt ttccattggt 124200
gtaatggcag aaatcagtggt tcagtgattg atgatgggtc cgatctgatc aaagattcaa 124260
agacaatcct tttgctcacg ttgtgagttg ttttataaat tggacaatca aaattgcatg 124320
acaaaattta caaactacaa tgttctcaga tgtcacgtga aatagatgat gcacagtact 124380
actttaatta tagtagtggt caaaaatgag aaattttaag attattcaaa aatcttgaaa 124440
tattttaaat tgaaattaaa tttaattaaa tctctttgat tttttaaata ttctgttttag 124500
atagagagaa tttcgatgtc agtatgttta tccaaagact atttgacaac gaaatcgaca 124560

aaagaaagag agaaaggaga gagatgggaa gagcatagag agaaaataga gataggacta 124620
aggagaaaaa ataagtaaga agaatttcaa attcttgctt tttagactttt tagtgtaaaa 124680
attgaaatat ttatttttaa atagttaaag catttcaaga aattaatata atttcaaata 124740
ctttttaaat acattattca aataacttat tagttttttt tctcggagac ttgagaattt 124800
tagtgacttt ttaaactctga ttttttttta aatagcggaa atcagggtta aaagagtcta 124860
cggataatta gtatgaatac aaagattggg cctgagctcg aattaagccc agattacctg 124920
gggaaaacaa cagataaatt tacatgaata attttttttt tctaatttgt ctgatttctt 124980
tctgtaaaaa tattaatgc gttttatatt tttaagacat taaacgtatt tatttttatt 125040
taacattttt ataaaatagt agaaagtttt attaagagaa tatatcagta ctcaattcac 125100
ataatgtcat tgtccaaatt ccaaatactt ggacgcatta aagtgaagtt acctgttgat 125160
tgatcatgat ctacttatct tggatgtact ataaaagccc aatatggata cacatagaag 125220
ctagcccaaa ctgttcaatc ctatcactga ccggttttaa acaaaatgga tgagttgacc 125280
agttttggaa aagtgggtgg ttaaaaatct caattggtct cattcaaagtg tgggttgatt 125340
tgaaaaaaaa caaaataatt atgaaaatgt gctaaaaaaaa ccaaatttta ttataattga 125400
gtttgtacgt taatcactca tattttcatt ttataatctt aaaaaaaaaac ttgaaacat 125460
ggtgtatgtc aatatgactt attttaaacta tagttttttt ttactattt aaactatggt 125520
ttgttaaaaa taaaacatag ttaaataagt tatagtaaag gtactcttgt tcttcaaaaa 125580
aaaaaaaaaa agaggtaaag atactcttgt aactaaattt tcttatttct ccgtatcact 125640
agaccatgag cattcaatga atacataaca atgatttggt tggttggtgc ctaaaactca 125700
gacttgtacg ataaaaggat gactacaagt caacaacaaa tatagaagaa ataaaatcaa 125760
aaaaaaattg gccaaattat gttacatatg attttacttt aatttaactc cataaaaaaa 125820
gttctataca tgagaagtac aaattgaata aaatgggatg atttttttta ttttcatttg 125880
tttcaattaa tgatttaatt gattttcagt ttatttaatt atttaatggt ttaatacatt 125940
ttttttatta cagcagaaag acaaaatcta tctactctc atatgcatta cccaagcgc 126000
atcagcaagt acccgaggaa gaagaccgc tggacatgat gacagaagga tttaatacga 126060
tttgaataca ttttttagaa acaactctat caaaattatt gacggtacct aaattgattg 126120
tatatttcaa gcttaattat gtttttaata tcaactaggg gttgggtttt tagtctttca 126180
aataaaaaata tatatatttt tagtctttta aattaaaaca aaaattgttt ttagctccct 126240
tccaccatct ttttccaaaa caaacataga gtagttatag ttgttctatc ttgtgtcttt 126300

tagcaaatca aagagattct aaaaagagag tatttcttta attcgagaga ttaaaaatta 126360
 caaattgtca tttgaaagac tactaattaa aagttcaaaa aataattaag tttatatattt 126420
 attactattg ctaaaactttt ttccaaaaca aaaatgctaa aatgaggcta agtacacgtt 126480
 ggtggtgaca caggaaactt cccttcatat gccttgtcag tatattaatt tacgaataac 126540
 ttgtgctcca tgtgattcga ttttatttaa gtgtaatttt ttttcttgag gcgaagataa 126600
 tattataata taaaaaggat ccaaaaccac aatcaaggag tgatgatttc ggaccaaatt 126660
 tgtttgttta attaaagcat acttctgtct aacttataga gttgacaagt aaattaatac 126720
 tatcactaaa tctccacttt actatttttt aaaaataaaa tttaaattta tgatgatatt 126780
 aattaaatta aaaactaaat aattataatt ttgatcttct tgtaattctt aatatgtaat 126840
 tttggtattc ttatttttaa aaattataat tttaattcaa tattcaactt tccgtatatt 126900
 tattttttat tttaaatttt cacaatttca atctacttat ttaatttatt tgagttatca 126960
 tattataaat aaaaaatatt cattattttt ctttatatac aaaacttaca agattttatt 127020
 taagaaattt gaatccaatt ttactcctac tatcaacttg tttttgtata attatttact 127080
 ttaaagaata taaaagtaca acctatgtta tattgttagt taacaataat tatcgaggat 127140
 cacgatgatt ttgtaaagaa ttatatctat gcaatttttt ctttatatac aaagctt 127197

<210> 2
 <211> 335913
 <212> DNA
 <213> Glycine max

<220>
 <221> CDS
 <222>
 (45163)..(45314),(45450)..(45509),(46941)..(48763),(48975)..(49573)

<223> Seq ID: 240017_region_G3

<400> 2

aagcttataa aaatatttca aattttatta ttgaatcaaa tatactatct atagtggtta 60
 acaaaaatat gaatatgcat tgatttttct agagagggtg ctgggggtcca aactcgaagc 120
 gtatttttgt aagaggaaga aaaatgtcaa atatataata ttgaaatatt ttacttaaaa 180
 ttatcgaca tcatttttac aattatttta ttgtattaca tcattttattg tttatttatt 240
 ttcatgtaca tatttcttaa cttttttgca tttataaatt ttttaaaaaa ttataaaagt 300
 taatcacatt gtttgaatta actcaatttt tattttatgaa atagttactt aatttttagta 360

at tt t t g a t t a g t g a t t a t t t g a a t c a t c a t t c a a t a a a t g a a t a c a t a t t t a a g t g t a a t	420
a a t t t t c a t t a g t t a t t t t t a t g t a t g a t a t t t a t g g t a t t t a a a t t t t a a a t a t t a t t t	480
a t t t t a c c t a t t t t t t t a t a a g c c a a t a t g t t t t a t t a a t a t t t a t t t a c c t t t t a a g t	540
a g c a c a a c a t t t t t a t a a a g c a a t a t t t a g a t g a a t c a a g a a t a a a a a t a a a a t t a a t	600
t t t t a t a c a t t a t t a a t a t a a a a t a t t a c a a t a t c a a t t a a t a a a a a g t a t a a t a a a t a	660
t a a c c c t t a a a g t g a t t a t t a c g g a a a c a a c a a t t a t c a c t t t t a t a t c t a t t t t t a t	720
t t c t a t a a t t a t a t t c a t a a g t t a c t a c a t a t t a t t t t a t c c t c c t t a c a a c t a c t t t c a	780
c a a a t c a t c c a c t a a t t t t a t t t g a a a a a c a a a c a t g g a a a a a g t t a g a c a c a a a g	840
g c t t g t t t c c t a g t a a t t t a t a t a a g a g a a t a a t a g t g t a a t t a a c c t g t g t g a c t g c a	900
t a c a c c t t t t a c t t a t t a a a a t t g g t t g g t a t g c a a t c t c t g t c t a t g c c a t t t c a a t t t	960
c g a t c t a a c c c t t g t g t t g t a t c a a t t c c t c t t a c c a c a g t t a g c a t a a g t a a c a t a c t c	1020
a c c t t t a t t c c a a g c t c t a a c c a t t t c g a c t t g t t g c t a a c t a g a t t g a g g a t a g t g a t c	1080
t t t g t c t t c g c c a a c a c a t c g t c c a c t t g a a c a a a a a t c a a a a g a c c c t g a a a t a t c	1140
t g a a c t t t t a a a g c c g c a c t t t t a t t t g t t g t g t g a g a t t t t g a t t t g a t g g g a a a	1200
a t a t c t t g a a t c t g c g g c g a g g c t g g c g g a g c t a t c g c g g a t t g t g t c a t c t g c t g c g a a	1260
g c c c a a c a g g c c a a g a g a g c g t a c c c a g a t c g c c c a a c c g t g t g g c g a c t c c t c g a a g	1320
t g c g a a c c c a t t t g g t g t t a a g g t c g a a c c t g c g a a a a a g a t g g a a c c t t t g g a a g a a g a	1380
a c a a c a a t g t c g g a c a c c c c t c g c c a a g g t t g t c t c a g a t t g t c c a a g c g c t g g t t c c a	1440
g g a c a c c c t c a a g g a g g c t a a g g c t g g g g a c a c t a c c a t g c a g g t t t t g g t t g g t c a a a t	1500
g t a t t a c t c t g g a t a t g g t g t t g c g a g g g a t c c c c a a a a g g t c t t t t t c t t t c t t a t t	1560
t t t a t c a t t c t a t g t g c a a t g t a a t a a t t g a t t g t a c a c c c t t g t a a a g g g t a t g g t c a	1620
t a g a c t c a t a t a t a t t a g t c t t g a t t c t t t a a g t t a t c c c t a t t t g a t g c a a a a t t	1680
a t g t g a t t t t g t t c c c t c c t t g g a a t t g g a a c t g a g a t a g a g t g c a g g g a a g t t g g g c a t	1740
t t t a c t t g c t g t t a g a t t t t a a a t c c c t t t c t t g t g t t a t a a t t t t t a t c a g a t t g t t g	1800
t t t t t t g a t t t a g a a g c t c t c t a t a t t a g c t t c t c c a a a a g c t g g t t t t t a a g t c a a t t	1860
t t a g c t t a t c a g a t t g t t g t t t t c c t t t t a t t t t t c t t c t c t a t a a g t g t t c a t g g a g a	1920
a g t t t a t c c a a a t a t g c c t t t a a a t t g c t t t g g t g g a a g g g c t g t t a g g g c t t c t a a a t	1980
c t t g c t c a a t t g t c a a t c a a g a c c c c t c a c t g c a g t t a a t t t g a a t t g t g t a a t t g g t a t	2040
g c t a t t a g c t g c t t c t c a a c t t g a g g t t a c t g a c t a t a c t g t g a c a a a c t t t g t t t a t a g	2100

gggcatgctt ggattagtaa agcatcaagg aaccgaaatt cagtttggaa attgtgcggt	2160
aaacggccag gtaagctcta ccttttgttg gactagttaa ttgtggtttt atgtgtcctg	2220
attgatctct attttgtgac attcaggtta cagagcaagt gattctgatt catgtgaact	2280
ggaggaaaaa gataaatatt ttccttaatt tgcaagtata actctttatt tttttttctt	2340
ctaaaaagat tgaatttcta tttcaattct atggtatagt atatgtgaac ttattgtcac	2400
tgatactggt ggttatttat tgtaacatcc aaaacataag tcaaattttg ttaactgaca	2460
gttgctctac aatgggtgtct ctatttttga attagatgtt gtgttcattt tcatgaagat	2520
gttataatat actagtaata acttaaaaaca acaagtgtat agcttatttc ttatgcctat	2580
gtaagcattg tgttctgtcc ttttttcccc ctccaaattg atatgtcctt agtattgacc	2640
actccgcata taggacttaa agagaaactc ttgcgcttag actttcatcc atactcctca	2700
attccatggg agatcatagc tgtaaagtgt atcttctgat ggtctgatac caaaaagcat	2760
ctagtttact ttgacctgct tgcaattagt atgataagct gcctgaaact aattgtgttt	2820
gattcagttc tcattttgaa gaaataatgc actgactagc agtctagcag tattgttatc	2880
taggattcta ggtgtattca gtatgatatg ccgctatagt atgaagactt aaaaggtcag	2940
gctgctgggc actgacatct attttgggta tctcatgtca aaatcaatta atacttagga	3000
tgcatttgga agaacttact tatttacaac ttattttgga ttacctcatg atataagctc	3060
ttgtgtaaat gtttctgaaa gcttataaaa ttagtttatg atcagttcat aagtattttt	3120
tagctcatta atttcagtaa gctctggata gcttatgaaa atagcttaca acttatatta	3180
aaacagttta acattatttt ctcttcactt atagaaataa cttgtacata agtgcattgta	3240
tgataaacac tcgattagta agtgcttaat taagattttt aaccaaacaa gcccttatgt	3300
agtgtttttg ggtgttggtg ctgcaatcag tataataagc tggcaagtac aattgatatt	3360
tgtttgtatt cagtgttata tgtcttgtgc ctttgagtca attaatagga tcacactgtg	3420
tatttagtta acctgataag taaagactga ttactgaatt aattgcattt gcagcattgc	3480
gagcccaaac tgatatttgc ctcatgaaat atgaaagatg ttgattacta atattccact	3540
ataacatata attgcttgtg ataacaaatg gataatcact ttttggtttt ggttttacaa	3600
atagaaagct tgcatgctat catgtttgtt gacgatcagg acctactaat gggaatttag	3660
agaagactag ggtgtggtgg ccttttacgt tgtgctatat tgtcttttct catgctatta	3720
cttctcaaca ctgggtagaa ttctccaat ttgctttttt atctcttata aagtaaattg	3780
cgattaggaa gcaattaata tcacatgata ccggagaaga atccatttta ataattgacc	3840

ttggtaat	ttgtgaatgg	gagtcgctaa	ctcaaatac	agataaatga	tgaaaacata	3900
acatcatgaa	aatagtcagt	gttacaaatg	tttatgttaa	cggttcattt	atagatccaa	3960
aaaggaaact	aatataattc	aatgattga	taaactaaag	gacaaatttt	acatatgggt	4020
ttttaggtat	tgtttttcac	tcagaattaa	agtttcaatt	tgtaaatatg	cataatcatt	4080
catggcaggg	gagaagtttt	tttcctatgt	ttagaaatca	tgaatcctaa	gaatcatttt	4140
tttttgaaaa	cgagtaaaat	ctgtttgggt	gaccatagat	aaattttcta	gaaattaaag	4200
agttatataa	tattttttatt	aattatttat	cacatcaata	aaagtaatat	gatattttta	4260
ttataataaa	agaaaaatta	aacttgaaaa	agtaagttta	ctacaatgag	aaaaattttc	4320
ttgttcgtga	aaaaacttgt	taaaaaacat	ttcctaaaaa	tattgttctc	taggaatcct	4380
atttttaacg	gatatcaaac	atgggaaact	aacattttta	tctcaaaagt	ttcataaaac	4440
tcaatttttc	cccacaaac	acctcctcaa	ttgtagacct	gtatttcaaa	tattaactat	4500
atgaaacttc	aattctaatt	gaaaaataac	aaaacaatac	ttatgaatta	tatgtaagtg	4560
ttgtcctaaa	ctaaactaaa	ccaatcaaca	aagaaaataa	ctcaaattct	aattgaaaca	4620
aatgaaaaga	tcatttcact	gttctagata	aattttatga	tatataatgt	aaaagtgaat	4680
taatacctaa	attaagatag	tacacaggca	aacttcaaga	aaagagaatt	aatgaaagat	4740
ttctacaatt	acaaattatt	aattcattga	atagaagaag	tcccaaagcc	ttttgttttc	4800
cagtgaaaga	accaacaaaa	aattgggtga	atagagagca	ttgcgcgcct	tagttgattt	4860
gatgataatt	gaagataaag	atttatttat	attgtttcgc	tatatattcc	tatgttgttt	4920
tgaggcgaag	tatgatgctt	gccgacctca	cttgctaatt	agtggaatcc	agacaactcc	4980
caaaccttaa	aataggatta	aagtttcacc	ttttgtttga	aatatttctt	acagaaagta	5040
aaagcttcca	caattcacgt	taagaatcca	attctgtctt	gtatttgctc	catttcacgc	5100
ggtttcgtaa	atcattagaa	cccacttct	ctcttttttt	tttctttttt	tctttctctt	5160
ccacttctca	tctctgtcca	aaccatagag	ttttactcac	acctcttcag	ctttcaatca	5220
tggcaaatgt	aaggcttttt	attaatttct	tgctttctat	ttgcaactat	gagactgaga	5280
aggcttttct	tgttgcatgc	catcatcagg	ttgtggaagt	gaaagtcggt	ttgcactgtg	5340
atgattgtat	caagaaaatc	ctcaaggcca	tcaagaaaat	tgaaggttct	taattaattt	5400
tctcaacacc	aataacacat	aatcactttt	tgtgttaatt	agtttaaaat	ttgtgttctt	5460
tgcagatatt	gaaacttata	acgtggacac	aaagctgaac	aaggtcattg	ttacgggaaa	5520
cgtgacaaca	gatcaagtga	tcaaagtcct	tcaaaaaatt	ggcaagaatg	caactgccgg	5580

ggaagatact caaaccaata agtgaacttg tttaggatag gacccttttt ttccctcgaa	5640
acatatcctt ctaaaactatg tactctgaaa ttcaataatc tatatatgtt gaatagttaa	5700
atattattct tgaatttcaa ttgcaacact tgatatatat gttttttctt ctttatttaa	5760
ttttaaaaga gagattaggg aaccattgga tgattgattg attatgcagt tcttttagctg	5820
ttctgaagtt tcatttcact aacctatgta tccttacatt taatgtaact tttattatgt	5880
aattttgttg acagatttta taatgtaaata tactgacacg aaatttctat ttggattaaa	5940
aacaacacta aactggatat aagtcttgtc ttttatttgg gaaatttaata ttatatatac	6000
cgatattata aagttttttc aactgatat ttacttgtaa attatttttt ataataaaat	6060
tgttactctt taaaagttat acctaccaac taatttttaa ttaattgata atataaaaaa	6120
ctaacagcac ataaaaacta aaatctattt aatgttataa tcgatttatt atttatacaa	6180
gtgcgataa agttgaaaga agcaaaaaag tgaacactaa caacaccaag taaaatatta	6240
attgttggct acctctttct ctacgtata atagcgtgaa gtgttactac tgaaccgtgg	6300
tgctgatag caaaaaaatt atttttttgt gacggtctta tccttgagtc gtccctgtaa	6360
tctagctaaa gtaaatgttg cgtgcgttcg ctattatata tatataattg acaatattaa	6420
ccattaacca caatgcattt gtatggcaat agcttttcga tttacgtagt tctgtggatt	6480
tgctaaaagg tctcaagtta atatgatttg taccctccac acccaagttg tataaatata	6540
gatataaata tttcttggtt ttgctacaag tctatagcca ccttacttga aggcaaaccg	6600
ttaaatatgt caaatgcaaa atacaaggtc aacctcttat tctcttgtgt atacttcttc	6660
atgggttttag agcactgtta tccttcctct tgtttttctc aaggaaatta aagtactttt	6720
taacaataag cacaagaaca actaaggttt tttttttcct ccttgatatt gattcacaaa	6780
tatggccgct gtatctgaaa ttggaaacaa gacattggta tgccaaaatc cccacagttt	6840
tggtcacttt gatgtctggc accgaggcaa cccattagaa tccccactt gtcttctctt	6900
tctgcaggtc tctatgatga ccatagtcac acagataatg gacgcatgtc tcaagccact	6960
aggtaaatcc tcccttgat cccagattct tgtaagcttt ctctacattt tacaagggtg	7020
ttaatgatgg tcaactagaat cagtgtctta tgaccatgta attctaaata tctacagaaa	7080
tattagtaac actcctttga atacattttt tagtatagat taaaatttgt taaatactat	7140
aaagtttggg ggttatgcat tttaacaaga agacacttgt agattgacag gactatgata	7200
gctgtaataa tttctcgtga tagtgtgtgt tgctaccact cctatcacca ataatgtaaa	7260
aatgtgattt gtgtatcaat aatgtaaaaa tagcgtgttg ttaacaaatg atgcatggta	7320

acaggggtgga gtgctgtttg gccctcaat gttggggaac aaaaacattc tggggcaaac	7380
cttatttcct gtgaagggtg ctgtagtgtc tgaaacagtt gcatcgtttg gccttatgtt	7440
cttcttcttc atatgggtgtg ttaaaatgga tgttgccaca ttgatgaaga ctgaaaagct	7500
ggccatcact gttggtatth ctgtgttcgc atttacattg gtaatcccta ctggactagc	7560
aattctgttg aggaaatatg ctacaatgga cagcagcctt gcacaggcac tgccctttat	7620
ggctctctca caaaccttaa ctgtattcat tagcatagca gtgctcttga aagatctcaa	7680
agtccttaac actgatatgg gacgtttaac catgtcagca gcaatgtttg ctgatatagc	7740
tggctttacc ttgacagtga tcatttttgc tgtactgcag aatcagagtg gtagctttct	7800
gacactagca ggctccttc tgtccgtagt tgcactcttt cttgctgtta tatttgtgat	7860
gaggccagca atacttttga cggtaaagta ctcaggtggc gggtcggta atgaaagctg	7920
cgttgtttgc atctttctct tagttctctt atctgcattt atcagtgagt taattggaca	7980
gcattttatt atgggaccaa taattttagg cctggctgtt ccagaagggc caccatagg	8040
aacagctttg ttgagtaaat tggagacaat ctgtatggga tttctttatc caatctacct	8100
cgctgttaat ggattgcaaa ctgatatctt caaaattgac ttgcaatctc tgtggattgt	8160
gggtctcata ctgatgggtg ctttcgttgt aaagatttgt gctgtcatgt tgccaggata	8220
cttttacaat ctacccatga aacaatgttg tgtcattggc ctcttcttaa atggaagggg	8280
tatagccgag cttaccatgt acaatatgtg gattggaagc aaggatatgta tctatgtatg	8340
tgcatatgag attgagacta gtgaatttaa tttcaaattg atgccaaaaa tgtgtttcag	8400
gtcgtcaaaa ttagtcttaa ggcactggga ttcactgatt ataaaaataa gaataccgaa	8460
taccgaaatt atcattttta aagtatatgg atgaaacaac aagtcgttgg ttagtgtagt	8520
attggacttc attcccttaa acaggatctt agattcgagt cttgtagatg aaaaaatat	8580
aattgggagg gacaacccta ctagagggtg tcagccagat tcttcaacag agattgatta	8640
tcagcaaagt taatgatatt ccgtaccaa taatatggtt acaaaaaag tatatggatt	8700
aagactaagg ttaattgagg gacataataa aacacatttt acccggttga ttaactaaca	8760
gtctaatact tgttctcttg tctatggtag ttaatatcgg aacaagagtt cgctttgatg	8820
gtggcctcca ttgtagtagt aaacgctatc ctagcaccaa tcgtaaaata cacatatgat	8880
ccttcagaac aatatcagac cggaagaaga tgcacaattc agcatactgg gcgagatatg	8940
gagctccgag tcatgggtgt cattcacaac aatgaaaacc tccaacaat cctgaacctc	9000
ttagaagcat cctatgcaag cagagagagc aagattgggg tcacagcatt agtcctagt	9060

gagcttcaag gaagagccag gcctattctt gttgataacc aaaaccaact ccatgatgag	9120
ctgcgctcaa tgtcttgcaa cgcaagtcac attgagaatg cattgaggca atatggacaa	9180
cagaacgaag gatatgtatc tgttcaatct ttcacttcaa tctccacctt tgaaaccatg	9240
tatgatgata tttgtagaat ttcattagag agtggatcca acattttgat cttgccattc	9300
cacaagaggt gggaaattga tggcacctgt gagatttctc ataggaccat ccaaaccatg	9360
aacattaatg tcctccaaag ggcccatgt tcggtgggaa ttctagttga taggagcatc	9420
ttgaatcctt ctccttcact cttgatggct agagcagcat tctatgtcgt ggtgttcttc	9480
attggcggtc aagatgacat ggagacatta gcctatgcca ctagaatggc taggcatgaa	9540
tgtgtgtatg taaccgtggt aaggttcctt ctatttggag aggagaattc taaagataga	9600
aaacgtgaca gcgatcttat agatgagtat agatactata atgccagaaa tcgtaggttt	9660
gagattctgg aagaattggt gaaagatggg atagagatgt caacatgtat aagaagattg	9720
atagattatt ttgatctagt gatggtggga agggagcatc cagagagtgt tatttttcag	9780
ggacatgatg aatggagtga gtgtcaagag ctagggatca ttggagacat gctagcatca	9840
ccagattttg tgaccaaggc atcgttgttg gtggtgcaac aacagagaat aagagggagg	9900
cttgttacac ataatgtgaa tgccactcca gtgcctaatac aaagagatca gtcctacat	9960
gatgttccaa ttcattgaaac ctttagtcct tcatgtacta tttcagtgga caaatatgac	10020
aaaatgtaga tagattcctg tgttttagtga attttccttg tcgatatata tatcatgcaa	10080
atcacagatt ttcatttaaa accacaatat aatgttactt tcgacaaaagc catgaaaaaa	10140
taaaattgat catcacatat ggtagtact tgatactaatac acattgccct cacttaataa	10200
ttttgaatta aaaaaaacac ttgaatagtga gaatggtact aacttcctta aagggtgtgaa	10260
gaggcataaa tggaaaaatg tgattttatt taatataaat ggctaaatga gtaaaccatg	10320
tttggttctg cacaatagtt atgaacgttc aaagtctgtc ctaccaact ttgcatgata	10380
ttcaacctta cgggcatgta atgaggaaat ccccttaatt ttactaaaat aaaaatcaaa	10440
acaaggataa aaataaaata cagataaaaa atccttaagc tacaagtcta atcagaaaaga	10500
aaaaaatatg atccagaatc atcaaagtgt tacaattcca attaattctt ttgtaacacg	10560
taatgttaat tcttttcgta aattaaaaaa attcaactac atgttgtgtgta aatttacaaa	10620
aattatatac acataacaat ctcaaataaa aaaataattt ctgaatgctc atccacagaa	10680
aggtttaaac tgcacgtctt cacaaggtgg attccttaat acagtcagtg tatatatata	10740
aacctaaaag taatttatta gaaggtgcta ataagttggt gaagcaagcc aatctttcca	10800

taaagcaatg gtcattggaag gtgatacttg gaaagaaagt acctgaattt cttggtaaag 10860
 caagaaatta tgtaaacaaa gacattggcg tcaggaaaca gcatctccat ttttaagtgc 10920
 aatttatggt gcgtattcaa acatcatgtc aaataaaaga aagaaattct tacgactttg 10980
 taccatttca tgctgtaatt gaggggtaca catttttttt ccaacaactt gaggggtaca 11040
 cgttgaacag aacctaacc gttctcgtcg aataataccg attcgacaaa taaaaaatga 11100
 ataaattata ttggcaaaaa aaaaaataga ataaattata ctttattttt caactatttc 11160
 ttactttttt agttttctct ctctctctat aagttatata tttatatata aaaagacgaa 11220
 attcgtaagg caatcttatt ggtattataa ttttctctac tgattatgtc taaccattta 11280
 tacacacaca cacacacaca tatatatata tatatatata tatatatatt attacttggt 11340
 aaataaaatc agaaaaatgt tgtaatcact ttcaaaactg tagttaataa accttaacta 11400
 aatcaagcaa aaacaatgga taagatggaa gtttagtgat acaaaaatat atacagggtat 11460
 agtgagaata aaaaagttga ggaagtgtga aatctacgtg aagatgaagg atgaaaattg 11520
 gttaagttag gttaggttag attttataaa atatgtatga gtttgatttg ttttttaagg 11580
 ttcgagctta gtttatatat ttagttgata tagactacat ttaaaagact gacttaaaag 11640
 tctctttaaa atacataata ataacgaaaa tggattaagt tagatttggt tttttttctt 11700
 tttactgggt agttagatta ggttaatctt tataaaacat gaatttgatt tgtttttttt 11760
 ttcaaaaaaa attaaggttc aagcttaatt tatttagttg atatagacca ctttcaaaaa 11820
 tctgacttac aagtctcttt agaattcata atagtgcac ttgattaagt tagattagac 11880
 tttataaaac acgagtttga tttttttttt taataataat taaggttcta gcttatatat 11940
 attatatagt tgatatagac tactttcaaa agtctgactt aaaagtctct ttagtatata 12000
 taataatata accttttaatt ttagtttaaa aatttgtccc taaataaatt aataaatcca 12060
 aacttatata caagttaata ggtttaagtc ttaatatata tatatatata tatatatata 12120
 tatatatata tatatatata tatatatata tatatatata tatatatata tatatataga 12180
 gagagagaga gagagagaga gggtcatttt atacgagtga gaaaatttaa atattattat 12240
 gaattgtcaa aattaaaata cacacatgcc acatgatttt cttaaaaaaa ttacgtaact 12300
 tttttttaca aaaataatca tatggtttta aaactaatt taaataattt atatataact 12360
 atatcagtta aatttgtttc ataaaataag tatatcagtt attttcaaaa attataagta 12420
 ttcataaaat aaatacaaaa tgataagtac caagtgtatg gatcagctta tgcgatgttg 12480
 ttccaatgta actaataatc ttaaattcga gtattgaatc gaatatgcaa ttcattttaa 12540

tactttaaga gataatttgt ttactcgtaa taattttatt tgacttaagt aaagttttct	12600
catataaaaa atacatatag tctataaaaa aaacattttc tgactaaata tattttcaca	12660
ggctccacac aaaaaggaaa taacaaagtt ttaagagaat gtatatttac actcatcagt	12720
ttgttaaagt taaaattaaa atggagtaga aattgagaga aaagagagga aatatttaaa	12780
ataaaggttg atttgtataa ataaaatgtg aaggaaagaa ataaaaaact ggtgagtatt	12840
actcaaaatt atctttatac tgatgaaagg aaaactgata aagaaagtaa acactaaaaa	12900
aagagaccaa cttacaacta acatttactt cgagcatagt taattaagtg tttgggacat	12960
aatattgttt ctataactaa gtcttacgta gattaagggt tacgagacct atcctaaaaa	13020
catgaattga aactagtatc acctgtcttc tgggctcaat cctggggatt cataaagaca	13080
tttcttgaac aatcaaagggt gttatatgaa tgggttaacg atcattaatg tgatattgat	13140
tgacaaccga tcaatgctag atatataggc ttaaaatcct gtatcagtct acagacgact	13200
aatatgatgt aaaattcctt agttttaagt gcttttgaac atcaagagac ttaaagttcc	13260
gtgttggttg acaaacaaat ggtatgatat ataatccttc aacgtaaaca cgaaaaaaaa	13320
acttataatc tcgtgccaat catcgataca gtacaaataa taaattaaaa tgcaattttt	13380
ttcttgttct tattttttct tattttctctt aaactagata ctatcgaatc cattctatct	13440
cttatctggt tccattatct tactttctac ttattttcat tactttatct ctttctttta	13500
tgtttctatc cactttatct atcacctatt tctttctttc ttaccgaata ctaaacaagc	13560
cttgtgatcc gaaagccga aacaatcatt ttttatgaaa cagcttacac tctggtggtg	13620
tgttgtgtat agttaataa gcttttaaaa atatggtaaa ttataagggtg agggaccaa	13680
atgtgagatt gaaaataacc gtttcatata ttattcaa ataaatgg ctaaaattga	13740
atcattctcc gcatataatg accaccatt tattttatta atatatctaa caattatctt	13800
taactccata taggcatttt tgaccctcat cttaaaactc acctcaagaa atatatagtt	13860
attttaatta aattagtact caacttcaa ttaattatta gacaagtgtt gttttttaac	13920
catttatcaa attaggaact ttatgtcacg ttatcctaaa atcgttacat aaatttttaa	13980
tgtcacgata caatttttta gaagaaaaat ttgtctgaaa cccatatgac atgggatgca	14040
ttagtcaaag taacacttcc taaatcatca acttagttag tggcatgcaa catggcggtta	14100
acctatcttt ttttttctag aaaaaaaaaa acatataaat atcaccagct gatgtcgcgc	14160
caccttcaac gccagccca gtgtaggcgc actatgaaat caatgcagtc agttttgtca	14220
tgtcagactt gcaaaaaaat ctccaaaatt atatcacact taataaattt tataaagtat	14280

tatgcataat attttttttaa agttattatg catagtatct taaaagtttc attaccacta	14340
tttttcatta gataaactta ttttaatactt tgtgtaggct catatataac caaaaagtaa	14400
tcttgaatgc tagattttaa tataaataaa tttattttat cttattttat ttttaataatt	14460
tttttattca tcatgaaaga tattgtaaaa ataattttat tttccctttg agattaaaaa	14520
aaattaaatg atatgaacca accttttaat taatatgaaa ttagttattt ttatttatat	14580
ataacttttag ataacatatt tttactcaaa agactaaatt 'aggtgggaat gatggtcaga	14640
ttaagtgttg tggaattatt gaagtcttat attcaaagtc ctaacttata actatattaa	14700
atacttaaaa gttttttatc atctataacc atcatattca attctaaaag aattgtttct	14760
actaaaaaaaa aatccgtgac tcagaaaaaa aacattactt ggggttgattt ttgtagcatc	14820
taatataatt aggtgttgac tctaattttt attttgacgg aagaaagttc agaatgacga	14880
gaaagtgttg aagcaatatt ggttgctgac ttgtcgtgtc tgagacgtgt acgtgtacct	14940
tccttaccta aaaaatgaca attaaaaagt gtttattcgg gacgcgctta accaacttca	15000
caatttttta agtaccactc cgggtgctat gttacatggg cgtcagtcta tttttttttt	15060
ctttttaact aagaaaaatt agtattttta ccaattatat aattgtgaga ttaaataattt	15120
aaaatatata attaaaattt ataataaata ttttttttaa atatattaat tatatttgta	15180
tttataatga ataatttata taataatata aaattatttt tagttattga tattaaaaat	15240
acagatgaaa aaaatatatt gaaagagatg aaagggtgag aattttttta aaaatatgt	15300
tattgaaaaa ttattagaaa aattcattga agaatagttt taaaaaaatt ctcatcgaag	15360
ataattattc ttatatatat aaatttataa atgatttcac gtaatacgaa aaattgttaa	15420
tccacatgac aatcttagcg aagtggcaaa actgccttgg taaaaaaatt tcataagata	15480
atccctttta aataattaat ttgtaattaa tattgtgcca tcctcgttac cttctgttca	15540
tttagcttta agaacaaatt tatgtttcgc atcacgtaac gtgtgtgttt ggaagcgttg	15600
aaaccacatt taatgaaaga aaaaaaaaac atatttctaag acacaagcaa caaaagggaag	15660
gtttctttta cgtcagttag gttgagataa atgcgtacgc aaaaacagtt aaatgattag	15720
cttttagaaa aagttagagg ttataagaaa acatagggaa atgtcactaa tttgtttatac	15780
tttcaataat caagatgtta gttttctctt tcaaaaacat attaacttgt tctctaatta	15840
ccatttttaa tttttaacta catttattat aaatacttta gtgaaaaact catagcagct	15900
attccagttc tgttcatgta aatatcgtag aagataattg catttttttc cttttctttt	15960
tctaaaacaa gaaacgtgtg aggaatctta agaattaaga tgctaattta aaaagttgct	16020

gagttagagc ataaaagtcc aaataaaaaa taaatgaata gacaaactat taaattatta 16080
 atagccttag ccttgaatct gatgcagacg tgtatggcaa tggacataga agcattaaat 16140
 aggcctcggt acattcaagt ttcaaccaa ttggcaggga aaatcctctg atactgttgt 16200
 tttcctgaaa ccatcacaat ttgtttctca atcatgtcaa cctcatcctc ttcccaaagc 16260
 ctcaaaattg gcatagttgg attcggcaac tttggccagt ttctggccaa gacaatgata 16320
 aaacaaggcc aactctcac agcaacttct cgatctgatt actctgaact ttgtctccaa 16380
 atgggcatcc attttttcag gtaagtcaaa ccaaaccaaa ccatgcataa atacatacac 16440
 acttgcacca ttttgctgga aatcccacgt ggatcagtga tatagtcaaa atagtgtata 16500
 taaatagaga acaatttttc acttacgagc tgattttgtg aagttaaagt ctaaaggcaa 16560
 attctaagac atttcatgtt ccgtatgtca aacattacgc agggatgtca gcgcattcct 16620
 taccgcagac atagatgtca tagtgttgtg cacatcgata ttatcgctat ccgaggttgt 16680
 cgggtcaatg cactcacct ccctgaagcg accaacgctc tttgttgatg ttctttctgt 16740
 caaagagcac ccaagagagc ttctactgag agagttgcca gaggattcgg acatactctg 16800
 cagcaccca atgtttggtc ctgagactgc caagaatgga tggacagatc acactttcat 16860
 gtatgacaaa gttcggataa gagacgaagt tatctgctct aatttcatcc aaatttttgc 16920
 tactgaggtg ggttaatatc ctttgtcaat acccatcaat cacgaaagaa gaaagaatca 16980
 tttttttttt tttttatttg gccagtttaa ttatgttaat caagaagaaa gaaacagaga 17040
 ggggtggaagc taagtaactt cagacgtttg catttgataa atcaagatac aagataaatc 17100
 tatgttgtaa aaaatgtaaa gtctcagtc ccatctaac agaggtaagg attaccatca 17160
 ccttaccctt ataagttatt tgttgatttg agttaggcct aaatttaaac ttacaaagta 17220
 tcaaaggta tcttgatct attaataggc cacttatcat attacctaca cacaaaacc 17280
 aataatgtgg accgtgagag ggtgtattga gaaatatcaa caggttgatt ttgtgagggt 17340
 aagctaggcc aagtcctaat tgaaagaatc taagcataca atcctacagc caaggttata 17400
 gaacctcaac gtcattattg aaaacaaatg catattaaac aattcaatct tcaattctcc 17460
 cctggactga gtttgaacta attcttcata agtttgacc attgttgctt ggtttcaaaa 17520
 agaatcacia aatcagttg tgaatgcctt acatttatga ttcatccggg gtacatctat 17580
 ttcactgtgt tttgttactt ttgtattacg cagggttgca agatggtaca gatgtcctgt 17640
 gaggaacatg acagagcagc tgctaagagc caatttatca ctacacaaat tggcagggtat 17700
 gcagcttcct acatatctaa taaaccattg agaagcacta atataaatgc tcactagatg 17760

taacttttgg ctgcttcttg atcaggacac tgggagaaat ggatattcaa tccacaccta	17820
ttgacactaa gggcttcgag acacttgta aattggtaaa gagttgtaa catttcccct	17880
actttctcta aaaaaattcc tttatatgtg gttatgtatc atatggaaaa gttacttgca	17940
gaaggagacg atgatgagaa atagttttga tttgtatagt ggattattcg tgtataacag	18000
attcgccaga caagaggtaa tggaactgcc aacgaaatgc ttatttactt ttaaattoca	18060
ttttaagca ctgaaccaag taccccaaga tagactcatg aattgtgaaa aatatgcagc	18120
tggaaaacct tgaacatgcc ttgcacaaag tcaaagaaac gctgatgata caaaggacga	18180
atggggagca gggtcataaa agaactgaaa gttgatgcat atttatttta caagatattt	18240
tctctaactc tcaaatatcc tcctgcagtt ccaattataa attactctta tttcagtttc	18300
cttttacc aaattgaagt caattaataa accaaagaga ctggtatatg ttcaatcaca	18360
tgcgataaaa atgttccacg ttcttggtcc gagcagattc tttgtaattt cataaagtta	18420
gagaaaagaa aaaaaaaca gacatttagt cgccaatgcc taaaaccata taataactcc	18480
acagtttggg tctctgaatg aattcccttc attttaatcc aaatctcaac tacctcttca	18540
attctaaaca aataaattag aacactacca agtgatcctc tggggtcttg acatgagcct	18600
tctagttcta gcttttcaat caatgtatct acagagcatg tattccattt tggattatag	18660
agaaataatg taaaactttt aaccaaagt tactgcaaat ctaaagaaag ttcattgctc	18720
catgataaat tgataatact acataagatg tacaactgct gattttatat atcattttaa	18780
caagacttgc caagagatat atcccttaaa gccaaagac cttatgttcc gatttgagac	18840
acctctattt attccactta catttgaaaa ataaaaatat tacattcacc aaactgggaa	18900
atgggaaata tcaaaacgta tagaagtgag ccgtggaagg aattgtaaac aagttatgac	18960
aaaaaccaga acctattcct ttgtgcctat tttaccagct tttcaagaat agtacaaaat	19020
taccaagaaa aaaaaatgat gcaacgtatt ttcaccacat ttatttttct ctctcatcaa	19080
tgctggcttc ttctgtttcg ttgcataaaa ttgcagcagg attcggagga tctgatgctg	19140
atggctctgt ctttctaact tgtaggccag taaagcgcgc taggtcaatc cattgctgca	19200
gcaactcacg aaaacaaaa attttaaaac tcctagtcaa atttagaaat gtatgtgcag	19260
atgaataatt cacataaaac taaattatac tcatttggtt ttaaaacaat tgctactctt	19320
gattcttgag gttttagtct gtttcaaatt atgtcacttt agaacatgaa gacgacattg	19380
cttttttctt tgtcttttat tgtttctcta actaaaaatg aaagcaataa tggcggaaga	19440
ggataatata gtcagacgaa cttagggttt ccttgaaatt aagaatattt aatgacttta	19500

ttaatcatag tagaaaacat taaacaatta ttgtgaaatg gaaggggaagt atattgcaat	19560
atggcaaaag caaatgctaa aacagtgtct ttacaatatt ggctaaaaag taaaaagtca	19620
aaagaaaaaa gttattagaa aatgttacta ataatacatt tccattgtga ttttcaatac	19680
atccctaatag taatttctaa taaaagaaat tctattatta attcctcaag accttattac	19740
aatgctaata gagtttcctt aagactcttg tcaagggaatt aaaaaataa aatatattaa	19800
atgaaaagta atgtattaca tgttgtaactt ttcataaaat gctctatatt tttggcttaa	19860
ttatactttt gatcttctta ctttttcaat tttgtaaaact ttatccctct attttttttc	19920
cacaattttg atctctaatt attttaatta tccattaact taacatccaa tattcgataa	19980
atgtgctgac atggcagtgat agaagagtgat catgtcaaca tgaacgtgtt gacatactag	20040
caacacgtta acaagaccct tttttattcc ttaacaagca ccttaatggc actcgttagc	20100
aacacctttg taatattaag atgacacatt ataagacaag cggaagttat tttctttcct	20160
taacttgtga tttattgttc ctagacaaaa gcacaagctg acgcaattat aactcctcaa	20220
aacacataatt tccatattaa cacttgaatg tgaaattcac cactttaaaa agaaggaaaa	20280
attaaattag atttttgaga agaattatag tgttcaacca taaataaatg aaatccactt	20340
actgacgaga ttgtgaacat tgagcattga aagtgaacaa aagcagatag aagataagga	20400
aaaaaaactg acctgggttc cccaatatga attgactgtc cgtgctacaa aagaaagcat	20460
atttacaaag aatgtttgag aagcaaatg ttcagaaatc cgatgctcca ctatcccagc	20520
aattatctgc tcaacaaaaa tattataatt tccgtattaa tacaaaaaaa cagttccagg	20580
cattaaatgg atgtatattt gttgaatatg atataaccaa agatgtagtc acagaacaat	20640
caaaaatcaa ttttaagaaa gaaagagcct taaatagtta ttcagcaaag tgcagatgaa	20700
gaagtagaaa ggaggagaaa attacaaaat cagatataat agatattatt gaaccgagta	20760
attttttttc cagcattact tttaatagca tccagggttt actaacataa tatttggttg	20820
gaaaataatg gagaggaaa gagggcaaag atttggaagg aaaggagaa tggaggggag	20880
taaaacacct cctctatcaa ttttggctcc cttccaaaat tgggagaatt tggagaggag	20940
aaagttttac atgaattgga ctaaaactatc cttaatgggtt ttatcctatt atgaggatat	21000
aataaataat aaattatttt attttccctc ttatttccct gtgaaccaa ccaagtgttc	21060
ctccccctca ctccttttct ttgaacaaaa tagatagtat acgatgtagt ctaatctttc	21120
ctattatgct tgetaccac catctacttc aaacactgcc taagtggccc gaaaaacata	21180
gtgtacaaat tagttattca agacacagct ggtcaagtcc tgctttcaaa atgtctacat	21240

gaatttccaa attgtatttc tgtcctgctt caatactata tattggaaaa aaatcaaggc	21300
atcacataat caactattga gtattgaaac ataaaccatc gacgtgacaa tatagaagcc	21360
ttcatttcct acagaaacta ggttcaatct tccatgaagt ctattgctac atattagtta	21420
aaatgaaaac tttatgcaac aaacaagttc tctatatacc tgataacgga gatttgcaga	21480
tattccaaga aagcatgcat atataaatgc agttttgagt attggggacc tcataatccg	21540
ttgttcagtg acaactgctg gattaaggac ttacgaatt gcataatagag aatttgatga	21600
agccacagct cctatgcttg aaataaatcc aacactagca agttttaaac caccaaatac	21660
aactgatgca atcctatgat tgagattcca gtttatccct gcaggattct tttgaaatgc	21720
attgtccggg atggagccaa gaagtcccat tagagaacca atgttgtcgg gtgctttcat	21780
ctcatcagca tatgaaagga atgacaaagt tgggtgcagga agccacactg taaagaaatc	21840
aacaactgat cctctgacag tgtccgtaat aacatagtca atctcttga aaaaattttc	21900
tttccgcttt tcatactggg ccaataatgt agttgttatt gatatagctt cttctatggc	21960
taatctgtgc aagaatttgg gatctgcaa caatctttcc ctgaatccct gtataaaaag	22020
aaccagatag tgaagggaac aaggtgatga atgattaaaa gcagaatgaa ggtttcattt	22080
tcaaataaaa aattacctgg aaacggtgag tgagctctga aattagagga tactgtccca	22140
gatcaaagaa gttctgcaat acctctggtg atactaaacc aagatcaatt cccttttgaa	22200
gatcctgaaa ttgaaaggaa aatatttcct atgttcacca ccaatattgg cacacactat	22260
cctgtctaag gtatgcacat aaaagagtaa acagaagcag agaaaaaaga actagaaagt	22320
agaaacacac taactaccta atcatcaaat gcaagtatgc aactaatgta tgccaaatta	22380
tagaccagag gtactttatt ttaagagaaa gaaaacaggg tactttattt taagagaaag	22440
aaaacagaaa tagcgacctc attatcaciaa ttcacccatt ggaaaagttt ttatgtcctt	22500
aaattataca ttgctgtgca atgaatcttt cctcaaaagg aatatgaatt taaaggaaaa	22560
gaaagatagc acaagacag cactacaaag ttgcaagcat tcaattaaaa tccccacac	22620
cagtaggttg agctgcatga tttgtgtcaa ttaataaaat gcaaaacaga gatatcaatt	22680
aaagggataa ggaccattt atttaagctt ttaaaaaaat attttttttt acatatttta	22740
tgtaaagtta ttttatttgg ttacaataat taaaaaatgt actttatatt ataaaaagta	22800
gttataattt tgactttttt tcagctgcta ctcaaagtag cttctgaaaa taatcatata	22860
gatagataga ttctgatttt ttttctaaaa aaaaacttaa acaaacacac taagaaattt	22920
tagaagtgat ttttcatgaa aaaagttgaa acaaatgggc tctaaaatgc tcctgaaatg	22980

ccaaaggttaa ttgcatacaa aaaaaataat caataggtac tggcacaaga cacctagtaa	23040
tatgcgaaat ctcttatggt tgtatcacca aaatggacaa tgagaggaca taacaacaac	23100
aacaccacca aaaccttata ccactaggaa tgagaggaca taaagggcta aaaattggaa	23160
ggaggggtcta cggggcaaga agattaacag tcaaacaaat tagtaactgt aattgttggt	23220
ttacctgtgg gagggcatct cgcctccgcc cagcagcatt cataaccoga gcaatctcag	23280
cacggtcaaa gcaatttcta ctacagggtc tcgcagcaga ataccacaaa aaatcagcaa	23340
caggaacttc tccttctctg cgaatgaatt gtctttcagg gtcaagtaat ataactgcat	23400
ggtttttctt ttgtattttt cctgaaatc ttgctggcac tccagttcct ctagatccat	23460
atgtaacatg gcttgcacca gtgacaacta ttaacatacc agtgaccct ccatcaagca	23520
cattttgtaa gataatctgg gacatagaat actcatcaac tactcgagcc tgtgcagaaa	23580
ggtatgagct tggacaaaa ggaatagaca gattttgagt actatcaaca gaagatctgc	23640
gtgagataga agtaaagcca gatatgaagc ctgaaccagc tggaggtgca tatagtttac	23700
gttcattcctt tgtaagcca cgaattcctt ctgcttgac agttcttaag atctgttgat	23760
gagaaaagtt caagtcttaa ttgtcatctt tatgtgtctt gacctacaa tacaagaact	23820
gagcctaata ctacaagggtg gagttggcta gatggatcaa atgaaacctt ttagctctat	23880
caaaaaccaa aattgcaata aagtttctca ggttgccctc tacccttca acagattata	23940
ttcctttctc atatcttgac atgatcaaac tacttgaggc aacttttcat aatcatatcc	24000
tcaatttttt tatgtttaac ttccagttta atatgggaag gaatcttga ggattatgtg	24060
tttatttcca attcagggtc tggtctttgt agactagatt tttctagtcc taacgcaacc	24120
aaaatcctta agggcaactt ttacagcac atagcttttg cacttattgg aagtcaattt	24180
gacaagcacc aacaagtata tactatacta ctccctccat tccaaaataa ttgttgtcct	24240
aaattgtttt acacagacca agaaaaaca atagatagat gaaagagagt tgtagtttta	24300
caaagttaat cttatatcat cattgattca tttatagatt ttgtttccat cattaatatt	24360
ataaggaata tacgtgaaaa aatgtaatta aatattatat tcaaaactaa aataacaatt	24420
attttggaat aatatttttt tcttatacga caattataat gggacagagg gagtaacatt	24480
tttctgttgc tctaattat agccacacca caaccataat tttcagagac aaaataaaca	24540
tttgaaagat caacatgagt ttggatgaaa tttatgcata ccttcagtgg tgtaccacaa	24600
gcaacaagat gaattccatt ttgcgcagag tagctcagaa taggttcata ctctgccat	24660
ctttgaggcg gccaatgcaa cgtgtaagac ttcaaggtgt ctccatctat cctgccatga	24720

aagtcaagtt tcaggacaag taatgcagaa ttatggaaaa gcaatctgac taagacaaaa	24780
gagcttcaga gattaacaga aaatagttag ccagaaaaaa gattgagaga cagaaattgg	24840
tcgccaaaca aaagttgtct cttttataat ttttaattga aattttctta atttagctaa	24900
catgactttc tacggccaca attgagtttg cagacactta aaaaacttga tgttcagca	24960
aaaatcacgt tttatttatt attgatgtca attatttaac agttttatgt taggtttaat	25020
aacagtaggt tgatgcaaga ggctaaacat taatcagaaa ttgaaaggca gtgttattac	25080
ttcttatcca tatactgatt gagcggttcc tgaagattag cgggaaaaac ttcaagcgcc	25140
agagacaata gtttttcctt ctccaaacag cgcctatgca aattcttcac aatctcaagc	25200
tcgaattccc tatcgtctcg aaccggaact tgctctgctt cacctaaata caccactcga	25260
gcattcatca acttctccca cactttccct ttctctttcc ctatcgccaa cggttctcct	25320
atcacgctcg cgtcgtaaat cctcgaagtt atcacttccct cctcctcctt cttcttcggc	25380
ggctcctccg gcttcggcgc cgaagccaga ggagattccg ctgcctttct ctcgcctctc	25440
gccgtcgccg ccgagagcag gattgatgag ccggcgacta agaacggcgc catcagcacg	25500
ccgcgccggc tgctccgagc tcgagtatcg ccgtcgccgt cggaaccacc gggattcgag	25560
gcggcggtga cgcgactcgc gtggcagacg gaaaggctga cgcggcggcg tttggcggtc	25620
gagacgcggc ggaattcgag gcctccgggg gcgtcatgag gaggggtccga tggcgcgcca	25680
cgtgcggcag tggcgccgcg gaagtaaggc acgtgcggga gacgagtac gaaagaagaa	25740
gccggagtgt ggggcttcat tagtttcggt ggcttcagtc tggccttata atcaaccgca	25800
acaaggttta agttttgtca gttcactttt ttcaactgcc acacaaaaca cgaacaagga	25860
ttcctttatt ttcagcatta caagattcca taattattat tattattatt attttgagaa	25920
aacttttttt ttttcctttc aaatatccct tttcatagac cattttaatt gacaaacaat	25980
taaacattaa ataaaaaac atttattatc aaacagtaga tcaatttagg tgtgttagtc	26040
taaagaaaaa caaataaata acaatgacat gttttgagag atagacaaat attccctcta	26100
acataacata aaacatatat atatatatat atatatatat atatatatat atatatatat	26160
ttgtggtaga aagaaatatt agtttttagt cgacatatta taagatatta gtttctttat	26220
gtgaaattca tgttctttta tttattatgt gtttaattta aaagataaaa ttatataatc	26280
taaaaataaa aaagaaattt ttgaattaaa ataaaatata agagttgtag gattcatatt	26340
attttttcct caacccaaaa gacaccctaa aaaagttacc aatatacttt ttaacatggt	26400
attttaaaag tatttttatt aacttaaatt tattaataat tataattttt ttttaattca	26460

tctttttat	aatgaattt	ccctataatt	tgattgttt	caataaatta	taatcattat	26520
taaaaaaata	tataataaag	aaagtgtatc	aagaaaatat	atcaagaggt	tattcttatt	26580
tttgccctctc	ataaaatcct	agacttaaaa	tatacactct	actttttgtg	ttcaataata	26640
aattcgtata	tttcgtggtc	gcaaaaaaat	taaatgatat	tgataattta	catagtcacg	26700
caaactatat	atagaaggcc	tcaaatttag	agctctacgt	gaagcattgg	tgtccataga	26760
gttacatggg	gccaaattacc	atatctttca	ttattttgga	attttcatgt	aagataaaat	26820
cgatccgagt	cagatgtgac	tcaggctctga	aacacagggtg	ccgatccaat	atccatgtat	26880
gccaaataata	cgaggcgtct	actctaattt	gattgaaaat	aagggggcaa	aaagtaaaat	26940
atatactgcc	aaattccaat	tcaattcaac	tatacgacat	tgtctaaaag	ttagaccaa	27000
ttgaccaact	gaagtgtac	ctctttgttg	atataaaaa	ctcgtgtgtg	ctatgaatat	27060
ttttaaaaca	aaataatata	tatgagataa	aaatatcatt	attgtcaaat	aatgatgaaa	27120
tactatcatg	tattttaaga	agaaaaaata	tataatagaa	gatgacttta	ttgttaatta	27180
tgtgaattct	attttattat	ataaaataaa	ttaaggttat	gtttaaaaa	attagttgaa	27240
agttaaaaaa	caaactaatt	gataaccaa	aacttttaag	ttaatttatt	aaattataaa	27300
tatttgatag	aattgttggt	gaagtagata	aaaaatataa	tatcacaaaa	atagatatat	27360
ttatatgata	tttatataaa	ctttaatggt	ttatggacaa	aagtatatgt	aggtattata	27420
attttatttt	ttaatttaatt	ttaaactcct	gtaaattatt	tttcattata	tcttttgttt	27480
caattattag	attttttcat	gttgcatatt	ctattattaa	tcttgtacaa	tgtcttaata	27540
tttttaacca	agtttgaaat	aaagttgaaa	aaacatgcac	ttaagtaaat	attatacttt	27600
tatttatatta	attagtataa	tagttaaaat	aaattgtata	atataaaaaat	attcagaaaa	27660
taataaatta	ttttaacatt	ttttactgtc	aatttcgtga	agatgttgaa	ataattacaa	27720
tggctaagac	aaatagtata	atataaaaaa	attgtaagag	gaatgagtga	aaaataaata	27780
aataataaaa	ttatgttata	tttaaaagga	ataataagaa	tatttaataa	atattttaag	27840
aattaaaaaa	taaaatataa	aagcaaaaaa	ttagaggcta	aaaactagag	ttttaaaaaa	27900
gttactttta	ataatgtttc	agaaaataat	aaaagttaca	aaaaaatact	tattttattaa	27960
ataattaaac	aagtttttca	actaataaaa	aaataaaaact	aactaaaata	acgtatcaaa	28020
catagcctaa	agcgaattta	aaaaaaaaaa	ttaagggtga	aaagcatcaa	aattcaaagt	28080
tgggtatcaaa	attaggatta	actaaattta	agcaataata	tatgtatcct	tttcctctcg	28140
gccccaaagt	tcatgatcaa	tctttatcaaa	cctttttaac	ttatcaattt	tgttttcatg	28200

caaaatctag taagagtaac ttcaaattaa atccacgttt gatagtgaga ctcaagttta 28260
 aaatcataatc tatcttgcta tatgtaataa tcatgtttga ctgctgagtt tgatgggtca 28320
 agactttcct aataaaataa aatgtgggta cggatgctta gttttgatgg gtgcaaatac 28380
 aattggaaaa ggcattgcac attaacaatg ttttacacgt ctaattttct cccctctgat 28440
 tctcaagagg cagggacaaa cagatttcac atgccctttt ctgggataca aacatggttt 28500
 ctacttttct catggtttag ccttaaaaca tgattcatcg caatctgccc ttaccatttg 28560
 ggaatgtgac tgaatagttt ggtaactcag aatttgctac aatctggtga taagtaatga 28620
 ctattagatc ataattttgt tgagaataca atatttctat atattctaata actacagtgt 28680
 ttctattttct ggtttcaaat ctcaaaaaca agttatacac aaattctttt gggagaaaat 28740
 aaataataat aaaaaggcaa gctagcaatc aaactccgca actaaagata cataacgagg 28800
 tggtcacaga atagcttatc cagtacaatt taagaaattg gtatacaaag tatgattttc 28860
 aacaacgaac ctcttttacc caatathtag tcacatttat ttgtaacctt ttaaaaactt 28920
 ttgcgaatag ctcccctaata aaaaaatgcc gcatgattaa tcatcaacag gaaaaggcta 28980
 gctcacttga tatcatgaaa agaaggcaag acagcaataa gacgggtctcc ataaccaaca 29040
 ggctctgtaa ataacaaaca aaaaatagta aggaattcat cacaactatg gatgactgat 29100
 tgagtgtagc tgccataatt gatggcctaa aatatgttta aacattgata atttggttga 29160
 gcattgacgt tgaacttcaa atattgcaaa aggacggaaa tcgcaatgaa taaatcactg 29220
 aaaaagcata gcagaaatta agaccttaag taaacaatat ttttccattc agtcaatagt 29280
 catatactga ctagaaaacc catgaaaacc gatatactgt aaattacaat gagctaaatt 29340
 aatttatcat gaatatcctg ttactttcca tcatttagca aaaagggtata caagattcaa 29400
 gatccccagt gtttggtatg attacaaaaa agtcacatta ttttccactt tgttttctgt 29460
 ttttaagatat ttttgtagtt ataacttata agagaaaaca agaaatgttt tctcaaactc 29520
 tattaagcct agatacttat gcgacccaaa tacgggggat acgggaaatt cttaaaattc 29580
 aagatacaac gcaactcaga tgcattaaca caaatataca cacacacaca aataaataga 29640
 gagagacata catacactt ttaataaat gcacagtatt tattaagaga cattgattat 29700
 cttacactaa tacataacta tatcagtga cgatgatcat tattcacaaa agcaatacct 29760
 atgataataa caaaataaaa aaacaaaaaa acagtgcacat atgtttccat tactcatacc 29820
 agaatatatt attttccaac atgctacaaa atcttcccc taacttgtgt caaatgtca 29880
 cagacatcat catttgcct actcaaaaga agaattgact ctatatgatt gcctagtagt 29940

aatatatttagt atttactata gcttttaaaga taaagctgta ttgaattttta ttcctatttca	30000
aagtactgga gccattctca accataccaa tctacaaagt tttggaaaaa aaaatagagg	30060
atactctttg gaattggata agtacaagag tatcatatgc gtatcgggtg tgcatacaag	30120
tacagcatag atactttgtc atttttggag tatcaaggct tcacagctca aactaaacaa	30180
atcaaaccac acatccccac gttttaatat gataacagca tgctagccat aaagcaatta	30240
ggcatccatg atactagagt atcataaata cagggtcagaa aatgctcaag tactaagtgt	30300
tccaagatgg taaaattcat ttttaatgct tatcactgtg actacgagaa tttagaatta	30360
ttaggattgc caaatcattt ttgccatatt ttattgctag aggcacacta ttgctttaac	30420
tatttcaatt ttggatgaac agcacggcta tcatcactct ttctttcccc agaagccctg	30480
tattacttta gtaccatgta aataaatcta tacatttttg taacagggtca tagaaattat	30540
tatacctcca tectcaacaa gtagcttcaa cacttctcca gccacatcag actgcaagat	30600
ttcaaaaatt aaactagtca gaagtagtaa atatttagga aggaaccaga attacagaaa	30660
cagaggcatc accctgatag gaagtccagt gccaaactga tccaaatacc ctatgacttg	30720
cccttctttg attacatcac cctagaattc aattaggaaa taaatatatt gaaaagaatt	30780
tgtagtcagt tcaatgaaag tgaggctctc aaacaacttg atgcagcaac tgtatgatac	30840
aaaatatatt aataactaca ccagcagaaa aatataggtc aatctatatatt tgggaaccaa	30900
ataatattta atttgtatct gatagactca agaaattata actaattttg aagaaatgga	30960
tacctagtat tattaaaaca ccaaaacact gggcagatta tagtagctaa agaggaagaa	31020
gctaactagt caaagtgtca cactattcaa cactacaaag gaccaatccc cttttagaga	31080
gcctgacctt tctcacccaa gagctaccca agagaataca caccctctcc tccatatccc	31140
ctcccatata acacaatcct caccaactaa gcacctacct gacaattccc tccaaaccaa	31200
ctctctgtct atcaggggtg attctcttct ctttccaaga ctttgggctt ttgttttgac	31260
taagccaaat ttctatctgc tggcctggtc caacagtatc ttttacagac aagtttacaa	31320
aatattcgta tttgttagaa tttattgata ttcctattat gtccccactg tgtgcaaaca	31380
tttagaaact aatattacaa ttaacagttt ttgtgaatgc agcaaaacta aatatatatg	31440
atatagaaat caacaaaact gaaaaattat atgcaaagtt caattgaaaa gaaaattgat	31500
tacctttttt gtggtaataa atataatgat aaactaggta gggttacagtt tggatttggtg	31560
atcaattgaa gatctagatg ctaattggtc ataactacaa tatttttttgc agtgcttctg	31620
tgccacacat cagtcacgtg tgtctatata acttggttctt aaagtaaata ttaaaataat	31680

ataaaaaata ttagaaat	ttt aaattatatt	tacatttttt	aaatgtatta	gtaagttttg	31740
tttatatcaa taatcaat	ttt ttaagataa	aaatttaca	aaaagtaata	cagtaataga	31800
aaaataatta tcaatatt	gt ataagctgag	actatcattg	ctaattatta	tcagcttttc	31860
ttttttatag catccagt	ttt ttcagttaa	atacttaa	at ttatttcaa	agccaacata	31920
tgcattgtcag caaggtc	aca tcaggagact	aggccgaca	gcaagcaggc	tgatacatag	31980
actgcaacta ttagtttc	cag cactgcaaaa	tgtttagtg	aa caacaacac	atgcacaaa	32040
tccaatgggtg gagttcata	aa tgagaatcca	gatggaggga	gtatcaagtg	aattatgtga	32100
tctagttcat aacaaatt	ga tgacataaaa	acaccagaga	agaggatgga	tcttgacaag	32160
cttatcacat gtacctct	ttt acagatagga	ggttgcttct	tccctttcac	tgttctacct	32220
cttcggaata agccaac	ccta atgagaaa	ga aagatctgtg	atagctaact	ctacatagct	32280
caagtccagag ataattag	tg aaagcagaag	ttaaaacata	tattattgat	ggatgccata	32340
ccgtggggaga tgttacta	ag acataggtat	tggtcccaga	agcctccaat	gctgccaat	32400
ttgggtgattt ctctttg	gaa acatttgcaa	atggggtgtt	cttttcagga	gatgattttg	32460
gtgggtgatgg tggcagg	ccta ttgggtgctg	attcatccat	aggtttactt	gggatagggtg	32520
gtgggtgtagt cggtgaa	tg tttagacaaag	gaacctttgt	tgctccaatg	tttcgcttaa	32580
tatgcatttc aaaatct	ccta acctataaca	atataagcca	aataagggtt	gtgtacaagg	32640
catccagcta aaagcat	gct tcttttgatg	aaccagacag	aaattacaga	tttgaagtta	32700
tattaaagtt attaggca	caca atgttgtatg	aaaacaaagc	tgagctgaca	caatttttta	32760
tgatcaaatt tgcattaca	aa gaaaaactat	atattcagat	aggacattag	gcacaatagc	32820
accatattct caagtttc	caa ttacaatgtg	ctaccatttt	gataaaaa	acataaccat	32880
tacctcattt aataatct	atat aagcctgtgt	tatcttaagt	gaattaaa	at catcctttga	32940
cataagttca atacacag	tta catggcaggc	tatagacata	tccagacact	aattacgaat	33000
tgcaaagaac cctaccata	tat aacattttgc	tttagaacat	acacttaa	ag tttttttcat	33060
ccttgttatt atttatatt	ta aaatactgca	cttcaaattt	tacagaagca	gtaaacaaga	33120
gagaagaaga tcaccttt	ac tttcagttca	gcaatttcag	tctcatcaca	gacctcta	33180
accaaagcct gataata	agc aaaccagaca	taagttgtgg	tttatcagat	tcacattgaa	33240
acatggctgt taacgaat	gc aattatgcag	tcttgataa	aaaccagcta	tcataagtaa	33300
aaaatacctt gtatttt	attt cttctaata	aa ctaacata	ag gtatttgtat	tcattgagcat	33360
acaattgcc aattccac	ca aactatcatt	ttt ctaacta	at aagataagat	tttcaggaaa	33420

ataaaaggaa agaatagcta tagacctcaa atccattagg aaaagtagca gtttgcaaag	33480
gctttttctc caatgagcct tgggggggtgt tatctgaaga agctgcaaca tcataaataa	33540
ttgtaaggtc atgggtttacg aatgtttaaag taaaagttgt taaagggaag ctattctgat	33600
agccaactat aacaaagctg tatatatcat ataaccttca aacagacatt cacaattacc	33660
ataataataa ttagcaacag agtagaatga tttcctacta ttgtgtatct atgtaaataa	33720
cataatacct taaaaataaa cagataaaca ataaaaacaa catcttttgt ttgtaaggat	33780
tttcttctat cttcttttctt tccaacaagt atataacggt tcggcaacat tatctttgat	33840
catgtatata aaaatatgaa attgcagccc aaaaattttg caactgggta atgtatctca	33900
aaatcttaag aataaaaaaca acttaaagtt tattactaag aagataatta cactaagaag	33960
tatgaacaaa taagagtatc agacttttct cattcaaaca acagccaaat agaacaaaaa	34020
cataaggata taattcattt cacaatcaat ataaaccac catcagaatt ggatgtgttg	34080
atagcttcag ctgtttttgc agatgaaact agtgtgtctt tccccttcat gtgggaatta	34140
atgtgcttct gaccatatgc caaatgctgg atgaaaagcc tacgtttaga gttccatctg	34200
gcattatgga tgggaagtac agcttgcttc tcaaggcagg ctgcacatg ggacatagtg	34260
cccatgggat ctgaaatcca agagtcatga ttaagcatct ggttgcaatg gtaaaatttg	34320
ccccttttaa aatataaaaa acattgaagt attacaaaaa tattgtatta tgatttatga	34380
aaattgaccc tttaagaagg cattaagaat ctttccaaaa agaagtaagc ctatttcaaa	34440
aaggctcggg aaaagaacgg aacacattgt tttatttaac agaaatggat caagacaaga	34500
aaaaaaaaa aaccaacata acacaaatat ttctgacaag tgtttccaat caaaaatagt	34560
atacagccta tgggtaccac caaagttaat aaataataat ttaaaaaaaaa gaaaaacaca	34620
gtcccttgtg tcctactata tgaccaaca gaatgccaat tgcattgctct taggtgattg	34680
cagagcatcc tttgggtata tatatatata tatatatata tatatatata tatatatata	34740
tatatatata tatatatata tatatatata tttgtagaaa catgaaggat acattcaact	34800
gccttcatga aaatgttatg ctcgatgattc tgataaatac gtgacactta gcattagcat	34860
aaaataacct gtcaatgcta cctcatTTTT cgtttaattt ctttggtgtt attcttcaac	34920
tgtttttcaa tttgattttt cctcatatat gtcacataaa ttaaagcaaa taaaaccgaa	34980
aagcaagaga gcaagatcag aagtcgcaaa cacacgagca gagatggcag tcggcaaagc	35040
acgttcataa caaaaaaaaa atgcaggtag agatgaggag agagagagag ttacagtga	35100
aggaacgaat ggcaggcgag gattccatgg gaagaaatgg aaatggaaga atgggaggga	35160

aaaacaatgg	aggaggagag	gaacttatag	agaagagaga	atagccaagt	tgagttaagc	35220
gaatgaggaa	agaggtcgat	aaattagttg	cactgtgtct	gctttgagat	ttccgcccct	35280
ctaatacact	tctccgtttc	aatctaggaa	cattgcctcg	ctaactgctg	ccggtgtgtg	35340
actagtgcct	ccctcctccc	tcttacagtc	ttacgtggga	cccacccctc	caggcaggta	35400
ggtttcatgg	acagccatac	aatgaatagt	tcaaaaagtc	taatttagta	gtttcttggt	35460
actataattt	ttttatgcag	tccacactaa	taaaaaatta	gatgggttga	aaacaaatct	35520
tattacaagt	tttataggta	aacttgaaaa	actctatggt	ataagacctt	tttctcactt	35580
tggtagtagt	ctcttattca	agttagataa	ttcttcttat	cttaataata	atattttttt	35640
tatagtgata	catggatggt	atttagtggg	attttattat	ccctctctcc	acctactctt	35700
tcattatagt	aatgcattct	tcaaagagtc	aaaatatatt	tcattacttc	caagaataaa	35760
ccttttaatt	ttggatagat	ttatttttta	gtcttttaat	ttatttattt	tttagattta	35820
atgttggtcct	tcagtttttc	agaattcaat	ttaattctct	aattttttta	atcgatcaaa	35880
tttggttttt	caatctaaat	tataagaaac	tatattttgt	gatgggttaa	aatcgccatt	35940
aagtgttctt	aagctaccac	aaaagcaca	tttccaaaaa	aataaattga	ttttaaaaat	36000
tataagatca	aattgaatca	attttaaaaa	ttaaaatatt	aaattgaaaa	aaaaataaat	36060
gatcaaattg	aacataaata	ataaatttga	ggattaaaaa	actaattdta	cctttaattt	36120
tttctcactt	atattaatat	taaaaaatta	tattgatttt	cctaataact	ccttatctca	36180
attaaaattt	ccaaaaatta	attctagcat	cttcaaacac	tactcaccat	gaaagttcat	36240
cacaaccatc	tttctttctc	ttttctctac	atcatgtttt	cgcttcgcaa	actttattgt	36300
gttcctagtc	ttagacgtct	gataatcttc	cacaagtatt	gaactataac	acttattgta	36360
cttgcaccgt	taatagctaa	caccaaataa	gacgtgtcac	ttgactttta	tatcactaag	36420
aaaatttcaa	cacattgatc	cagtattagc	tccatcttgc	tttaacactt	gtttgactag	36480
tcacttaagt	gcaacaacca	actttgatat	cattgttgga	aaaataaacc	ttattagaag	36540
tttcctagac	aaacacgaga	aactctttcc	attacaagac	tttctctatt	acttggttat	36600
gggtggtgact	tcctttataa	tggtggtgaa	tagctccatt	tataaatggt	atttagttag	36660
ttttaattat	atcatctctc	tatccacatt	ttcattacgc	tagtaggatt	ctccaaaaat	36720
caagttacat	tccattttac	gtcacctctt	aattttttgc	tcagttgctt	taatatttgg	36780
aaatttggat	tggttttcac	aacatatact	agatataact	tttaattgta	ttcaaaaata	36840
caattcttga	taaattgatt	ttcacaacat	attcatatat	actcaaaatt	taaagataag	36900

tactacattt tatcaggtgg gtcaacacat tttaacctcc cgatcataga gtgatcaaga	36960
ggaaaaaaag aatgaatgaa aggaggagta aggtgaagga aagtaatgaa aagaatgaga	37020
caacttttaa aaaattaaaa ttaaggataa taaatttatt tattgaaata aggggtttatt	37080
ttaatcaaat aaccaacttt tttgtttttt tagtatgttt gtctaaatta ttatttttaa	37140
aaaataactt tctgtttatt ttaagaaaca aaacaaatct tatttgcttt tttaaaaaat	37200
acttatataa aaatatttat tttttttttt ttttaagttt aaacaaactc atcctaatat	37260
gaaccagaaa accttagttt ttgttaacaa aaatgagtta aaataatttt ggattcattt	37320
taaaactatt tctttgtctt tttagtcatt caaatgattt attgataaaa aaatattcaa	37380
atatttttgt tttcaaattt aagtgaggag tgataaaaac acttttttta ttggatagaa	37440
tttattaaaa tttaaaaaa tcatgagtga agttagaatg atacatacat attttgtcat	37500
ttccaataat ttttagtgaa aataaattgt attaaaaagt gtgttgctat ttttagcact	37560
gagagtcatt aacatggatt tgctccagga gtgataattt gtggaatcaa gtgagggaga	37620
aactcatttt tcaatttaac tttaaaaacc aaaactaaaa aacttacaac tatacattgt	37680
attaattagc atgtgtttta tatatatata tatatatata tatatatata tatatatata	37740
tatatttgag tatggaagga gtactctatt caatgagatg aatatgtgtt aacaaaaaga	37800
ttgattaggc gattaagaaa gaagagagat tcaattcctc ttactactaa aatctaataa	37860
actgataatt aacatttggt aataataaaa aaatgaaatg gacatgcaat taattaggcc	37920
aatgataaag aatatattta aaacaaattg ttaataacag tgtgtttgac aatgatatat	37980
aatcgtgtcc atggatcata tcaacctgaa actaatgaaa ggatcacaga tcacttctat	38040
cttccaatta aggaatcaca ggtttaaaca atagtagtag ttaatttgca catcactact	38100
ctggaggcaa ggctaagcaa cgtcgagatg gactatttct cgaaactcca acctcctagt	38160
ttcactgtag aatgtcacac attttgtag accaatatgt tagccatata caaccctta	38220
tcttccattc cgttggtttc cctatggctc ctttggtcac tttccaccac actttttttc	38280
catattcatc acctgcgaat ataacctatc ctcccttggt gaaaggtcag taagcactgg	38340
agtatcgatt tttgaacat gactttgggt taagcattgc aaacttcgaa ggctttgatg	38400
ataaaacttc tttgccatca acgctgtcat gaagaaacca attcaaattt gcaactgtatc	38460
cataaactaa cggttgagga ctctctccag ctgacacctt aagtgccaaag ggattcgatg	38520
cctcaaatga agcttctacg cttttgtcaa caccaatttc ttttcgtggg ttctctgagg	38580
atttgccaac tgataggctc aacacttggt ctgggattgt ggggtgaagt tgcaatgata	38640

ttctggaagg	aaaatgtttt	tcagctgcac	cagcccctcg	ttgtttcata	aggaactcat	38700
tcaccaattc	gataacatca	cacctgtcca	catggaatat	tgtaaattat	attggagatt	38760
aagaatttac	gttaaaaatt	aagagtgaat	ttgttttaac	ttataaaaat	taatttaaaa	38820
atagatat	ttttatataa	aggttttttt	aagaaataaa	taagattttt	ttatatatta	38880
aaataaaaaa	attatttggt	taagaaaaaa	taatttataa	aatgttttta	aaaaataaaa	38940
aattacttat	tttattaaaa	tcaatattta	ttttaacaaa	taacttttaa	taaattgacc	39000
ctaaattgta	cacaattaat	taagaaaaac	agttactcaa	catatatata	tatatatata	39060
tatatattac	aatcttattt	ccttaggtga	gatgaattag	atagatcaca	tatcatcatg	39120
actcgattaa	taatctcctt	aatacagtga	agtaaataa	taaagataat	gcgattcata	39180
aaaagagtga	ttttgatcac	ctttgttata	aaaagaaaaa	gaacgatgct	tttttttttt	39240
ttgtaaatat	aaaatttaag	tgacttttag	atatttccaa	tctaaatcca	aaatattgag	39300
ctataagaaa	ttgagtttaa	gttgaacaaa	agtatatcat	agaaggaaga	atttagagaa	39360
aagaaaagaa	aaaagtacat	accacacctt	gtaacaatt	caagctaata	agcccaaat	39420
tgtacaaatg	atgaattttt	ttttcctaaa	cttctaataa	caacatgggc	ataagctgaa	39480
taatggataa	tttatttgct	ttgttaagat	gcttatttat	tggctctata	tgtattatct	39540
cttaatggga	tattaatggg	ataatattag	tggtaatta	attagtgggt	accttacgtt	39600
gtcaatgtcc	accatgattt	cagcccactc	gtctttgatt	aagactttgt	gattgaattg	39660
aagaacgcct	tccacatggt	gatatctgag	ggagaattga	agcctctcgc	tagctggact	39720
gctttttgaa	ttctcaacat	ccatgaccat	gaggtgacaa	tacagctgca	ccttcacaaa	39780
cccaattggt	gaaaatgcat	aagaaaacaa	aggacacggt	gttctgaagg	ggttggttatg	39840
tgcttccaag	ttccccaacc	cagttactga	ccgcaagggt	caatgaacgc	atccacagct	39900
cttccaagtt	agaccctaag	agtttcataa	tcatatgtga	tgcttgtcta	gactgaaaac	39960
ctatcaagtg	atctttcaag	ttactaatgc	accagaacg	aaaatctgca	gcaggagctt	40020
catatatgta	aactaggaac	aagaggggtga	agaaagaacg	tctgaaagggt	tgaaaacgtc	40080
tgaaagggtg	tcggaagcag	tggagtcaag	gtttggaaat	ctgatgaagg	tagtgctggt	40140
tttggtggag	ccataaagaa	ggatggcctg	aatgaaatta	gcaaagacat	tgtaaattggt	40200
ttcttcatca	tctattaact	tattattggt	gttttttagta	gtgctgctaa	ttggcttgaa	40260
aggttttgag	gtctaaagat	ggatgggaat	gttgcagtct	gcaataatgc	caagatagag	40320
gtttgaggaa	tgactattct	ttttgtgtac	ggtgagatta	agacgtgggt	ggcatgagct	40380

tgaagaagaa catatgttta aggacatgga acttgtttcc cattctgaaa ttggtggaag 40440
 gttctgaatc cagcaaaaca catcaagaaa gttgttagcc atggatcgaa tgaagcaact 40500
 taattaatat aactctctct ctctctatct ctctaattcg gttgcattca ggtgtggcctt 40560
 cacatttatt tgtagactct tacataatgc tatgttatgt actgcaatta gcaaatactc 40620
 tttctagtgg agaaataata attaaaaaag tggactgatt ggtacgacca ttagtttaat 40680
 tagctccatg gagaaaagca agataaaatt gctaattatt ggttaagaaa ataattgcac 40740
 cagatatatt atataaaatg tcaaaaacgc attccgtaca ttataaataa tattatatac 40800
 gtcataattha catcattttt tatccttggtt tatctcaaaa aagtgtaaat atagagagag 40860
 tatatatcat atcatataat atgtaagttt ttattagttt aaaaaaatac cttgagagta 40920
 atgtgatttg tcatgtgcta ataaaatata attttgaatg ctctttttatc cacatatatt 40980
 aattgttaat gattgaagtt tattattatt attataatat cctttttaacg atgaaagttt 41040
 gtttttaaaa aatatagatt taagatgtgt ttggaggaat ttatttatat cttatctgaa 41100
 cttattttat ggcatacgtg taagtattta agaaaactta taaaattata gtttatgatt 41160
 tattttataaa ttgttttcaa cttattttta taaaattttc aaaataactt ataagaacaa 41220
 attaaatttt ttatatgaaa ataatttaac cttattttct tttcaattat aaaaaacaat 41280
 ttacaaataa aagcttatat atatgatata cacttttaag tgtttaagta agctatctaa 41340
 aaaaggccgt acagtgtttc tttaatgaac tatcgatcgg gaatgttata tatggaaata 41400
 tatatacttg agtgaatata ggctcgatta ctccatagta cagtccaata attattagta 41460
 aacgaattat acgtttaatt tgtatctata tatcttttgt tgataattga tgtaatttca 41520
 attttaattt accaaagaga gtttagacca cagcgagcat ccgttgccctc attagtcatt 41580
 agtacttatc accgacatct ttttgtttgt aaaaggacca ctgattcatt tacctacata 41640
 tataatatac aatatgtatg tatacaaaaa tcatagtaag gtttaaatgt aatgcttcat 41700
 gaataagata ttctgtgtta cagattaaga ttogtgtatg ataaaatgtt tgttattatt 41760
 agagttaacc ggcaatttgt tcatattgag tctcattaat taccttcttt tcgcatgttt 41820
 tgttgacatc gagagtgacg atcctaccga gatagataag gatatatagt gataacaaat 41880
 tgagataaaa agctctttgc acagtcaatt atgattaaga aaaatatcaa atcagtttta 41940
 cagaccctag ctcattaggc agagataatt acatgcacgt aaagaaaaaa ttattgagtc 42000
 actaaaattg ggatagcgag gaatttgagt aatttgaact aagtcataag tttaaatcgt 42060
 atcgttaaaa aaaatgtagt ttttgttact cttttaaatg ctagtatttt tattttgaaa 42120

ggtttttaaat accagtatta ttccactaat aacctgcctt tatttcttta tataaagcct 42180
 tctcttgatg aaaatagaat actaattaaa taatcgagaa aaaaaagata caaatggaga 42240
 acaaattatc atgaaaaaat tacacattag aaaatataca tgttttagca ttgaaaaata 42300
 caatgggtcaa ttataaacca aagaggccta actaagtcta atgtttacgc caccaaattt 42360
 ttgggtgata acgttttaaaa gtaatagcta gatgggtctt ttcaaagaaa tttctgtcca 42420
 tattattcag gtttcaaatt ttgtttgtaa gacgaggaat ttgggatctt gatgataaga 42480
 ataagacagg gtgaataagt tcatttaatt aagatggaac gtgcgagttt aacttgagtt 42540
 acgtgtaagg tttcataatc aagtgtacat atgtatatgt attagggtag attaatagata 42600
 ttagctatca aatttaataa aatgtatatt taatattatt tttttatcaa cagtaaattt 42660
 tgttaattta acagttgaat ttaaagtttt cataaaataa attaaacccc acattatttc 42720
 aaaaagtaat taatactttg ttactacact cttaattata tgcataatgc atcatatttt 42780
 gtaataaaaa ctttataattt acacacgtat gaccattgat taacctacac tgtggcaagt 42840
 acaccctcat tttctaacat ttataaataa aagttttttt aaacagaaaa ttatgataaa 42900
 atcttataat tttataatttt atttcattta tatttatata tttattataa attcctatat 42960
 ttatatattt gaaccactc attttacttt ttataattta tccacattga ttcaagttcc 43020
 aaatctacac ccatcgagtg cataaattaa ttggaatatg ttttaactta atcaaaggtc 43080
 ttgagttcaa attttgaata tggagttact tacatattta aaggaagagt ttgttatcca 43140
 taatggttcc ataagactct cgaacaaaat tacttccaat aaaatataca tgtggtttat 43200
 aaaaaacaat tccatcaaaa ttttccaaaa ataatacaaa aaggatacaa atattttttt 43260
 taaaaaata attcatttat tttgaatata tgacttttat atatatatat atatatatat 43320
 atatatatat atcaaccggg acatagtaat tcaagactac ttaatgttgt tcaaccgtga 43380
 tacatgttaa ttcaatatta cacaatcatt atcaaattta attttagaaa atttaatat 43440
 tttctccatt agcatatagt catTTTTatt ggaaaataaa ttgatgaaa catatcatac 43500
 taattaaagg ataaacatta taatttataa aagcattcaa ctatatccat taattgtaaa 43560
 gaaaattttc aattgagaat cgaagttaat aattatcaaa ataattcttg cttttattta 43620
 tgaaaatata ttgtgtgatt cttaattatt ttogtaaata tataaaaatg aatatcatca 43680
 tatattttga agtaacttaa aatatattta atcctaagg tctacatgct tgaacaaacg 43740
 tcttcatcac aaatctttgt agaaaaagta aataagacac taccaaaaaa aaaaaaaat 43800
 caccaccact acaaataaaa aaggtagcga aaaagagagg ttacactatt accaccctac 43860

```

acactgtctt ttatccacat attccttctc aatcggtaaa agaaccaata gctatgatag 43920
acatccccgg cgggactcga tattttttca aatgtttccct caaatcactg ttagttttga 43980
tgttaaaaca atttgtttct tggttttgct agtgaaccgc ttgatttcat atagcaaaat 44040
aagttttttt tttttttttt gtaggctaga aaaataagtt gcagtagata aaaataaaga 44100
caaagcattc tgatcgctat aattgtaacc aatgtgcaat attaaagagg tgtctgagag 44160
catacaatat cattttgtag tcttccaatt tgggttattt ctagtgtaca cacctcaacc 44220
ttctgtgatg acagcctttt ataccattt cacttaattt gcccatgttc tctgtccact 44280
cgtttgatgt cttctaagta ataactatca gtttcattga ccttggtggtc ataactcata 44340
tctaccatcc ttgagctaac acaagaata aagagatatt taggaagata aaattgtgcg 44400
aaagtaagaa acattcaatt gtaatatgct tcaacaatag tatggccaac agtagtggtg 44460
aatctaagac tctgactaag cagccataaa ttaaagaagc ttatttacia ctagtgttat 44520
cggagaatga aaaattgaag aataataagt tcagctataa taaactcgag ggaggaaaaa 44580
caatgaaatt caagataaat agatataact tattaaattt aaggggtgta tttgcacacc 44640
ctgaattata gagattctta tatctttgag aaaataatta aattgggaaa aaagagataa 44700
tgactgattg agatttgcct cagaattggt cgttttaata ttggtacgaa tctaattggtt 44760
ttatcctgaa agatgctcac aagaattgag ggactaataa attgtttata aactactact 44820
aatgagatg agactttaag gtgtactgaa gcaatgtcat ttaaaaaatg actactcgta 44880
tttgtgttga gaaaatttat tttcaaagaa aagaaaatat atacatataa gataaagtaa 44940
ttaacataac gaaaggaaat aaaatgcaac attataaaaa ctacaactat ataatggta 45000
tatacaactc ctagcacatg cattggattg tgaattaatt aaaatgttgt atggatggta 45060
aaaattcaaa actaaacccc acacaattta gtgacacaga atataattag cgttgttctt 45120
tttacagaaa acgacgagaa caaagggtgtc aaaggaaagg ag atg gat gca tgt 45174
                                     Met Asp Ala Cys
                                     1

ggt atg agc tca tcc aat tcc aaa cat gtt gtg gac caa aag cga agt 45222
Gly Met Ser Ser Ser Asn Ser Lys His Val Asp Gln Lys Arg Ser
5          10          15          20

acc atg aac atg atg atc acg acg att ctt ctc aga ttt tgg gac cgc 45270
Thr Met Asn Met Met Ile Thr Thr Ile Leu Leu Arg Phe Trp Asp Arg
25          30          35

tat gat atg aat tgc gac tac act act aac tct tac gag ccg gg 45314
Tyr Asp Met Asn Cys Asp Tyr Thr Thr Asn Ser Tyr Glu Pro Gly
40          45          50

```

gtcatcataa aaccattacc atttaccact cttttgaacg ttaatgtagc ctaaattctta	45374
tatccagaga accagaccct gtttaaatTT cttttttaaa atgtttctga taaatttctc	45434
ttgcaagtgt ctgag a acc cag tta gct cct tcc tca cca cgt gac act	45483
Thr Gln Leu Ala Pro Ser Ser Pro Arg Asp Thr	
55 60	
tca gtg aaa ctt gga gat gcc agc ag gtttatttca gccagggctc	45529
Ser Val Lys Leu Gly Asp Ala Ser Ser	
65 70	
ttgtctctca gggcaattca ttaattttaaa aaataacatt tttttatata tattcatcag	45589
tgcacgagga ggagggatag tatgtatcac acttttttaaat tcacttttcta ttgttttctg	45649
ttagttgaaa ttcaaatac cctcactaat ttgagactga aacattttcac caaaaaaaaa	45709
aaaaattgag gatggaactt tcttttttag ttgatcataa attttttctt ctaaaatata	45769
taatgtggat acatattttt tgagattgaa acctaacaaa tgataaataa gactcactta	45829
tttagtgaga catacatgaa tttcagagaa tatttttcta tataggttat tagcatttct	45889
tttaatatTT tttttattat tgtcttattt ttaaaaagtt ggcatttctt ttaaaattga	45949
cttttttgag atattgaact attttaataa taataataaa attaagttat atagtgtatt	46009
aaaaagaata agataaaatg tgtttttaat ttctcaagac tttagtcaaa attagtttca	46069
gtctcctcta ttaaaaatgt gttttaattc tcatattttt aaaaatatgg tgaatttcat	46129
ttttaatctt gaacagttct ttaattttga cttaattaaa ttcaacatat ttcagaaaca	46189
cgggaaccaa aaccaccatt tttagaatcc aagactataa gatcttaatg acgtaaaaca	46249
caattttacc gtgagaatat taaagctagt agtattgctt ttcagtgtgt ttcctacggc	46309
acattgttgt gtgtggaagt ggaagctaga aaacaaaggc agcagaagaa gtatggctct	46369
acaaagtgtg tagtagtgaa gaagaaatag ccgttggtgg tggagaggcg cgggtttgca	46429
ataaaagaac agcgcgccat gatcctataa taaacctgt caacaaaaac aagtatgctt	46489
catgaatagt tactattttac aaggaaaact agccgttact cactttttct tctttttttt	46549
ttttgtaaca aattctgaac cctgcatgtt cattctctct ctctcacgct cgcaaccgc	46609
gcgcgcacct acactttctt tatgtcatca cgtgctcctt ctactctcc ctctctctca	46669
ctacaaaaac cattcttcaa cttgcaacac acgcacacac acacactcac acacactgtt	46729
tttttgttcc actaaatcaa aacctcttat ctottactct cattacattc attcttttga	46789
ttttcgttat ggtagtagca gtggagaaaa ccaacctcac ttcacaatca caatgcttca	46849
accgtgtttc tgacaagaag aaagaaagat gcaagacaca catgaacaac gttaaccat	46909

gttggtttttt gtttctctta tgtgtgtgga g.c ctt gtt gtg ctc ccc tca tgc	46962
Leu Val Val Leu Pro Ser Cys	
75	
gtg agg cca gtt ttg tgt gaa gat gaa ggt tgg gat gga gtg gtt gtg	47010
Val Arg Pro Val Leu Cys Glu Asp Glu Gly Trp Asp Gly Val Val Val	
80 85 90	
aca gca tca aac ctc tta gca ctt gaa gct ttc aag caa gag ttg gtt	47058
Thr Ala Ser Asn Leu Leu Ala Leu Glu Ala Phe Lys Gln Glu Leu Val	
95 100 105 110	
gat cca gaa ggg ttc ttg cgg agc tgg aat gac agt ggc tat gga gct	47106
Asp Pro Glu Gly Phe Leu Arg Ser Trp Asn Asp Ser Gly Tyr Gly Ala	
115 120 125	
tgt tcc gga ggt tgg gtt gga atc aag tgt gct aag gga cag gtt att	47154
Cys Ser Gly Gly Trp Val Gly Ile Lys Cys Ala Lys Gly Gln Val Ile	
130 135 140	
gtg atc cag ctt cct tgg aag ggt ttg agg ggt cga atc acc gac aaa	47202
Val Ile Gln Leu Pro Trp Lys Gly Leu Arg Gly Arg Ile Thr Asp Lys	
145 150 155	
att ggt caa ctt caa ggc ctc agg aag ctt agt ctt cat gat aac caa	47250
Ile Gly Gln Leu Gln Gly Leu Arg Lys Leu Ser Leu His Asp Asn Gln	
160 165 170	
att ggt ggt tca atc cct tca act ttg gga ctt ctt ccc aac ctt aga	47298
Ile Gly Gly Ser Ile Pro Ser Thr Leu Gly Leu Leu Pro Asn Leu Arg	
175 180 185 190	
ggg gtt cag tta ttc aac aat agg ctt aca ggt tcc ata cct ctt tct	47346
Gly Val Gln Leu Phe Asn Asn Arg Leu Thr Gly Ser Ile Pro Leu Ser	
195 200 205	
tta ggt ttc tgc cct ttg ctt cag tct ctt gac ctc agc aac aac ttg	47394
Leu Gly Phe Cys Pro Leu Leu Gln Ser Leu Asp Leu Ser Asn Asn Leu	
210 215 220	
ctc aca gga gca atc cct tat agt ctt gct aat tcc act aag ctt tat	47442
Leu Thr Gly Ala Ile Pro Tyr Ser Leu Ala Asn Ser Thr Lys Leu Tyr	
225 230 235	
tgg ctt aac ttg agt ttc aac tcc ttc tct ggt cct tta cca gct agc	47490
Trp Leu Asn Leu Ser Phe Asn Ser Phe Ser Gly Pro Leu Pro Ala Ser	
240 245 250	
cta act cac tca ttt tct ctc act ttt ctt tct ctt caa aat aac aat	47538
Leu Thr His Ser Phe Ser Leu Thr Phe Leu Ser Leu Gln Asn Asn Asn	
255 260 265 270	
ctt tct ggc tcc ctt cct aac tct tgg ggt ggg aat tcc aag aat ggc	47586
Leu Ser Gly Ser Leu Pro Asn Ser Trp Gly Gly Asn Ser Lys Asn Gly	
275 280 285	
ttc ttt agg ctt caa aat ttg atc cta gat cat aac ttt ttc act ggt	47634
Phe Phe Arg Leu Gln Asn Leu Ile Leu Asp His Asn Phe Phe Thr Gly	

290	295	300	
gac gtt cct gct tct ttg ggt agc tta aga gag ctc aat gag att tcc			47682
Asp Val Pro Ala Ser Leu Gly Ser Leu Arg Glu Leu Asn Glu Ile Ser			
305	310	315	
ctt agt cat aat aag ttt agt gga gct ata cca aat gaa ata gga acc			47730
Leu Ser His Asn Lys Phe Ser Gly Ala Ile Pro Asn Glu Ile Gly Thr			
320	325	330	
ctt tct agg ctt aag aca ctt gac att tct aat aat gcc ttg aat ggg			47778
Leu Ser Arg Leu Lys Thr Leu Asp Ile Ser Asn Asn Ala Leu Asn Gly			
335	340	345	350
aac ttg cct gct acc cta tct aat tta tcc tca ctt aca ctg ctg aat			47826
Asn Leu Pro Ala Thr Leu Ser Asn Leu Ser Ser Leu Thr Leu Leu Asn			
355	360	365	
gca gag aac aac ctc ctt gac aat caa att cct caa agt tta ggt aga			47874
Ala Glu Asn Asn Leu Leu Asp Asn Gln Ile Pro Gln Ser Leu Gly Arg			
370	375	380	
ttg cgt aat ctt tct gtt ctg att ttg agt aga aac caa ttt agt gga			47922
Leu Arg Asn Leu Ser Val Leu Ile Leu Ser Arg Asn Gln Phe Ser Gly			
385	390	395	
cat att cct tca agt att gca aac att tcc tcg ctt agg cag ctt gat			47970
His Ile Pro Ser Ser Ile Ala Asn Ile Ser Ser Leu Arg Gln Leu Asp			
400	405	410	
ttg tca ctg aat aat ttc agt gga gaa att cca gtc tcc ttt gac agt			48018
Leu Ser Leu Asn Asn Phe Ser Gly Glu Ile Pro Val Ser Phe Asp Ser			
415	420	425	430
cag cgc agt cta aat ctc ttc aat gtt tcc tac aat agc ctc tca ggt			48066
Gln Arg Ser Leu Asn Leu Phe Asn Val Ser Tyr Asn Ser Leu Ser Gly			
435	440	445	
tct gtc ccc cct ctg ctt gcc aag aaa ttt aac tca agc tca ttt gtg			48114
Ser Val Pro Pro Leu Leu Ala Lys Lys Phe Asn Ser Ser Ser Phe Val			
450	455	460	
gga aat att caa cta tgt gga tac agc cct tca acc cca tgt ctt tcc			48162
Gly Asn Ile Gln Leu Cys Gly Tyr Ser Pro Ser Thr Pro Cys Leu Ser			
465	470	475	
caa gct cca tca caa gga gtc att gcc cca cct cct gaa gtg tca aaa			48210
Gln Ala Pro Ser Gln Gly Val Ile Ala Pro Pro Pro Glu Val Ser Lys			
480	485	490	
cat cac cat cat agg aag cta agc acc aaa gac ata att ctc ata gta			48258
His His His His Arg Lys Leu Ser Thr Lys Asp Ile Ile Leu Ile Val			
495	500	505	510
gca gga gtt ctc ctc gta gtc ctg att ata ctt tgt tgt gtc ctg ctt			48306
Ala Gly Val Leu Leu Val Val Leu Ile Ile Leu Cys Cys Val Leu Leu			
515	520	525	

ttc tgc ctg atc aga aag aga tca aca tct aag gcc ggg aac ggc caa	48354
Phe Cys Leu Ile Arg Lys Arg Ser Thr Ser Lys Ala Gly Asn Gly Gln	
530 535 540	
gcc acc gag ggt aga gcg gcc act atg agg aca gaa aaa gga gtc cct	48402
Ala Thr Glu Gly Arg Ala Ala Thr Met Arg Thr Glu Lys Gly Val Pro	
545 550 555	
cca gtt gct ggt ggt gat gtt gaa gca ggt ggg gag gct gga ggg aaa	48450
Pro Val Ala Gly Gly Asp Val Glu Ala Gly Gly Glu Ala Gly Gly Lys	
560 565 570	
cta gtc cat ttt gat gga cca atg gct ttt aca gct gat gat ctc ttg	48498
Leu Val His Phe Asp Gly Pro Met Ala Phe Thr Ala Asp Asp Leu Leu	
575 580 585 590	
tgt gca aca gct gag atc atg gga aag agc acc tat gga act gtt tat	48546
Cys Ala Thr Ala Glu Ile Met Gly Lys Ser Thr Tyr Gly Thr Val Tyr	
595 600 605	
aag gct att ttg gag gat gga agt caa gtt gca gta aag aga ttg agg	48594
Lys Ala Ile Leu Glu Asp Gly Ser Gln Val Ala Val Lys Arg Leu Arg	
610 615 620	
gaa aag atc act aaa ggt cat aga gaa ttt gaa tca gaa gtc agt gtt	48642
Glu Lys Ile Thr Lys Gly His Arg Glu Phe Glu Ser Glu Val Ser Val	
625 630 635	
cta gga aaa att aga cac ccc aat gtt ttg gct ctg aga gcc tat tac	48690
Leu Gly Lys Ile Arg His Pro Asn Val Leu Ala Leu Arg Ala Tyr Tyr	
640 645 650	
ttg gga ccc aaa ggg gaa aag ctt ctg gtt ttt gat tac atg tct aaa	48738
Leu Gly Pro Lys Gly Glu Lys Leu Leu Val Phe Asp Tyr Met Ser Lys	
655 660 665 670	
gga agt ctt gct tct ttc cta cat g gtaagtttcg tgtgctgttc	48783
Gly Ser Leu Ala Ser Phe Leu His	
675	
tttcattaag tgttgtgtgt gctgttcttt aattataatt tggagtttta ccttagtaat	48843
ctgtataatt ctaatcggag aacagtacaa acaaaaacac ctaaggaaca ctatagcacc	48903
taaggaacaa caccttagct ttaatatacc atatcaataa gtgaattatt ttcttgttca	48963
tcttgatgca g gt ggt gga act gaa aca ttc att gat tgg cca aca aga	49012
Gly Gly Gly Thr Glu Thr Phe Ile Asp Trp Pro Thr Arg	
680 685 690	
atg aaa ata gca caa gac ttg gcc cgt ggc ttg ttc tgc ctt cat tcc	49060
Met Lys Ile Ala Gln Asp Leu Ala Arg Gly Leu Phe Cys Leu His Ser	
695 700 705	
cag gag aac atc ata cat ggg aac ctc aca tcc agc aat gtg ttg ctt	49108
Gln Glu Asn Ile Ile His Gly Asn Leu Thr Ser Ser Asn Val Leu Leu	
710 715 720	

gat gag aat aca aat gct aaa att gca gat ttt ggt ctt tct cgg ttg	49156
Asp Glu Asn Thr Asn Ala Lys Ile Ala Asp Phe Gly Leu Ser Arg Leu	
725 730 735	
atg tca act gct gct aat tcc aac gtg ata gct aca gct gga gca ttg	49204
Met Ser Thr Ala Ala Asn Ser Asn Val Ile Ala Thr Ala Gly Ala Leu	
740 745 750 755	
gga tac cgg gca cct gag ctc tca aag ctc aag aaa gca aac act aaa	49252
Gly Tyr Arg Ala Pro Glu Leu Ser Lys Leu Lys Lys Ala Asn Thr Lys	
760 765 770	
act gat atc tac agt ctt ggt gtt atc ttg tta gaa ctc cta acg agg	49300
Thr Asp Ile Tyr Ser Leu Gly Val Ile Leu Leu Glu Leu Leu Thr Arg	
775 780 785	
aaa tca cct ggg gtg tct atg aat gga cta gat ttg cct cag tgg gtt	49348
Lys Ser Pro Gly Val Ser Met Asn Gly Leu Asp Leu Pro Gln Trp Val	
790 795 800	
gcc tca gtt gtc aaa gag gag tgg aca aat gag gtt ttt gat gca gac	49396
Ala Ser Val Val Lys Glu Glu Trp Thr Asn Glu Val Phe Asp Ala Asp	
805 810 815	
ttg atg aga gat gca tcc aca gtt ggc gac gag ttg cta aac acg ttg	49444
Leu Met Arg Asp Ala Ser Thr Val Gly Asp Glu Leu Leu Asn Thr Leu	
820 825 830 835	
aag ctc gct ttg cac tgt gtt gat cct tct cca tca gca cga cca gaa	49492
Lys Leu Ala Leu His Cys Val Asp Pro Ser Pro Ser Ala Arg Pro Glu	
840 845 850	
gtt cat caa gtt ctc cag cag ctg gaa gag att aga cca gag aga tca	49540
Val His Gln Val Leu Gln Gln Leu Glu Glu Ile Arg Pro Glu Arg Ser	
855 860 865	
gtc aca gcc agt ccc ggg gac gat atc gta tag cacaaatttt gcattgattt	49593
Val Thr Ala Ser Pro Gly Asp Ile Val	
870 875	
ttttgtgccca aatgtagtag gcctactata tataatgttct atgattcttt cattcttata	49653
ttatTTTTgc ctgtttgaat gcttgaattt gtacatactc atactacaat aagggtgtagt	49713
tctggttaat tttaacctcta cctcaaagct ggggtgtaat tctgtttcct ccaaggcaca	49773
taatagttga aaatagttct caggagcatt cattgtttat tctgcaagat tctctttcac	49833
ggctgctatc ttctatgcat gccctgccca taaatgcatt atgaagaatt gtaacggctg	49893
tgttttttga cttcttcaaa aagtttatgt tattgccagg tgtatatatc aacatgtttt	49953
aaagattttc aaacaatcag gtttttagatg tgggtttgca tgcattgagat tggactagtg	50013
cgcttgatgt agtataaaat ataaattgtc caatcagcac cctctacatg tccaaataat	50073
gggccttatg aaacttaatt ttttaattac aaactacagt aatctttttg aataaagatt	50133

tacaaattac aacagacatg tgaagtcgtc atctttcatt gccaatctt tcaagtttac	50193
tactattatt ttcttgcaag cattccacat tcacatctga taactatgac agcatcttcc	50253
aagataatga cttccaagtt ccaacactgg ctctgtacat ttgaactaat tttatatcat	50313
ttatctattg tgattgaaat ataaaattga agtgaatgta acaatacaaa tcacatcttg	50373
aattaaaata tctaacaact ggaacaaata agaggccag aaaaaaggga taaataacgg	50433
ataacaagac agaaagaaaa aaaacccaac ataattccaa cttcaaaatt cactcaataa	50493
aaagtttaac atgtaaattt acttggaac aaaactcata accaataata ataataataa	50553
aagaaatcag ttttatagca ttaatttggg atgctctgct tgtatgcaa tggcacaacc	50613
ttaccctcaa gattgcaaaa cacagatgag taacagatgc aatgtgaatc aataaaaagt	50673
attgttgctg tggtgatgac acaaccttac tcataaaaaa tgcattgttg atggctagca	50733
ttgttgcaag gtattcatac agttttattct gcaacataga gaaaatacaa ctcatcaaca	50793
ccaggaaatg gttctgttca aaatcacgga ttataaaaag ttattatcta aatgttaca	50853
gcttaagaag atctatcatt gtgaaagtct cttatgcaca ttaatattac aagcttaaga	50913
atgctataca aatgtttgag gttttgatat ttaacttttt atgatatgct ttgatttaat	50973
agttgcaaat tgccacattt ctcatgtcag ttactcgtat tctcccataa ataaataagg	51033
cttcttctgt ctcaatttat ttactttcta aagcaacaat ttctttcttt ctcatttttt	51093
ttgtaccctc tgatcagatc gtagtccgat cctcaagcct tagcctctac acactttgtg	51153
ctcgaggctc gatgattgta tatgcttctg accggactgt agtctaactt ggtgggtgat	51213
cccaatctga tctgataacc tccacagtat tgtgcacatt ataacactga cgtagggtta	51273
accatgtacc gagatccttg ggcacagcat cttgatacgc tcaattggcc tcgattcctg	51333
aatatcggag atgggagagt aggcaggctg caataaaagg tcataccatt aacgtaggat	51393
ggtagggttaa gtaataatac ccttgacttg atgctctcaa ctaggtcacc ttgacatacg	51453
acaaagcctt ttctaaaaca attttatata ttgaaatttg gaaatatgta tgcattgaaa	51513
ttcacaacaa tacttttcta actcatatcc aaatttaaga tcagcctaaa agcccaaatt	51573
aggggatgca aagaattcta tcgttaaatac aaacacatca gtcaaaaaag aaaacatata	51633
taggcacaat caactgatca agtataacag tatttcagat attgttagcg actagaagg	51693
ttgtatttaa ttgcaaaat ttaatatgaa tactactggt tctatttatt ttataaactg	51753
gtattagtaa tgaaacttta aaatggggaa tatttttagca aaaaataaag gttaaaatat	51813
gtctatgatt cttaatgaat attccaattt tatgtttgct ttttagtata aaaaaattcc	51873

gtttttgttc cttgataaaa aaggaaattht gttttttggtt ttaaactctt ttttttagtcc	51933
ctatttaaatt acgaattttcc tattttattct ttgataattht tttgtttatt attagtccct	51993
tcaaaaatta ctaataataa atattttttta acaggaaata aatacaaaat tctctaattt	52053
attaggaatt aaaaaaatg ccaaggacaa aaaaattatt attttattaa gaattcaatg	52113
caacaaaaaa tttacctaaa agcaaataaa aaatttgagt atttcttagg aattaaat	52173
attttaataa aaataaaata aagatccaaa tgatagtgtg ataaccgaag aggaatgtct	52233
ttcaaccact gcctgaccgc caccactgcc aacagcctag tatcaaccga atccacatat	52293
accaacaatc ttcagacaaa cacttctaag ttggtgctga agagacaata tctcatgggt	52353
agatcaaatt aagagtgtc ccaataacaa aatcgggatc atttgactaa caaacagtta	52413
tgtgcattgg atgttctacc atagtacatt gctttatgtg aaagtctttt aattattcaa	52473
tattgacatg ttcttatata tatatatata tatgagggat tgtattatct ctgaaaaag	52533
attttatcat aaaatcataa tgatttctca taatgtatct ttacatttta aagttagata	52593
aataaaattg attttaaatt gttagatata attaaaatac ataattaata tgacttttaa	52653
caaattgata tataaacact taaaaaaaag tttcatgacg tacggtgtgt attgttggtta	52713
caaaaaaat ttatactatc aactaattaa aattattata aataataaaa ttaataaaaa	52773
ttactataat aatctgtaat tagattattg taaaattgtt ttataatata aatatacagt	52833
cttttttctt taagaaaaat tgctagacca agcaatatgg accatgtgct ttctgaaaat	52893
atataacaca aaaattccat taagtttttt tgcacctata agctacatcc gctacgtact	52953
gcatgtggag cctcatgagt gtgaggatct tccacaggtc actagtttga catctgaaag	53013
ctcctcgtgt aaaacgtgaa aacaaataac aagcttgac tggtgtacga tttagtgtta	53073
ctagctatcc catgtaataa atatataaat cttgaatcac aaggaatgat gcaatatatg	53133
gttcctctaa tagtaagtta tcccaccaa tctgaatata attaagaagt tgtattcgtc	53193
tgaatgttgt gtctaaaagg gttgattgat gaatgatggc tacatgtgag agtttgataa	53253
caacagctag ctagccatta gccaaagcac taactagaca ttagtttttg ttggttgtca	53313
gacaaaccgt tagacctgag aacgaaagcg tattaacaa aagatgatat gtagactttt	53373
aatataaaaa gagatggaga aaccaaattg agatttgata ggtgaactat aaatcatgac	53433
agtgcattag acaagttggt agagtttggt actaactcat cagattctta agaaaggcaa	53493
aaatagaaac tacaccacat gtcgctagcg ataacgtgca atttataaat aaataatggc	53553
ttcattttca tggttagtta taaattaatg ggtcacaatt cttaatttat taggaacgta	53613

tacttcattt tgagagtgt taaagttgga agaagaaaag ggatatagaa agaataaaaa	53673
aatggattta tctaattcat cgtaaatgaa aatgagatta aatcattcaa tcttcattga	53733
ataatagaat ttaaaaaatt gtcttattct gaattgtatc attaatatta taactatcat	53793
atttaaatgta ttatctttct tatcatttat gtataaaatt aaaaatttat aattaaaatt	53853
atattaaaat acataaatat atgtaataga attataaaaa ttaaaattac agctatatat	53913
aatttcctgt cacttagact tgcagtagac aattgtttgt agttaaaaa tatgaactgt	53973
agtcgggcta cgactattaa tttcaagact tatttaacag ttaataataa ttttttgtca	54033
tctcgtcccc atttgtcttg cgtgttaata tatgttataa atagacattg atatattttt	54093
ttatgtgtat ttgttgatac ataacaacaa taggattgta attcagattt taatatttta	54153
ttacatgttt atgtatttta ctataatttt aattaacaat tataaagttt taattttata	54213
cagagaaatt aaaaatgata cattaaatgt aataatcata atattaatgg acagaattca	54273
taattagaca aatgttttaa ttgtattggt tattgaagat gagatttttt attttcattt	54333
ttacttgggg tcttagacaa acctaaaaa aagagaaaat aacacatgta ataattaagt	54393
gaagtaaata taatggaaaa agatgacgaa attaagatga gaagaaaatg ctatgagatt	54453
gaaaagatat taagtgtctc tttatataaa actcaattaa ttacgagtta actggtcatg	54513
catgaaagtg taaaacattt ttatgttatc atttaattat aaattatagt taatataatt	54573
tttaaaataa ttatcataaa aattaataaa tttactgtac aagatgaatt ttaattaaat	54633
agtgatataa ttttttttta cactaacaag tgtataattc tttatctctt taattattat	54693
ctaacttttg attccacggc atgtcaatat tttctctctg accaaaataa ctatcaaggt	54753
tagtaaacga atataaagac aaatccatca tgttcttttg tgtcaaaatg aggcttctt	54813
aaagatcacg ctcaatgata tgtagttttc taagtcgcta aaatgcatgt taccctcatg	54873
aagctataat agggttcaga gatagcttta gaagttcaat agagcatgtg gacctgggag	54933
tgaggtcgta tgctgctata atgctgtata aacttttggg gagcatgcat gaccatttta	54993
ctactggggc ttccatagtg ggtttcagtg atagtcttca taagttcatt agtctttaca	55053
agttcaatag agagaatata tggggacctc ggagtgagga ggttgaaagt cactataatg	55113
ctgtataaac tttggtgtgt atatgcacca tctgatggcc atccaatgtc ccctagggac	55173
aacaggggtac ctaattaatt ggtaccacaa cggggagaaa atcaacacgt ttgtggaata	55233
tacataccta gaattgaagg gctagctcaa tcaagctaaa cttgaattca actatagaaa	55293
ttaaaattaaa ttgaaatttg gttacacgag tcaggacat tagttataat taaaatgcgt	55353

tagcacaatt tctaacgcta taggcataga agcactaatg gtagacacaca ctagtataaa	55413
aatacttttta atatcagtta ttttagattht ttttgthtgt gtaagtcaat caatthttaa	55473
agthtacttht aatcaactt taacaaaaac taatgtagaa atgatctaga aaactththt	55533
thtaagtht aactththt catcaatgtht atacatatat atatatatat atatatatat	55593
cccaaaataa ccaatcaaat aaactactta gthtacttht atgttaaatc atcgacctat	55653
tacaagagag gaggtctaac tcagatgatt tattataatg thtaagtht thtaaattht	55713
taatththt atthgatttht tatgaataaa aaaaaatcaa cttaccaac thtaaatgtht	55773
caagthcttg gatattattht ththtaataa tatatatata tatatatata tatatatata	55833
tatatatata tatatatata tatatatata tataaatgaa acatthgttg thtatattagc	55893
taatattgaa catthattta tatctthaat aacatattat ctatcaaat aaatgtht	55953
aacaaataat aatthcttht ththgtatg aatthtcata aatthattta ththcaaaa	56013
ctthgaactc aatgattgta tgaaataatt tatattctta attaatgaa tgatcgatc	56073
ctatatatgc atagtatatg aaaaatcaat thctthtaag taacataaag aggccttht	56133
gthtaagtaa thgaattact tagactthcaa aaaaacaatt gaggggaatc aaacaattaa	56193
cagataatta atthtagcaa actatattht cctatatatt gtcaaatatt tgaaaattaa	56253
aactgtaagt tatgataatg atattatagt tgaacacgtg gcagtatggt gacctaatg	56313
tcgtcaaaaa tcaaatgat gthtgcttg tacagtcaag tacgtatctt tgagtatgac	56373
atthctthgtc atgtaatttht thgtgtattht tatccatgtg taaaataaaa thagttht	56433
thgatgacag gccacctagt thaatacttht agaaatatt thcataagta thcttaacta	56493
aactthgtg agatgcaatc aaatcacttht agthacttht agtactgtht ththatttht	56553
tcacgcacaa thgaagtcta cgtacttht agtactgtht ththattagc ctaattatcc	56613
atgtataaga atcattgaa aaatagtht ththaccaga tagaaaaaa aagagggtaa	56673
ggaacaccca acctatcatg agagctaaag cthcacaaca agcaacgaac agctthtaac	56733
ctthaaactag gctaatgcca atattaaaga agaaataatt aaatthgtaa ggtggtcgt	56793
gtataaatta aaaaaaggc cctctattca aacctthtata tatcatacct gththtaatt	56853
aacgctgact actththtcat aaaaaaaaa gatcattaga ggattaattht aaagcgttht	56913
agththtaat taccaaagag aataattatt attaggcgt thgtccaca atcaatcacc	56973
taacaagaa aaagaaaaag aaaaaaaag tcaaatgga ctaatgcaa agtggcacia	57033
ththgtcttht gaactthtata attagcaaca aattatact thctgcacia atcacaagaa	57093

taccttacat gaaaagaatg ttaatttgac ggtttacatt aaattatatg cagttttctg	57153
caggtaatta attttcaaga atttaaggtg gttggtaatt ttcaatagct agcttgacta	57213
gcaaaggaaa gaataaagtt aaaatgcttc ttgttttggc ctttttggat tgttatactt	57273
tttgctaaac ggaaatgggtt atatgaatgg taaaggagat aaattgttac atagtctaaa	57333
attgttatag tcttaatcaa tcttcaaaca atatataata taattttatt aactattttt	57393
tataaattaa aattttcaat tatatgtcac ataaaaagga attatgacca taaatatata	57453
atagtcttaa atcatgtaat aatttgtcag caaataaga gattaaataa agttagaagg	57513
aacacaatca gtggattaat taaaaccctg catataaact aaattaaata tcaaatctca	57573
aagtacgcat aaaaaatctc aatagatttt tgtaataat taactagtat tcttaaaata	57633
ttgattaaaa aattaaaaga aaaaatatat ttattatata aatcagaaaa atataaaaaa	57693
attataaata atacaatttt tttcctccta ataacaatat ttttatttga tgtccttaga	57753
atattgggct aacatttaac atataattat acttgggaaa aatttactag aaatagtaat	57813
aatagattct ctaacacttt ctccatacat agtctatgat taatttaaat ttattgaaaa	57873
ctatgaagtt atgagagaat tattatTTTT gtaattttta agaaatttca actagagaaa	57933
atatgtttta aagagcctgc tgtaaaactt tctcaaaatt tatttttcaac ctctaaccgc	57993
agacttctga aataagcatt catgcacttt attaactagc gggtgcaaca actcctatgg	58053
gtttggaacc aagttaagtt tccctttggg gtctgacctc aactaaatta acctaatctg	58113
cctaacctca aaggacttta tctttcccc acctctaac caccctataa aagcaccctc	58173
tcccactctt acttgcattg caaccttaac cttcagcatt cacactaagg tgttccttgc	58233
tcgccaaaag atcatggagc ctgccaaaac cattcacaac aatgtcaaat actccccat	58293
cttcttagcc atctttgttc tgatcttagc ttcagcattg tcttcagcaa atgccaaaat	58353
tcacgagcac gagtttgttg tacattctct cactctcttt ctcttaattt ctctggactt	58413
attttatctt tgtttttttt aactcttttc cgttagataa taattaccta gctgttgatt	58473
gtaatggaat aggttgaagc aactccagtg aagaggctgt gcaaaacca caacagcatc	58533
accgtgaatg gacaataccc gggcccaacg ttggaaatca acaatggaga cactttggtc	58593
gtcaaagtca ctaacaaagc tcgttacaat gtgaccattc attggtataa tatcaagcta	58653
gcatcttaac ttcatttttag attatgaaga ccctttgact taattttaca catctgctta	58713
ccacgattta tagacatata gatattagtc ttacgaaaaa catttttctc actttataat	58773
tatactactc ccttcactcc tttttatatt aaaatggaaa gagtctctct ctaccatgtg	58833

aaaaataata tataaataaa aacatatata ctctaccatg tgaaaaataa tatataaata	58893
aaaacatata tacacttttt acttcttgac attctaattt tttttacctt tctttctttc	58953
ccatgatatt tatcatttat tctctcctct attctcattt atctatctcc caagggtgtg	59013
acattccatt agaatgtgaa aatgaaaaac attcacaagc ataatgtaa aaaaataata	59073
ttattttctca taaccctata tatatataca cgccacataa tacgtacgaa cgtaagtgat	59133
actatcatga aagttcttga atggctttct tttcagggtg aatacatata ttaatggata	59193
gtgggtttttg ttgggtcattg tttcttatta ttatgtcctt aggcacgggtg ttaggcaaat	59253
gagaacaggg tgggcagatg gaccagaatt tgtgactcag tgcccgatc gtccaggagg	59313
aagttacacc taccgtttta ccgttcaagg acaagaaggc acactttggt ggcacgtca	59373
tagctcatgg ttaagggcca ccgtttacgg tgctttaatc attcgtccta gggaaggaga	59433
accctaccct ttccccaagc ctaagcacga gacaccatt cttcttggtta ttttaatttc	59493
cttcttaatt tactcatgca tatgcattat ttgtaattat agcattcatg gtaacatgga	59553
ggcaactatc taaaaaagaa ttgagattat ttaaaaacta ataagtgatt gtgatagtgtg	59613
tgattaatta attaatacta ttgaagcaaa gagacaatat atatagaaat tgtgggttttc	59673
tgttgtttaa ttttgctttt ggacaaagat taaacggta aagtgatgat ggtgatgatt	59733
taggggaatg gtgggacgca aacctattg atgttgtgag gcaggccaca cgaactgggg	59793
gagcccaaaa cgtgtctgat gcatacacta tcaatggtca acctggtgat ctttacaagt	59853
gctccagcaa aggtttgatt aattgcttct taatttcgat tgcattaatt gaacatgtca	59913
catgtcttgt ttaaataaat ttactttgca aaatatttga cataattaaa acaggatatg	59973
cagtcataaa aaagagaaaa cgacatatga tatgaaatta ttaaagatgt caattattta	60033
tgaacaagt caacaatagg ttgccttttg gtgcagcgtc tatttcatgg cctttctact	60093
ttttgttctc ttttgaagac aaaagtgtct tccccaccaa ataaaaagaa aaaaaaatgc	60153
agaagacttt taagtaaata tatagtatat aaattgcaag ttttagcaag aatttttaaa	60213
aaatataatt tgatattttt tttcataaat tagaaagaaa aggctaacac tttttcttaa	60273
aaataattat attataaaat tgtctattta aaaaaaaac cattgaaatg acttaaagcg	60333
aagagatttt atacgcgaaa cctgctttta atgattttat gcaaccaaca aggttgcttg	60393
caagtcaa at ggaaaaaagg catttaaaaa cataaagtta atcaaacttt tcatttcttt	60453
aatttagatg atgtatcatt ttaatttctt acattttctt aaaatattaa ttttatgcat	60513
tttcaacata acttttttta tatattcaac taatgagaaa atatgataaa tataatttta	60573

aaataattat	tgtaaaaata	tttttttact	ataaatatta	atttgtaaaa	aaatctttac	60633
actataaatt	atttactatt	cttttttttt	tacttcacat	ggattccttc	ttaaaacttt	60693
catttttttt	actcaaaatc	tgtaaaataa	tccaataaat	tgtttttacc	ttttgggttc	60753
atgcagacac	caccattgtc	ccaatacatg	cgggcgagac	caaccttctt	cgtgtcatca	60813
atgctgcact	caatcaacct	ctcttcttca	cgtcgcgaaa	ccacaaactc	acagtgggtg	60873
gtgccgacgc	ctcctacctc	aaacccttca	ccaccaaagt	cctcatgctg	ggccccgggc	60933
aaaccaccga	cgtcttaatc	accggcgacc	agccaccttc	cgcgtactac	atggcggcgc	60993
gtgcgtacca	atccgcccac	aacgctgcct	tcgacaacac	caccacaacc	gccatactcg	61053
aatacaaatc	accgaatcac	cacaataagc	attctcacca	tcattgcaaa	ggagttaaaga	61113
acaaaaccaa	acctataatg	cctccactcc	ctgcttacaa	cgacacaaac	gcagtcactg	61173
ccttcagcaa	aagcttcaga	agccctagaa	aagttgaagt	accactgaa	attgaccaga	61233
gcctcttctt	cactgtgggt	ttaggtatca	agaagtgcc	caaaaacttc	ggaccaaaga	61293
gggtgcaggt	attggactat	tcacctaat	ctattatcat	gcattcaattt	aatttgcattg	61353
tacgtatctt	atcttaagat	ttcaataaat	gtctcatata	ggaaaaatta	cttattttatg	61413
tttataatcc	ccacaaattt	tacattttta	tccatactct	taaaaattaa	gtctaattta	61473
atttcttatt	ctttaaaaat	gactgatatg	ttctgatacc	aaagaattca	aatattaaat	61533
atttttattt	tttgtctttg	tattctattt	tttcataaat	tctaattctg	ctaataattt	61593
caattcatat	taagatcggg	aaatagaaaa	tctagaaaaa	aaaacaaaaa	aagtattttt	61653
ttttcattga	ttttattttc	aattgatttg	tcatttaaca	actgattcct	cttaaattctc	61713
acaaaagtac	atgtcgatat	aaatatgaga	ttataaattc	atgatatcta	ttttcgattt	61773
ttacatataa	tgtttttttt	atctttttta	gttcctaata	agcattttta	aatgtcttat	61833
gttctacttt	tgcatatcag	ggaccattta	atgggacgag	gttactgctg	agcatgaaca	61893
acgtgtcttt	cgttctcccg	aacaacgtgt	ccatcttgca	ggctcaccac	ctcggaatcc	61953
ctggagtgtt	caccactgat	tttcggggga	agccgcccgt	gaagtttgat	tacaccggca	62013
atgtgagccg	ttcgctgtgg	caacctgttc	cggggacaaa	ggcacacaag	ttgaagtttg	62073
ggtcgagggg	gcagattgtg	ttgcaggata	ctagcattgt	cactcctgag	aaccacccta	62133
tccatcttca	tgggtacgat	ttctacattg	ttgcagaggg	tttcgggaac	ttcgacccaa	62193
agaaagatac	ggcgaaattc	aaccttggtg	atccaccttt	gagaaacaca	gtggctgtgc	62253
ctgtaaatgg	atgggcagtt	attcgatttg	tggctgataa	cccaggtaaa	taaatagggt	62313

cttgttaatg ggcgtaacat tagttaggaa actaaatata aaaaatattt attgtatatg 62373
 atataagaga atgtaaaaaa atttataaaa aacaactttt catattttta taaaaaaat 62433
 cttttaattt cttaatcatg ttctaagaac acaaattaat atttaactag taaatattca 62493
 ctattgagtt ttaattagat aacactctag aaatattatt tatttatata tgaatatata 62553
 ctttctttcc agttttcatt tgtataatgt cttttttata aaaagaaaga aagaagcaaa 62613
 ctcaatcatt tgatgggtgt gttaattgtt aattgtaggt gcatggcttt tgcatgttca 62673
 cttggacgtt cacattggat ggggtttggc tacgggtgtg ttgggtggaga atggagttgg 62733
 gaagttgcaa tccatagagc ctctctctgt ggatcttcct ctttgttagg atatcatttc 62793
 aaaatattcg ttggccccc acaatcgag ttttgcagtt tttcttagtt tggaagctgg 62853
 ttgatgcttc cctgcattaa ttttgggagg gttttttgtt ttgcttcatt gctttgtttt 62913
 aattgtacgt tctttttcta gagagagata aattgggttt ggaacctagg agagggtggtg 62973
 atgatgcggt ttcaacgcaa ctataccatc tgaacagtca ttgcccaact agttaaatg 63033
 atgttatttt cccccatag ctcaagttac aaacagattg caagttttga atatcaatat 63093
 atcagctggc ttttttttgg gttgcaactc ttgggtctctt gaatataaat atgttgacat 63153
 gtattaagtt tcaaagtccc ctaaccattt gccatcataa actaatacaa aattctcaca 63213
 ttaattcaca gtatagtgt aacagagga tgcttatcat agcatcaagc attaaaatcc 63273
 ctcaacgaat gttgtcaaca tatggattat gggataaaaa tataactacg cttttctgat 63333
 agaggggtggc ttttgggttt catcaggctg aatgtgcaag ctgatagagg agtattaaga 63393
 tagagtagac tattgtaatt gagaagcaga aagctactgt cgctgatcat gtgagtgggt 63453
 ggcaaagtga ctagtccagt agtcctcttg agtttttagcc caataatctc atcaaatgaa 63513
 tctctgggcc tgcttcatta atgctaaaag ttgcctcttc ggctatgct ttttttttct 63573
 ttgttaataa agtgatgaaa ataaaggata tattcataaa ctttatttat gtttactttg 63633
 tataaatttc ttaacaaata cttattgaga aaaaaaatc aaacttctct ,cataacataa 63693
 aattaacttg tgcatttcta acttttttaga agttttctta tttaacttcc ctaaaaaaca 63753
 ttacatttgc tacagtaact tggtgacaga tttcatgtta gctctcgcat gatttcaatt 63813
 gtattacaac atttgtactc tcagttatcc ttaataaaat gatatgattt tccttgcccta 63873
 aaaaaaactt ggtggcagat tttgttgc atgattaattc atctatgtgc ctttaggcat 63933
 ttgctagtca tgatggtcta taaatgcagt ctttacatgt atatttctag attttaacat 63993
 tgttgggttc tgtactatct tttgggtctt ttatttggat tcacctgtg cttaaaccta 64053

aaggctattg atcattttat tctttttctt tttgaatttt tttcattaaa gttttttctt	64113
tttataagtt gatttttaatt tttagaagaa acttaattca ttttctctct tctttttcct	64173
cctgatgaaa aattattcaa attgactttt aaaaagattg tatcatatat atgtgacatt	64233
ttctttttca ttatttttta tgttcatgtc acataaaatg caagtctcat aaaatgtggg	64293
tgtaggacaa aaagtgatac tatactccac atggtatata taccaaaata aaagtaatac	64353
acggaatcat gtgaagccta ctcaagtaga tgtgcaaaat cttgtgaatt caaattagtt	64413
gtcttgttta ttcattacct tttcaatttt tttaatcatc ataattaagg cctttcgaat	64473
ccctttaagt gataaaagaa acgtgcaatt atgcaacaaa taaattttcg ttatgttact	64533
atttagtcaa ggaggaaaaa aaagtgataa gggaagaaac aagggatatt tcctgttata	64593
acaaacttaa aatggcgact attttgacga cattgcaaat actcatagta cgatataaat	64653
tttgaattta atatacaatg aataggcata ttcattttct accccaaaaa agcatactca	64713
tttatgtaca tttaattttc tctccataga ggaattaatg tacaaccatg cataagggat	64773
gagcaaaagg gacagattat tgcaatccag aagcatcaa ggaaagttgg ataaacaaat	64833
caattaatat atataaaaaa aaaacaaaaa tgctcctagt aaaagattaa aggaagagtt	64893
ggctatatat ggcaaaccct ttctaactgt tttaccctct tctcatcacc gcattgcatc	64953
accaatacgg gaactttccc attacaaaac tcattggaag ccaacatatc ccccaaaatt	65013
cccaactgat ctgcattgtc catgaaattt gacattttct cttctacaaa attccccatg	65073
ctatgtcgtt tcccaccat cactaggta tagtccttct ccattccccg aatcgctttc	65133
aacacttgta tgcaatcttc caccacagcc tcatggtaaa caacgttaac actatcacta	65193
ctaatatcat tcttggcaat aaactcatct attagactct cgtccaacgt gctctctaaa	65253
ttctcatctt catttttctac aagtccatta aacctcgaat cttcattggg aggcaaaaca	65313
aaccggaaca aggtgacacg tgtgttgggg cgttccaaca ttcgaatccc caacgccaat	65373
gcttctctat catcttttcc accaatgaag aagataccaa catcaaaaga caacttgag	65433
ctactcccac ttagcaccga gtatctatcc actagtatcc ccaaagtacc ctttgcat	65493
gcgagaaaaa ttgtgttgag gttgogaatg gtgctggcca ggtggcttcc tagggtttga	65553
tcattttggg gaaagggat aatgagaaga tgcactgagt tatcttcggc taggttaciaa	65613
actgcctcat gcatgcttct gtacggagcc acgttaacat acgaaagaac cgttacagga	65673
ccacttgagt tgttgagta gttctcaaag gcacgtaaaa tgtggttggg gttggggtag	65733
tttacggaca aagattttcg cttgtttttg ttcatgggaa gaagaatggg tgtgcttttt	65793

ccaacgagct caatgagatg gaccacgtag acgtacaagg ggctttgtgt ggtagggttg 65853
 catgcttcta ttagggcaat catgttgtgc acgtgttcgt ctgtgtgcac acatgatacg 65913
 atgttgaacg gtgtattttc ggttatgttt tggattgttt tcacacaccc ttcttgtatg 65973
 gtttgcgtct tacacaccct acggtgcctg tacaaggatt tgatcaaggg tatgcaaatt 66033
 gatgtcatga ccaccacaga catcaccgct aactgaata cttctgtatc aataacctgc 66093
 aaaaaggaac gtcatgacat aaattagatt taatatttca ctaacaatat gtatagcacc 66153
 cacattaaaa agcatgagag tattgaaatt caaatcgctt caaagaaatt atcatatgac 66213
 ccagaactat catgtattct tgattccgat tgtcaatttg tattacatgg catataatca 66273
 attttattat ttttttata atgaaaattt tgattatata tatcttgacc gaaatcgtag 66333
 acatgtagtg atgtcaaac ataaaataat tccatcaatt aaaaacttac atgcataatt 66393
 aatatttttt aattgagaga cagaaattga gaaattatta gacaatatga catcatcaca 66453
 tgattatgat cttattcagt ttctacatga tatataatca tgtttttttt tcttaattta 66513
 caaaagaaag aataatatat atgactttat tatgtgtcat atagatgtta ataagaatcg 66573
 tgaaaatttt agaccacttg atcatttctc gaggaagag catgaaaagg agacaagcga 66633
 tttgatttct acctctcata aaatagaaga aaatatataa gagaatatgc attaccctga 66693
 gtttattcat tctaccgtaa aagatgagtt cgactatacc cttgacattc aatatgagcc 66753
 caagcacgac gccatgtttg ggcttaatat tatagggtgg agaaatgagc gcacatgcaa 66813
 gtaccttcac caagcatccc acaacaaga tagccagaac tactagaacc acctccaat 66873
 gtcacatgaat taaggatcaag tctgtccttg tgccaatcaa caagaagaag aaaggcataa 66933
 aaaactcata cacgatcaat tcacttctct ctatgattgt tgtggcgagg ggggggtccat 66993
 ttggcagaac caaacatag agaaaaggc ccatgacgaa atatatgccg aatgtgtcac 67053
 taatagctgc cataaccaa ggccccagaa gtaacaagac aacgtatgct tctttaattg 67113
 gcttcccagg tgggtgttct tccaaaaca tgttactag tggtcgtata ataagaagta 67173
 ataaaacagc aaatccagtt gcacctatca aaagcacgat tagaaatcgc atgctgaatt 67233
 ttgagttgaa caggagttcc atcgtagtcc attgcaatat ttactgatc atggctgaag 67293
 atagagcaat ttggccaagt tctgtggcta caaggttgag ttccatcaag gtttcggata 67353
 caacagcgaa actgctcaag gtgaagatgt tcgggaagtg gtagattgac atttggtttt 67413
 gattagcatt accgttggga gaatacaaag aaaacaagg tacagtgacc aagaaagaag 67473
 ccaagaaggg aaacacaccg aatcgccaac aacgtttcgc tgattttaat gttgtcacca 67533

cgtccatttt caaacaagtg aggaacacgc aatatgtagt gcctattttg gacaacgtat 67593
 ttagaaacag ggattgtctt accggaaaga gggctcccaa tatttcttca tggcgcccta 67653
 agaatgttgg cccaacaga atgccagcct gtaaaattta aacgaaatta agattattta 67713
 tgggtatgtt ggatagaaaa aacaagacca ataaatataa aatgattat atatgtgtat 67773
 gttttctttt tttgtgggaa aaggaacgat aaacttctaa aaaaacctta agaaaacacg 67833
 cttgaagaag cgtctgccat aatgccgtta aacaagatag aatgatcaaa cttggtcagc 67893
 tcgtattgaa cactagtaat taaaattact aataaattaa cctatatatg agaaatgtag 67953
 aatatattag gagtgaatgc ttacgatgac gcagcagatg aatttgggtg tattgatagg 68013
 cctgaggaca taatgaaggg ctttagagag taaactgact aaaatgattt ggaacaatgt 68073
 gacaggaacc acaaaatcga atggattatc acccatccac acgcctaaag agcctacagt 68133
 tctatcattc ttgagacaaa ctatcatttg acccgttcta gcgtcattaa agaccgtggt 68193
 aatggaactt tcaatcatta tatatatgtt tgtaccaagc aattagtgtt gacaagaaaa 68253
 acaaaaacct ttctctcttg ggttggttggg gtttgcaaca aacgcaaaca cgagcactac 68313
 ctgagggaga acaaaagtag ataggagaaa agcatatatg tgcattttta tatgctctaa 68373
 tcaaattggc agataaaata atttatattta acaaaatatg agctgcgaat gtggtgttag 68433
 ttattacaac ggttcaaaaa tcaattatag caatgataac tttagtcaaa tgtattccga 68493
 gttggagttt cgagaaattt tggctaggaa agaaaattga tatgctatca ctgagctaag 68553
 gccagtgtgt aacgaaaaac caagaagagt gaatttcaat ttagtctctt taaggataaa 68613
 ttttaaccaa ccgtgtcaca aatatcgac aacaaaagtt tgtgtacaaa tgatttaatg 68673
 aagacaggtg tagtcaacga gaataactgg ttacaaccaa caatgacata cggaatagtg 68733
 gcagggatga tcggaaaaaa aatacagcaa ataggcaata gtaaaattta atttgtgcgc 68793
 cgtttcacga taatattttc ttgtagaaaa ggattctcct tgcaatagag gagtacaaaa 68853
 agatttgtac aaactactac tagcatttaa taataaaaaa taattttgat aacaaaatat 68913
 aaattaaaat atgaaaattc atgcatttaa aattttaagt gttgaaattt ccttaaaaaa 68973
 tagtttgatt gattgatata atatttcttt attttgatat atatatatat atatatatat 69033
 atatataacg ataattgata gtaaaatttt acttttactt ttaaatacat atataaaaat 69093
 taaggaaata gtatgtgatt aattttacta cttttctata atatagttga aaataagaaa 69153
 taaaatcaag acacgtactt gtttgctatt attatttaaa ttagaaaatg aaataaatat 69213
 tttattgaac ctaaagtgtc tttaatcatt tagcatggag atcatttgga aaagttgtta 69273

taattttaact agatgtccgt ttgaaaaagt ttatgtgtat cttaaagtta tattattgtat	69333
taaagtgtat gtttcgaaga acttattaaa ataatttata atatatatct atgataaaga	69393
ctaacaataa ctaaaaaaaaa ctttgcata cattgttaat cttttacatt aattttaa	69453
ataattcaca ttttttattt tttatttatt atgaatttta attataatac atattcaaaa	69513
ttattttattt attataaatt ttagttaaat aaaataaaca tttatttttc aaattctaca	69573
agctaataaa ctagtattac taaatgcata gagtatgagc aaattcgtgt aggtggattt	69633
tgtatattat atatgttttt cgttaaataa ttattactcg actttagaag gttgaaaaag	69693
gtcataaaaa tttagctatt atgaatctaa actttctttc ttttttctt ccgatccttt	69753
tgttttttca tcacattagt gatcgatat gttatttttt ctcgattttt ttcctatctc	69813
tttattcctt ctacctata cactaaaaat gatatatata cttttttcca caaagactcc	69873
tgcccttttc tatcagctaa aattatttat gtacaaataa aaaagggtaca aacacaacat	69933
ttatttatga acagataaac gtttttgtga gacattaact gaacctactc tatcaagctt	69993
attattacta ctactactta tcttcactcc accacactgt gtcactaaaa ccggaaccat	70053
ccccatacaa aattctactg aagacaacat atcccccaat attcccaatg catcagcgtt	70113
ctccatgaaa gttgtcattt cttttccatt caaagatcca tcattgtggc gccttccac	70173
catcacaaga tcatagtttc cttccaaact atgcactgct tccaacacct ccacccatc	70233
gtccaccgta atctcgtagc aacaaacgtt accaatgcc aatttcatgc tcttgaactc	70293
gtcaattaac ccctcgtagc acatggtagc ttcctcttcc tcttcacgct cttctcttgt	70353
caaaataatt ttacaaccac acggtttctt gtacacgata acaaacctaa acaagctcac	70413
cctcgtagct gcacgctccg acattcgaat tcccaatgcc agagcttccc tatcgtaggc	70473
cccacctatg aagaatacac ccacgttgaa atacatgttg ttgttggttg acgcgcccag	70533
ccgagagtgc cggtagcaga gtatcccaaa cgtgcatggc gcatgcgctt gaaacctagt	70593
attcatcttc ctgatggagg ctgccacgtg tccgacaagg tcaatgttgc cgttttcgtg	70653
aaaagggatg ataataaag gcaccatatt gtcttggggc aggttgaaaa tggcgtagtg	70713
catgctcttg taaggtagca cgttgatgta gggaagaacc ttgactggcc cacttgagtt	70773
gttgtagtag ttttcgaagg cttgcatgat gtggttggtg ttggggtaat tcacagacaa	70833
gaattttctg cgaccgtgtc tatgttttat gggaaggaga atgggtgcac ttttccccac	70893
gagctcgata aggtggactg cgtagacgca tatggggctc tcttgactg ggttgactc	70953
ttctaataag gcagtgatgc cagcacgctt tgcttcatta tgtacacaac aaacaatgtg	71013

aaactctctg tttcttggag tgctttggat cgttctcagt tccccttcga ataagctttc	71073
tgcggtgtact cgagggcgat gcttgtacaa tatgttaacc aagggtgtta caatcgcggt	71133
tataagtacc acacagaaca ccaattgact gaatgtatcc tcatccaaca tctacaaaac	71193
gtaataataa cataaattag atttgatttg atgtattgta catacaatgc attttcaatg	71253
tttttttaaa tgaatttagtg cttgagttta tatttcagtg ttattttaat ccccaaagtt	71313
atggaagagt caaataaatt ttgatttttt tatgatttaa ttcgagtcct tcaaattggc	71373
gtcttttttc tcgttttggg tcccgactact taagtcataa taataataat aataataata	71433
ataataataa taataaaagt ttaggaagaa aaatgagaaa actaattagt ttcgggtttt	71493
atttaaggtt ttttttagttt cagaaactaa aatgacatat agatacaaat ttaaagatta	71553
aattcgtcac ttactcattt tttatttagac aaaatttagg tttaagcatg catacctttt	71613
gtttcttgaa tctagccaaa cttatgagtt gagttatacc cttgatgttc aacatgaggc	71673
caagtagcgt gccatgttta ggtctaattg tgtacgctag agaaaccaac acacaggcca	71733
gcaacttggc caagtctccc gcgaagaaaa caccctgaag ggtcaaaaat aagcgccaat	71793
cctcaagtgc agacaaatcc gtgttgatgc caatgtacac aaagaagaag ggtagcaaga	71853
actcagtggt aagaacttca ctcttctccg cttagcgttg ccctaagggg gggccacttg	71913
gtacgaccaa accaaaaatc aagggtccca tgagaaacgt tacgcccac aagtctccca	71973
caccagccat cactagcacc ccaagaagta tcaacacaac ataaagttcc ttcacaggtt	72033
ttccaactgg ggttctcata gcaatcaatt tcatggttgg tcgaagaaca aagaagttga	72093
agaagacgag caagcaccag tttcccaaca atgcgattga ttttttcaca tcaacattag	72153
atgtgaagct atgcataacg atgaaaagcc atagtatgat gtcgttgatc atggaggaag	72213
agagagcgat ctggccaagt tctgtggctg tgagggttcag ttcaagcatt gcatcagaca	72273
cgacggggaa gttgctcaac gacattaagc agcttactga gacacgcgcg attgttaaag	72333
atgcagagga aatttggttg gggtgataat agagacataa gagtgctaag ataaccacaa	72393
atgaagcgag gaagggaatt actccaagtc gccacgtgct tttggctgct cttatggtca	72453
ttagtacgtc cattttcaat gcaactaaga atacgaaata tacggcgccg gttaaggatg	72513
ccatcactaa atactccgtc tgtctcggtg gaaataaaac ctgccaatac gtcttgttcc	72573
gccccaaaaa tgtggggccc aaaataatgc caccctgcac attttcaacta gacacaactt	72633
taacattcaa actaaaccta taattataat ttacaaatca tacaagaatg aatttcttct	72693
gctagaatta acagtttcaa accttaaatt atactaatag atggttaaga tttctactta	72753

aatcatata tatcatttgc tttcgttttc aatgctaaaa tgatgtcagt aataagcaac	72813
agtaataatc acattcatga taatagtgat aaaatgatca ccacagtaat atcaatcaca	72873
atagtcaaaa taataataat aatgaccttg atgtgaaaac tgctaaagtg aattttatat	72933
aaggaaatca ttctcatata gaaatgataa aattacttat tatgagaatg aaaacaataa	72993
attcttattt gaatggttag atttaaaaaa tacatcactt cttattaagt ggtcatgtgt	73053
gaacattaaa ttacctttaa tctttatcat aattactctt ttcattctta aattaagatt	73113
ttttttctaa tttctagata tattaattat ttttttctta aatattctta cttaattatt	73173
ttctcatcaa atattaatga gatgaataga gaaataagaa aagaataatt tttgaatgat	73233
aatataatta attaattaat aaatttaatg tgattaatta aattaattat ttttcttaag	73293
acacataaat tagttgaaag gtaattgtaa taaggacag acggagtga ataaattgct	73353
actaatttca taaataaaaa accttcaaac tatgagcaat cgtgggtcatt gaaaacaaca	73413
aagaaatgaa atcctaactt tttatcatga gataaatttt cttggcaaaa tgatagacag	73473
acaaaaatgg tgtcttccat gtctctcctc cttccacaaa caaacgttac ccatacctc	73533
agacactcct cgacaactat tggacttggt gagtccaaca ttggactctt tgaagaataa	73593
ttcggaacag cctcaactac cttcaatttg gaactataaa ccacgttatc aactgcctt	73653
gtcggagaag tgcacctatc cagcttatgg cgctttcggc tgttttccag cggcgagact	73713
aacacattaa tagttatgta tttcaagggc aaaaggtcca aactctagcg tgtggaaggg	73773
cgtgaggtgg attocatggg agaagaagtc tcgcatcatg ttgaggaata aatggtgtat	73833
aaggagaagg ctaagcgtca tgtttgagga gactaatttc ttgaagacaa tttcaagaaa	73893
atcatctttg aatatttgat ttttaagaca gttttaagaa aatcatcttt aaacactcaa	73953
tttttaagat gatttttata aaattgtcat catacatctt ctattattta caaaattatt	74013
actgcctaac attttaagac aaatttttaa aattatctta aaaaatacgt tgtaaaaatt	74073
attttttagt agtataatca tatttgtcac tgttttcatt atcattatta tcaatatttt	74133
tattgttatc actaccatct tcacctatca ttaacatcat cattccatcg ttgtcaacgt	74193
gagaaggtgg tagcttgata ccgacatgat gacaatgatg acgatttggtg ataattgttg	74253
caaaaaaagt gaaaagaaaa taaggggtta aagagagaga gaaaattgta gcctttcaat	74313
atttttttaa atttattaaa agggaaaaaa acttttatag ctagcttacc aggacgttgc	74373
agatgaattt ggggtgttctt agaggcctga gaagaaagta aagcgttcga gagactaaga	74433
tgacggtgaa gagttggcac aacgttacag gaagcacaaa ttcaaattga cgatccccaa	74493

tgaaaattcc taaagagccc acatttctat cgtcttcgac acaaacttgc cactgcccac	74553
gggaatccca ataacttgag acaattccat tgcctcgtga agtcgccata ttatctctat	74613
atatatccaa ctaatcaaat tagtatttct gtgtttgtgt ttgcatgcat gatgacgcaa	74673
cacaaacacg taccagggga cataaaatgc tgagtggagc acgcaatgat atgaaaaaac	74733
aatgtcttaa ttttttgttg ttgagttatg aagaacaatg tctgaatgaa acaaatgaaa	74793
aaagaggagg ggaggggtct tagaagcttt agattaggaa tcggaatatt cgtcaacgcc	74853
aagatataat agccttgcat tgcattgtga ttttttcgtc aaagcatgag agttaatggt	74913
gttacggggg cactaatcta atattatagc cactcgtgta actttaaaaa aatttctatt	74973
ttggcaaaat ataatatcta tatatggatt gagaaattct acttaaaact agcgtaccac	75033
taaaattaat ctcatagcaa gtcaacactt gaaagtttaa agtaactaat taaaggttgc	75093
cctaacaatc ataggccata agcccttagt gggccttggt gtgtggggcca ttttttaaaa	75153
agtattgtag ggacaaaaat aaccttaatg aaagatggga gtgaatgact ttacaccct	75213
tgtcatctc catgttttct catagcttcc aatggtgttg gacttttgtg gtaattctat	75273
ttggtgttgg tcagggaata tggaggcaag tgttcttctt ggaaacagtt atgggggtgt	75333
agctcgcgtg gctgtggcgg gtcttcgttg tggagtgatg ggctcgcca tatctcgtgg	75393
ggctaaagaa caaaaacaaa aataaagctc tgatgggttg gaaagggtgc aaatacactc	75453
agcatattta ataaattatt attaaaaaa ataccaacaa agttgcaagt aacatattct	75513
aactcttaat taataaaatg cacaatctaa cagtttata ttcctttatc actatgaact	75573
atctaacaag attcaccatc ttaaacttca tcatttgcac gaacaaaagt atttaattta	75633
ttttatctca taaatttcta tgaacctatt tttggagatg ttatatggtg aacaaaaaat	75693
attactaatt cactaagttt atgtgcaatt aatttttagt ggagtcaatt tatctttaaa	75753
atgagtcaaa ggacctattc tatggcaatc aaccttttct attagcttct attgttctaa	75813
tatacaaatt ttaaatccta gtttttggtc tcaaatgttt ttaattaaat ttgttaaatt	75873
attttttatt taaccttact aatctaaaca tcatggttat atataaatgc aagcatattt	75933
attaagataa ttttttaaaa aaattatata aatgaaaatg atataagatg tatatgaata	75993
tataattatt taaatatata tatcagcatt attaatTTTT tatattttta atattaatat	76053
aaatatattt ttataaaaaa aaaaataaat tacaaatcgt aataatattt ttgtaagaaa	76113
aataataaag ataataaaat ttacaaatat tatattttta aaaaattgca taaattattt	76173
aatacatgtt ataataattt aaatatcat cacttttaca aatattttca tcatgtatac	76233